

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT05803\1100BT05803.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP




BACK



BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client

Date

Drawn By
Dessiné Par BoxCad: BoxCad

Date 26-Jul-22

Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color Couleur Asa-61 Grey

Finish Fini Smooth

Description
1100BT 800A - 3Wires x 60" Assembly

Detail Rev.

Part Number
Numéro Pièce
1100BT05803

Rev. 0
1
8

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobex

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT05803\1100BT05803.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

| | | | |
|--|-------------------------------------|--------|--------|
| | Description | Status | |
| | 1100BT 800A - 3Wires x 60" Assembly | (NULL) | |
| | Part Number Numéro Pièce | Rev. | |
| | 1100BT05803 | 0 | 2 8 |

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT05803\1100BT05803.idw

Tolérance ±1/32" sauf spécification contraire

NOTE

| ITEM | DESCRIPTION |
|------|--|
| 1 | NEMA 1 Enclosure |
| 2 | C/W Standard ground studs on box and cover |
| 3 | W/O Standard door stiffener |
| 4 | W/O Inner panel |
| 5 | W/O Inner panel mounting studs |

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |




Isometric View

Flatness

Aplatissement

Max 3.0mm

Projection



EXM

exm

Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com

Customer Client

Date

Drawn By

Dessiné Par

BoxCad: BoxCad

Date 26-Jul-22

Material

Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color

Couleur

Asa-61 Grey

Finish

Fin

Smooth

Description

1100BT 800A - 3Wires x 60" Assembly

Detail Rev.

Part Number

Numéro Pièce

1100BT05803

Rev.

0

3

8

PACKING

| ITEM | QTY | DESCRIPTION |
|-----------------------|-----|--|
| Cardboard sleeve | 2 | Top and Bottom |
| Cardboard strip | 2 | Between back of enclosure and inner panel |
| Plastic bag | 1 | To protect cover surface and inside gasket |
| Cardboard corner | 4 | To reinforced for the plastic strap tightening |
| Plastic strap - Black | 2 | To Squeeze 2 cardboard sleeve together |
| Packaging label | 3 | White label with PN |
| Plastic strap- Green | 2 | To secure the enclosure to the wood pallet |
| Wood Pallet | 1 | 2" deeper and 3" larger than enclosure size |

| | | | |
|------------|-------------------|-----|-------------------------------------|
| 2 | 885 BTMF | 0 | 885 BTMF Mounting Feet Kit |
| 1 | 1100BT05803BAR2-P | 0 | Rounded Edge Aluminum Bar 1/2" x 3" |
| 1 | 1100BT05803BAR1-P | 0 | Rounded Edge Aluminum Bar 1/2" x 3" |
| 1 | 1100BT05803BAR3-P | 0 | Rounded Edge Aluminum Bar 1/2" x 3" |
| 9 | STK-Q-07310 | 2 | Flange Lock Nut M8 |
| 9 | STK-A-67400 | 0 | Buss Bar Insulator Kit |
| 10 | STK-Q-05020 | 5 | M5 x 8mm Thread Rolling Screw |
| 1 | 1100BT05803C | 0 | 1100BT 24" x 60" Cover |
| 1 | 1100BT05803B | 0 | 1100BT 24" x 60" x 8" Body |
| Qty | Part Number | Rev | Description |
| Parts List | | | |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


An isometric drawing of the front panel of the 19-inch rackmount unit. The panel is shown in a 3D perspective, revealing its depth and the internal structure. It features a dark gray front face with a series of vertical slots for ventilation. The top and bottom edges are finished with a lighter gray material. The unit is designed to be mounted in a standard 19-inch rack.



Flatness
Aplatissement

Max 3.0mm

Projection

The image shows two geometric tolerance symbols. The first symbol is for Flatness (Aplatissement), consisting of a horizontal line with a curved arrow pointing upwards, and the text 'Max 3.0mm' below it. The second symbol is for Projection, consisting of a circle with a horizontal line passing through its center, and a trapezoidal shape to the right of the circle.

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT05803\1100BT05803.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE | | | |
|---|--------|--------|-----------------------------|
| HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY) | | | |
| CUT-OUT | XDIM | YDIM | DESCRIPTION |
| 1 | 56.000 | 22.000 | GND STUD M8 x 35mm (Inside) |
| 2 | 56.000 | 20.000 | GND STUD M8 x 35mm (Inside) |



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

| | | | |
|--|--|------------------|--------|
| | Description 1100BT 24" x 60" x 8" Body | Status (NULL) | |
| | Part Number Numéro Pièce 1100BT05803B | Rev. 0 | 5 8 |



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1100BT05803\1100BT05803.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



| | |
|---|------------------------|
| Customer Client | Date |
| Drawn By Dessiné Par BoxCad: BoxCad | Date 26-Jul-22 |
| Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm) | |
| Color Couleur Asa-61 Grey | Finish Finis Smooth |


| | | | |
|------------|----------------|-----|--|
| 1 | STK-P-02400S | 0 | Powder Paint (Asa-61 Grey / Smooth) |
| 1 | STK-S-00100 | 0 | 3.5" x 2" Silver Milar Flexcon Sticker |
| 2 | STK-Q-16005 | 1 | Stud M8 x 35 (No Paint Cap Required) |
| 1 | 1100BT05803B-P | 0 | 1100BT 24" x 60" x 8" Body Part |
| Qty | Part Number | Rev | Description |
| Parts List | | | |

| | | |
|-----------------------------|-------------|--------|
| Description | Detail Rev. | |
| 1100BT 24" x 60" x 8" Body | | |
| Part Number Numéro Pièce | Rev. | |
| 1100BT05803B | 0 | 6 8 |


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXIM

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



Isometric View



| | | |
|---|----------------------------|--|
|  <div style="display: inline-block; vertical-align: middle; margin-left: 10px;"> Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com </div> | | Flatness Aplatissement  Max 3.0mm Projection  |
| Customer Client | Date | |
| Drawn By Dessiné Par BoxCad: BoxCad | Date 26-Jul-22 | |
| Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm) | | |
| Color Couleur Asa-61 Grey | Finish Fini Smooth | |
| Description 1100BT 24" x 60" Cover | | Detail Rev. |
| Part Number Numéro Pièce 1100BT05803C | | Rev. 0 <div style="display: inline-block; border: 1px solid black; padding: 5px; margin-top: 5px;"> 7 8 </div> |


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT05803\1100BT05803.idw


Tolérance ±1/32" sauf spécification contraire

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

26-Jul-22

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1100BT 24" x 60" Cover

Detail Rev.

Part Number
Numéro Pièce

1100BT05803C

Rev.

8

0

8

| | | | |
|------------|----------------|-----|--|
| 1 | STK-P-02400S | 0 | Powder Paint (Asa-61 Grey / Smooth) |
| 1 | STK-S-00100 | 0 | 3.5" x 2" Silver Milar Flexcon Sticker |
| 1 | 1100BT05803C-P | 0 | 1100BT 24" x 60" Flat Cover Part |
| Qty | Part Name | Rev | Description |
| Parts List | | | |