


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT081603\1100BT081603.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par BoxCad: BoxCad

Date 7/28/2022

Material
Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur Asa-61 Grey

Finish
Fini Smooth

Description
1100BT 1600A - 3Wires x 96" Assembly

Detail Rev.

Part Number
Numéro Pièce
1100BT081603

Rev.
0

1
8

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobex

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT081603\1100BT081603.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



	Description	Status	
	1100BT 1600A - 3Wires x 96" Assembly	(NULL)	
	Part Number Numéro Pièce	Rev.	2
	1100BT081603	0	8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT081603\1100BT081603.idw


Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 1 Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	W/O Inner panel
5	W/O Inner panel mounting studs

No.	Revisions	Date	By/Par




Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 7/28/2022

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1100BT 1600A - 3Wires x 96" Assembly

Detail Rev.

Part Number
Numéro Pièce

1100BT081603

Rev. 0

3
8

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	1100BT081603BAR3-P	0	Rounded Edge Aluminum Bar 1/2" x 6"
1	1100BT081603BAR2-P	0	Rounded Edge Aluminum Bar 1/2" x 6"
1	1100BT081603BAR1-P	0	Rounded Edge Aluminum Bar 1/2" x 6"
12	STK-Q-07310	2	Flange Lock Nut M8
12	STK-A-67400	0	Buss Bar Insulator Kit
10	STK-Q-03210	0	Thread Cutting Screw 1/4-20 x 5/16"
16	STK-Q-05020	5	M5 x 8mm Thread Rolling Screw
1	1100BT081603C	0	1100BT 27" x 96" Cover
1	1100BT081603B	0	1100BT 27" x 96" x 8" Body
3	885 BTMF	0	885 BTMF Mounting Feet Kit
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT081603\1100BT081603.idw

Tolérance ±1/32" sauf spécification contraire

TOP

BACK

LEFT

FRONT

RIGHT

Isometric View

BOTTOM

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.000

0.000

8.000

0.000

96.000

27.000

0.


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT081603\1100BT081603.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	92.000	25.000	GND STUD M8 x 35mm (Inside)
2	92.000	23.000	GND STUD M8 x 35mm (Inside)



	Description 1100BT 27" x 96" x 8" Body	Status (NULL)	
	Part Number Numéro Pièce 1100BT081603B	Rev. 0	5 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT081603\1100BT081603.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection

Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1100BT 27" x 96" x 8" Body

Detail Rev.

Part Number
Numéro Pièce

1100BT081603B

Rev.

6

8

Qty	Part Number	Rev	Description
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100BT081603B-P	0	1100BT 27" x 96" x 8" Body Part
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
2	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	1100BT081603E-P	0	1100BT 27" x 96" x 8" Body Part
Parts List			



SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT081603\1100BT081603.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
			
Isometric View			
		Flatness Aplatissement Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 7/28/2022	
BoxCad: BoxCad			
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	
Finish Fini		Smooth	
Description			Detail Rev.
1100BT 27" x 96" Cover			
Part Number Numéro Pièce			Rev. 8
1100BT081603C			0 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100BT081603F-P	0	1100BT 27" x 96" Flanged Cover Part
1	1100BT081603C-P	0	1100BT 27" x 96" Flat Cover Part
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
Qty	Part Name	Rev	Description
Parts List			