

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT08403\1100BT08403.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK



LEFT



FRONT




RIGHT






BOTTOM

No.	Revisions	Date	By/Par



Isometric View



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
				Projection 	
Customer Client				Date	
Drawn By Dessiné Par				Date 7/25/2022	
Material Matière				14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey		Finish Fini Smooth	
Description 1100BT 400A - 3Wires x 96" Assembly				Detail Rev.	
Part Number Numéro Pièce				Rev.	
1100BT08403				0	
				1 8	


This drawing is confidential and must not be reproduced or used without the consent of Eurobex

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT08403\1100BT08403.idw

Tolérance $\pm 1/32$ " sauf spécification contraire



STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE




	Description		Status	
	1100BT 400A - 3Wires x 96" Assembly		(NULL)	
	Part Number Numéro Pièce		Rev.	2
1100BT08403		0	8	

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT08403\1100BT08403.idw		Tolérance ±1/32" sauf spécification contraire																																																																														
NOTE <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 1 Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>W/O Standard door stiffener</td></tr><tr><td>4</td><td>W/O Inner panel</td></tr><tr><td>5</td><td>W/O Inner panel mounting studs</td></tr></table>				ITEM	DESCRIPTION	1	NEMA 1 Enclosure	2	C/W Standard ground studs on box and cover	3	W/O Standard door stiffener	4	W/O Inner panel	5	W/O Inner panel mounting studs	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>  Isometric View   Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection  <table><tr><td colspan="2">Customer Client</td><td colspan="2">Date</td></tr><tr><td colspan="2">Drawn By Dessiné Par BoxCad: BoxCad</td><td colspan="2">Date 7/25/2022</td></tr><tr><td colspan="2">Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)</td><td colspan="2"> </td></tr><tr><td colspan="2">Color Couleur Asa-61 Grey</td><td colspan="2">Finish Fini Smooth</td></tr><tr><td colspan="2">Description 1100BT 400A - 3Wires x 96" Assembly</td><td colspan="2">Detail Rev.</td></tr><tr><td colspan="2">Part Number Numéro Pièce 1100BT08403</td><td>Rev. 0</td><td>3 8</td></tr></table>		No.	Revisions	Date	By/Par																									Customer Client		Date		Drawn By Dessiné Par BoxCad: BoxCad		Date 7/25/2022		Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)				Color Couleur Asa-61 Grey		Finish Fini Smooth		Description 1100BT 400A - 3Wires x 96" Assembly		Detail Rev.		Part Number Numéro Pièce 1100BT08403		Rev. 0	3 8													
ITEM	DESCRIPTION																																																																																	
1	NEMA 1 Enclosure																																																																																	
2	C/W Standard ground studs on box and cover																																																																																	
3	W/O Standard door stiffener																																																																																	
4	W/O Inner panel																																																																																	
5	W/O Inner panel mounting studs																																																																																	
No.	Revisions	Date	By/Par																																																																															
Customer Client		Date																																																																																
Drawn By Dessiné Par BoxCad: BoxCad		Date 7/25/2022																																																																																
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)																																																																																		
Color Couleur Asa-61 Grey		Finish Fini Smooth																																																																																
Description 1100BT 400A - 3Wires x 96" Assembly		Detail Rev.																																																																																
Part Number Numéro Pièce 1100BT08403		Rev. 0	3 8																																																																															
PACKING <table><tr><th>ITEM</th><th>QTY</th><th>DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td>Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td>Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td>To protect cover surface and inside gasket</td></tr><tr><td>Cardboard corner</td><td>4</td><td>To reinforced for the plastic strap tightening</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td>To Squeeze 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>3</td><td>White label with PN</td></tr><tr><td>Plastic strap- Green</td><td>2</td><td>To secure the enclosure to the wood pallet</td></tr><tr><td>Wood Pallet</td><td>1</td><td>2" deeper and 3" larger than enclosure size</td></tr></table>				ITEM	QTY	DESCRIPTION	Cardboard sleeve	2	Top and Bottom	Cardboard strip	2	Between back of enclosure and inner panel	Plastic bag	1	To protect cover surface and inside gasket	Cardboard corner	4	To reinforced for the plastic strap tightening	Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together	Packaging label	3	White label with PN	Plastic strap- Green	2	To secure the enclosure to the wood pallet	Wood Pallet	1	2" deeper and 3" larger than enclosure size	<table><tr><td>1</td><td>1100BT08403BAR3-P</td><td>0</td><td>Rounded Edge Aluminum Bar 1/4" x 2 1/2"</td></tr><tr><td>1</td><td>1100BT08403BAR2-P</td><td>0</td><td>Rounded Edge Aluminum Bar 1/4" x 2 1/2"</td></tr><tr><td>1</td><td>1100BT08403BAR1-P</td><td>0</td><td>Rounded Edge Aluminum Bar 1/4" x 2 1/2"</td></tr><tr><td>12</td><td>STK-Q-07310</td><td>2</td><td>Flange Lock Nut M8</td></tr><tr><td>12</td><td>STK-A-67400</td><td>0</td><td>Buss Bar Insulator Kit</td></tr><tr><td>10</td><td>STK-Q-03210</td><td>0</td><td>Thread Cutting Screw 1/4-20 x 5/16"</td></tr><tr><td>16</td><td>STK-Q-05020</td><td>5</td><td>M5 x 8mm Thread Rolling Screw</td></tr><tr><td>1</td><td>1100BT08403C</td><td>0</td><td>1100BT 18" x 96" Cover</td></tr><tr><td>1</td><td>1100BT08403B</td><td>0</td><td>1100BT 18" x 96" x 6" Body</td></tr><tr><td>3</td><td>885 BTMF</td><td>0</td><td>885 BTMF Mounting Feet Kit</td></tr><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr><tr><td colspan="4">Parts List</td></tr></table>				1	1100BT08403BAR3-P	0	Rounded Edge Aluminum Bar 1/4" x 2 1/2"	1	1100BT08403BAR2-P	0	Rounded Edge Aluminum Bar 1/4" x 2 1/2"	1	1100BT08403BAR1-P	0	Rounded Edge Aluminum Bar 1/4" x 2 1/2"	12	STK-Q-07310	2	Flange Lock Nut M8	12	STK-A-67400	0	Buss Bar Insulator Kit	10	STK-Q-03210	0	Thread Cutting Screw 1/4-20 x 5/16"	16	STK-Q-05020	5	M5 x 8mm Thread Rolling Screw	1	1100BT08403C	0	1100BT 18" x 96" Cover	1	1100BT08403B	0	1100BT 18" x 96" x 6" Body	3	885 BTMF	0	885 BTMF Mounting Feet Kit	Qty	Part Number	Rev	Description	Parts List			
ITEM	QTY	DESCRIPTION																																																																																
Cardboard sleeve	2	Top and Bottom																																																																																
Cardboard strip	2	Between back of enclosure and inner panel																																																																																
Plastic bag	1	To protect cover surface and inside gasket																																																																																
Cardboard corner	4	To reinforced for the plastic strap tightening																																																																																
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together																																																																																
Packaging label	3	White label with PN																																																																																
Plastic strap- Green	2	To secure the enclosure to the wood pallet																																																																																
Wood Pallet	1	2" deeper and 3" larger than enclosure size																																																																																
1	1100BT08403BAR3-P	0	Rounded Edge Aluminum Bar 1/4" x 2 1/2"																																																																															
1	1100BT08403BAR2-P	0	Rounded Edge Aluminum Bar 1/4" x 2 1/2"																																																																															
1	1100BT08403BAR1-P	0	Rounded Edge Aluminum Bar 1/4" x 2 1/2"																																																																															
12	STK-Q-07310	2	Flange Lock Nut M8																																																																															
12	STK-A-67400	0	Buss Bar Insulator Kit																																																																															
10	STK-Q-03210	0	Thread Cutting Screw 1/4-20 x 5/16"																																																																															
16	STK-Q-05020	5	M5 x 8mm Thread Rolling Screw																																																																															
1	1100BT08403C	0	1100BT 18" x 96" Cover																																																																															
1	1100BT08403B	0	1100BT 18" x 96" x 6" Body																																																																															
3	885 BTMF	0	885 BTMF Mounting Feet Kit																																																																															
Qty	Part Number	Rev	Description																																																																															
Parts List																																																																																		

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



An isometric drawing of a long, rectangular aluminum extrusion. The extrusion has a U-shaped cross-section with a flat top and two vertical side walls. The interior of the U-shape is divided into three sections by a central vertical partition. Each of the two outer sections contains four small, circular holes arranged in a vertical line. The central section is slightly narrower than the outer sections. The drawing is shown from an isometric perspective, giving it a three-dimensional appearance.

Isometric View



Max 3.0mm

Drawn By Dessiné Par	BoxCad: BoxCad	Date 7/25/2022
-------------------------	----------------	----------------

Color	App. #1 Gray	Finish	2
-------	--------------	--------	---

Description	Detail Rev.
1100BT 18" x 96" x 6" Body	

Numéro Pièce	1100BT08403B	0	4/8
--------------	--------------	---	-----

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT08403\1100BT08403.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	92.000	16.000	GND STUD M8 x 35mm (Inside)
2	92.000	14.000	GND STUD M8 x 35mm (Inside)



	Description 1100BT 18" x 96" x 6" Body	Status (NULL)	
	Part Number Numéro Pièce 1100BT08403B	Rev. 0	5 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT08403\1100BT08403.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm
Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 7/25/2022

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1100BT 18" x 96" x 6" Body

Detail Rev.

Part Number
Numéro Pièce

1100BT08403B

Rev. 0

6
8

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100BT08403B-P	0	1100BT 18" x 96" x 6" Body Part
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
2	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	1100BT08403E-P	0	1100BT 18" x 96" x 6" Body Part
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT08403\1100BT08403.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

TOP



BACK

LEFT




FRONT


RIGHT

18.000

0.000



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 7/25/2022

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1100BT 18" x 96" Cover

Detail Rev.

Part Number
Numéro Pièce

1100BT08403C

Rev.

7
8

0

SEE BILL OF MATERIAL ON LAST PAGE




This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT08403\1100BT08403.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par
			
Isometric View			
		Flatness Aplatissement Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 7/25/2022	
BoxCad: BoxCad			
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	
Finish Fini		Smooth	
Description			Detail Rev.
1100BT 18" x 96" Cover			
Part Number Numéro Pièce			Rev. 8
1100BT08403C			0 8

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100BT08403F-P	0	1100BT 18" x 96" Flanged Cover Part
1	1100BT08403C-P	0	1100BT 18" x 96" Flat Cover Part
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
Qty	Part Name	Rev	Description
Parts List			