

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT11603\1100BT11603.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par



Isometric View



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
				Projection 	
Customer Client				Date	
Drawn By Dessiné Par				Date 25-Jul-22	
Material Matière				14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey		Finish Fini Smooth	
Description 1100BT 600A - 3Wires x 132" Assembly				Detail Rev.	
Part Number Numéro Pièce				Rev.	
1100BT11603				1 0 8	


This drawing is confidential and must not be reproduced or used without the consent of Eurobex

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT11603\1100BT11603.idw

Tolérance $\pm 1/32$ " sauf spécification contraire



STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



	Description	Status	
	1100BT 600A - 3Wires x 132" Assembly	(NULL)	
	Part Number Numéro Pièce	Rev.	
	1100BT11603	0	2 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT11603\1100BT11603.idw		Tolérance ±1/32" sauf spécification contraire																																																	
NOTE <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 1 Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>W/O Standard door stiffener</td></tr><tr><td>4</td><td>W/O Inner panel</td></tr><tr><td>5</td><td>W/O Inner panel mounting studs</td></tr></table>				ITEM	DESCRIPTION	1	NEMA 1 Enclosure	2	C/W Standard ground studs on box and cover	3	W/O Standard door stiffener	4	W/O Inner panel	5	W/O Inner panel mounting studs	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>		No.	Revisions	Date	By/Par																																
ITEM	DESCRIPTION																																																				
1	NEMA 1 Enclosure																																																				
2	C/W Standard ground studs on box and cover																																																				
3	W/O Standard door stiffener																																																				
4	W/O Inner panel																																																				
5	W/O Inner panel mounting studs																																																				
No.	Revisions	Date	By/Par																																																		
				 Isometric View																																																	
				 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection 																																																	
				Customer Client Date																																																	
				Drawn By Dessiné Par BoxCad: BoxCad Date 25-Jul-22																																																	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)				Color Couleur Asa-61 Grey Finish Fini Smooth																																																	
Description 1100BT 600A - 3Wires x 132" Assembly				Detail Rev.																																																	
Part Number Numéro Pièce 1100BT11603				Rev. 0	3 8																																																
<table><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr><tr><td>1</td><td>1100BT11603BAR3-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/8" x 2 1/2"</td></tr><tr><td>1</td><td>1100BT11603BAR2-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/8" x 2 1/2"</td></tr><tr><td>1</td><td>1100BT11603BAR1-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/8" x 2 1/2"</td></tr><tr><td>15</td><td>STK-Q-07310</td><td>2</td><td>Flange Lock Nut M8</td></tr><tr><td>15</td><td>STK-A-67400</td><td>0</td><td>Buss Bar Insulator Kit</td></tr><tr><td>10</td><td>STK-Q-03210</td><td>0</td><td>Thread Cutting Screw 1/4-20 x 5/16"</td></tr><tr><td>20</td><td>STK-Q-05020</td><td>5</td><td>M5 x 8mm Thread Rolling Screw</td></tr><tr><td>1</td><td>1100BT11603C</td><td>0</td><td>1100BT 24" x 132" Cover</td></tr><tr><td>1</td><td>1100BT11603B</td><td>0</td><td>1100BT 24" x 132" x 8" Body</td></tr><tr><td>3</td><td>885 BTMF</td><td>0</td><td>885 BTMF Mounting Feet Kit</td></tr><tr><td colspan="4">Parts List</td></tr></table>				Qty	Part Number	Rev	Description	1	1100BT11603BAR3-P	0	Rounded Edge Aluminum Bar 3/8" x 2 1/2"	1	1100BT11603BAR2-P	0	Rounded Edge Aluminum Bar 3/8" x 2 1/2"	1	1100BT11603BAR1-P	0	Rounded Edge Aluminum Bar 3/8" x 2 1/2"	15	STK-Q-07310	2	Flange Lock Nut M8	15	STK-A-67400	0	Buss Bar Insulator Kit	10	STK-Q-03210	0	Thread Cutting Screw 1/4-20 x 5/16"	20	STK-Q-05020	5	M5 x 8mm Thread Rolling Screw	1	1100BT11603C	0	1100BT 24" x 132" Cover	1	1100BT11603B	0	1100BT 24" x 132" x 8" Body	3	885 BTMF	0	885 BTMF Mounting Feet Kit	Parts List					
Qty	Part Number	Rev	Description																																																		
1	1100BT11603BAR3-P	0	Rounded Edge Aluminum Bar 3/8" x 2 1/2"																																																		
1	1100BT11603BAR2-P	0	Rounded Edge Aluminum Bar 3/8" x 2 1/2"																																																		
1	1100BT11603BAR1-P	0	Rounded Edge Aluminum Bar 3/8" x 2 1/2"																																																		
15	STK-Q-07310	2	Flange Lock Nut M8																																																		
15	STK-A-67400	0	Buss Bar Insulator Kit																																																		
10	STK-Q-03210	0	Thread Cutting Screw 1/4-20 x 5/16"																																																		
20	STK-Q-05020	5	M5 x 8mm Thread Rolling Screw																																																		
1	1100BT11603C	0	1100BT 24" x 132" Cover																																																		
1	1100BT11603B	0	1100BT 24" x 132" x 8" Body																																																		
3	885 BTMF	0	885 BTMF Mounting Feet Kit																																																		
Parts List																																																					
PACKING <table><tr><th>ITEM</th><th>QTY</th><th>DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td>Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td>Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td>To protect cover surface and inside gasket</td></tr><tr><td>Cardboard corner</td><td>4</td><td>To reinforced for the plastic strap tightening</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td>To Squeeze 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>3</td><td>White label with PN</td></tr><tr><td>Plastic strap- Green</td><td>2</td><td>To secure the enclosure to the wood pallet</td></tr><tr><td>Wood Pallet</td><td>1</td><td>2" deeper and 3" larger than enclosure size</td></tr></table>						ITEM	QTY	DESCRIPTION	Cardboard sleeve	2	Top and Bottom	Cardboard strip	2	Between back of enclosure and inner panel	Plastic bag	1	To protect cover surface and inside gasket	Cardboard corner	4	To reinforced for the plastic strap tightening	Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together	Packaging label	3	White label with PN	Plastic strap- Green	2	To secure the enclosure to the wood pallet	Wood Pallet	1	2" deeper and 3" larger than enclosure size																					
ITEM	QTY	DESCRIPTION																																																			
Cardboard sleeve	2	Top and Bottom																																																			
Cardboard strip	2	Between back of enclosure and inner panel																																																			
Plastic bag	1	To protect cover surface and inside gasket																																																			
Cardboard corner	4	To reinforced for the plastic strap tightening																																																			
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together																																																			
Packaging label	3	White label with PN																																																			
Plastic strap- Green	2	To secure the enclosure to the wood pallet																																																			
Wood Pallet	1	2" deeper and 3" larger than enclosure size																																																			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT11603\1100BT11603.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP



BACK



LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 25-Jul-22
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth
Description 1100BT 24" x 132" x 8" Body	Detail Rev.
Part Number Numéro Pièce 1100BT11603B	Rev. 0
	4 8

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT11603\1100BT11603.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	128.000	22.000	GND STUD M8 x 35mm (Inside)
2	128.000	20.000	GND STUD M8 x 35mm (Inside)



	Description 1100BT 24" x 132" x 8" Body		Status (NULL)	
	Part Number Numéro Pièce 1100BT11603B		Rev. 0	5 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1100BT11603\1100BT11603.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement


Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

25-Jul-22

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1100BT 24" x 132" x 8" Body

Detail Rev.

Part Number
Numéro Pièce

1100BT11603B

Rev.

6


8

Qty	Part Number	Rev	Description
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100BT11603B-P	0	1100BT 24" x 132" x 8" Body Part
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
2	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	1100BT11603E-P	0	1100BT 24" x 132" x 8" Body Part
Parts List			


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXIM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement
		 Max 3.0mm
Customer Client		Date
Drawn By Dessiné Par BoxCad: BoxCad		Date 25-Jul-22
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)		
Color Couleur Asa-61 Grey	Finish Fini Smooth	
Description 1100BT 24" x 132" Cover		Detail Rev.
Part Number Numéro Pièce 1100BT11603C		Rev. 0 7 8

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BT11603\1100BT11603.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions

Date

By/Par



Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement



Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 25-Jul-22

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

1100BT 24" x 132" Cover

Detail Rev.

Part Number
Numéro Pièce

1100BT11603C

Rev.

8

8

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100BT11603F-P	0	1100BT 24" x 132" Flanged Cover Part
1	1100BT11603C-P	0	1100BT 24" x 132" Flat Cover Part
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
Qty	Part Name	Rev	Description
Parts List			