


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU051003\1100BTCU051003.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT




FRONT




RIGHT



BOTTOM



Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer Client

Date

Drawn By  
Dessiné Par BoxCad: BoxCad

Date 04-Aug-22

Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color Couleur Asa-61 Grey

Finish Fini Smooth

Description  
1100BTCU 1000A - 3Wires x 60" Assembly

Detail Rev.

Part Number  
Numéro Pièce  
**1100BTCU051003**

Rev.


1


8

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobox

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



|   |  |  |                  |        |
|---|--|--|------------------|--------|
|  | Description  |  | Status           |        |
|   | 1100BTCU 1000A - 3Wires x 60" Assembly               |  | (NULL)           |        |
|   | Part Number<br>Numéro Pièce<br><b>1100BTCU051003</b> |  | Rev.<br><b>0</b> | 2<br>8 |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU051003\1100BTCU051003.idw

Tolérance ±1/32" sauf spécification contraire

| NOTE |  |
|------|--|
| ITEM | DESCRIPTION                                |
| 1    | NEMA 1 Enclosure (IP20)                    |
| 2    | C/W Standard ground studs on box and cover |
| 3    | W/O Standard door stiffener                |
| 4    | W/O Inner panel                            |
| 5    | W/O Inner panel mounting studs             |

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



|                         |  |   |  |
|-------------------------|--|---|--|
| Customer Client         |  | Date  |  |
| Drawn By<br>Dessiné Par |  | Date 04-Aug-22  |  |
| Material<br>Matière     |  | BoxCad: BoxCad<br>14 Ga Cold Rolled A1008 CS Type B (1.7mm) |  |

|                  |             |               |        |
|------------------|-------------|---------------|--------|
| Color<br>Couleur | Asa-61 Grey | Finish<br>Fin | Smooth |
|------------------|-------------|---------------|--------|

|  |             |
|--|-------------|
| Description                            | Detail Rev. |
| 1100BTCU 1000A - 3Wires x 60" Assembly |             |

|                             |      |   |
|-----------------------------|------|---|
| Part Number<br>Numéro Pièce | Rev. | 3 |
| 1100BTCU051003              | 0    | 8 |

| PACKING               |     |  |
|-----------------------|-----|--|
| ITEM                  | QTY | DESCRIPTION                                    |
| Cardboard sleeve      | 2   | Top and Bottom                                 |
| Cardboard strip       | 2   | Between back of enclosure and inner panel      |
| Plastic bag           | 1   | To protect cover surface and inside gasket     |
| Cardboard corner      | 4   | To reinforced for the plastic strap tightening |
| Plastic strap - Black | 2   | To Squeeze 2 cardboard sleeve together         |
| Packaging label       | 3   | White label with PN                            |
| Plastic strap- Green  | 2   | To secure the enclosure to the wood pallet     |
| Wood Pallet           | 1   | 2" deeper and 3" larger than enclosure size    |

|            |                      |     |                                   |
|------------|----------------------|-----|-----------------------------------|
| 2          | 885 BTMF             | 0   | 885 BTMF Mounting Feet Kit        |
| 1          | 1100BTCU051003BAR2-P | 0   | Rounded Edge Copper Bar 1/4" x 4" |
| 1          | 1100BTCU051003BAR1-P | 0   | Rounded Edge Copper Bar 1/4" x 4" |
| 1          | 1100BTCU051003BAR3-P | 0   | Rounded Edge Copper Bar 1/4" x 4" |
| 9          | STK-Q-07310          | 2   | Flange Lock Nut M8                |
| 9          | STK-A-67400          | 0   | Buss Bar Insulator Kit            |
| 10         | STK-Q-05020          | 5   | M5 x 8mm Thread Rolling Screw     |
| 1          | 1100BTCU051003C      | 0   | 1100BTCU 24" x 60" Cover          |
| 1          | 1100BTCU051003B      | 0   | 1100BTCU 24" x 60" x 8" Body      |
| Qty        | Part Number          | Rev | Description                       |
| Parts List |                      |     |                                   |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU051003\1100BTCU051003.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK




LEFT




FRONT



RIGHT



BOTTOM



Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer  
Client

Date

Drawn By  
Dessiné Par

BoxCad: BoxCad

Date 04-Aug-22

Material  
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color  
Couleur

Asa-61 Grey

Finish  
Fini

Smooth

Description

1100BTCU 24" x 60" x 8" Body

Detail Rev.

Part Number  
Numéro Pièce

1100BTCU051003B

Rev.

4

8

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU051003\1100BTCU051003.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |        |        |                             |
|---|--------|--------|-----------------------------|
| HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)        |        |        |                             |
| CUT-OUT   | XDIM   | YDIM   | DESCRIPTION                 |
| 1   | 56.000 | 22.000 | GND STUD M8 x 35mm (Inside) |
| 2   | 56.000 | 20.000 | GND STUD M8 x 35mm (Inside) |



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

|  |   |                  |        |
|--|---|------------------|--------|
|  | Description<br>1100BTCU 24" x 60" x 8" Body           | Status<br>(NULL) |        |
|  | Part Number<br>Numéro Pièce<br><b>1100BTCU051003B</b> | Rev.<br><b>0</b> | 5<br>8 |





This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU051003\1100BTCU051003.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

|   |           |      |  |
|---|-----------|------|--|
| No.   | Revisions | Date | By/Par   |
|   |           |      |  |
|   |           |      |  |
|   |           |      |  |
|   |           |      |  |
|   |           |      |  |
|   |           |      |    |
| <p>Isometric View</p>   |           |      |  |
|  <p>Tél: (450) 979-4373<br/>Fax: (450) 979-4626<br/><a href="http://www.exmweb.com">www.exmweb.com</a></p> |           |      | <p>Flatness<br/>Aplatissement</p> <p>Max 3.0mm</p> <p>Projection</p>  |
| Customer<br>Client  |           |      | Date   |
| Drawn By<br>Dessiné Par      BoxCad: BoxCad   |           |      | Date 04-Aug-22   |
| Material<br>Matière      14 Ga Cold Rolled A1008 CS Type B (1.7mm)  |           |      |  |
| Color<br>Couleur      Asa-61 Grey   |           |      | Finish<br>Finis      Smooth  |
| Description   |           |      | Detail Rev.  |
| 1100BTCU 24" x 60" x 8" Body  |           |      |  |
| Part Number<br>Numéro Pièce   |           |      | Rev. 6   |
| 1100BTCU051003B   |           |      | 0 8  |

|            |                   |     |  |
|------------|-------------------|-----|--|
| 1          | STK-P-02400S      | 0   | Powder Paint (Asa-61 Grey / Smooth)    |
| 1          | STK-S-00100       | 0   | 3.5" x 2" Silver Milar Flexcon Sticker |
| 2          | STK-Q-16005       | 0   | Stud M8 x 35mm Steel                   |
| 1          | 1100BTCU051003B-P | 0   | 1100BTCU 24" x 60" x 8" Body Part      |
| Qty        | Part Number       | Rev | Description                            |
| Parts List |                   |     |  |

TOP

**LEFT**

Diagram showing the front view of a rectangular object. The vertical dimension is labeled 0.000 and the horizontal dimension is labeled 60.000. The word "FRONT" is centered below the rectangle.

A vertical axis with a tick mark at 0.000 and a label 'RIGHT' at the bottom.

**BOTTOM**

**SEE BILL OF MATERIAL ON LAST PAGE**

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU051003\1100BTCU051003.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions


Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626

[www.exmweb.com](http://www.exmweb.com)


Flatness

Aplatissement



Max 3.0mm

Projection



Customer

Client

Date

Drawn By

Dessiné Par

BoxCad: BoxCad

Date 04-Aug-22

Material

Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color

Couleur

Asa-61 Grey

Finish

Fini

Smooth

Description

1100BTCU 24" x 60" Cover

Detail Rev.

Part Number

Numéro Pièce

1100BTCU051003C

Rev.

0

8

8

1

STK-P-02400S

0

Powder Paint (Asa-61 Grey / Smooth)

1

STK-S-00100

0

3.5" x 2" Silver Milar Flexcon Sticker

1

1100BTCU051003C-P

0

1100BTCU 24" x 60" Flat Cover Part

Qty

Part Name

Rev

Description

Parts List