

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor\_Dwg\BoxCad\Result\1100BTCU061603\1100BTCU061603.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 05-Aug-22	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 1100BTCU 1600A - 3Wires x 72" Assembly			Detail Rev.
Part Number Numéro Pièce			Rev. 1
SEE BILL OF MATERIAL ON LAST PAGE 1100BTCU061603			0 8


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance  $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU061603\1100BTCU061603.idw

Tolérance  $\pm 1/32$ " sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



	Description		Status	
	1100BTCU 1600A - 3Wires x 72" Assembly		(NULL)	
	Part Number Numéro Pièce <b>1100BTCU061603</b>		Rev. <b>0</b>	2 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU061603\1100BTCU061603.idw		Tolérance ±1/32" sauf spécification contraire																																																																								
<div><div>NOTE</div><table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 1 Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>W/O Standard door stiffener</td></tr><tr><td>4</td><td>W/O Inner panel</td></tr><tr><td>5</td><td>W/O Inner panel mounting studs</td></tr></table></div>				ITEM	DESCRIPTION	1	NEMA 1 Enclosure	2	C/W Standard ground studs on box and cover	3	W/O Standard door stiffener	4	W/O Inner panel	5	W/O Inner panel mounting studs	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>		No.	Revisions	Date	By/Par																																																							
ITEM	DESCRIPTION																																																																											
1	NEMA 1 Enclosure																																																																											
2	C/W Standard ground studs on box and cover																																																																											
3	W/O Standard door stiffener																																																																											
4	W/O Inner panel																																																																											
5	W/O Inner panel mounting studs																																																																											
No.	Revisions	Date	By/Par																																																																									
<div><div><div></div></div><div>Isometric View</div></div>				<div><div><div></div><div>Flatness Aplatissement</div><div>Max 3.0mm</div></div><div>Projection</div><div><div></div><div></div></div></div>																																																																								
				<div><div><div><div>Customer Client</div><div>Date</div></div><div><div>Drawn By Dessiné Par</div><div>BoxCad: BoxCad</div></div><div><div>Date</div><div>05-Aug-22</div></div></div></div>																																																																								
				<div><div><div><div>Material Matière</div><div>14 Ga Cold Rolled A1008 CS Type B (1.7mm)</div></div><div><div>Color Couleur</div><div>Asa-61 Grey</div></div><div><div>Finish Fini</div><div>Smooth</div></div></div></div>																																																																								
				<div><div><div><div>Description</div><div>1100BTCU 1600A - 3Wires x 72" Assembly</div></div><div><div>Part Number Numéro Pièce</div><div>1100BTCU061603</div></div></div><div><div><div>Rev.</div><div>0</div></div><div><div>3</div><div>8</div></div></div></div>																																																																								
<div><div><div>PACKING</div><table><tr><th>ITEM</th><th>QTY</th><th>DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td>Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td>Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td>To protect cover surface and inside gasket</td></tr><tr><td>Cardboard corner</td><td>4</td><td>To reinforced for the plastic strap tightening</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td>To Squeeze 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>3</td><td>White label with PN</td></tr><tr><td>Plastic strap- Green</td><td>2</td><td>To secure the enclosure to the wood pallet</td></tr><tr><td>Wood Pallet</td><td>1</td><td>2" deeper and 3" larger than enclosure size</td></tr></table></div></div>				ITEM	QTY	DESCRIPTION	Cardboard sleeve	2	Top and Bottom	Cardboard strip	2	Between back of enclosure and inner panel	Plastic bag	1	To protect cover surface and inside gasket	Cardboard corner	4	To reinforced for the plastic strap tightening	Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together	Packaging label	3	White label with PN	Plastic strap- Green	2	To secure the enclosure to the wood pallet	Wood Pallet	1	2" deeper and 3" larger than enclosure size	<table><tr><td>2</td><td>885 BTMF</td><td>0</td><td>885 BTMF Mounting Feet Kit</td></tr><tr><td>1</td><td>1100BTCU061603BAR2-P</td><td>0</td><td>Rounded Edge Copper Bar 1/2" x 4"</td></tr><tr><td>1</td><td>1100BTCU061603BAR1-P</td><td>0</td><td>Rounded Edge Copper Bar 1/2" x 4"</td></tr><tr><td>1</td><td>1100BTCU061603BAR3-P</td><td>0</td><td>Rounded Edge Copper Bar 1/2" x 4"</td></tr><tr><td>9</td><td>STK-Q-07310</td><td>2</td><td>Flange Lock Nut M8</td></tr><tr><td>9</td><td>STK-A-67400</td><td>0</td><td>Buss Bar Insulator Kit</td></tr><tr><td>10</td><td>STK-Q-05020</td><td>5</td><td>M5 x 8mm Thread Rolling Screw</td></tr><tr><td>1</td><td>1100BTCU061603C</td><td>0</td><td>1100BTCU 27" x 72" Cover</td></tr><tr><td>1</td><td>1100BTCU061603B</td><td>0</td><td>1100BTCU 27" x 72" x 8" Body</td></tr><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr><tr><td colspan="4">Parts List</td></tr></table>		2	885 BTMF	0	885 BTMF Mounting Feet Kit	1	1100BTCU061603BAR2-P	0	Rounded Edge Copper Bar 1/2" x 4"	1	1100BTCU061603BAR1-P	0	Rounded Edge Copper Bar 1/2" x 4"	1	1100BTCU061603BAR3-P	0	Rounded Edge Copper Bar 1/2" x 4"	9	STK-Q-07310	2	Flange Lock Nut M8	9	STK-A-67400	0	Buss Bar Insulator Kit	10	STK-Q-05020	5	M5 x 8mm Thread Rolling Screw	1	1100BTCU061603C	0	1100BTCU 27" x 72" Cover	1	1100BTCU061603B	0	1100BTCU 27" x 72" x 8" Body	Qty	Part Number	Rev	Description	Parts List			
ITEM	QTY	DESCRIPTION																																																																										
Cardboard sleeve	2	Top and Bottom																																																																										
Cardboard strip	2	Between back of enclosure and inner panel																																																																										
Plastic bag	1	To protect cover surface and inside gasket																																																																										
Cardboard corner	4	To reinforced for the plastic strap tightening																																																																										
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together																																																																										
Packaging label	3	White label with PN																																																																										
Plastic strap- Green	2	To secure the enclosure to the wood pallet																																																																										
Wood Pallet	1	2" deeper and 3" larger than enclosure size																																																																										
2	885 BTMF	0	885 BTMF Mounting Feet Kit																																																																									
1	1100BTCU061603BAR2-P	0	Rounded Edge Copper Bar 1/2" x 4"																																																																									
1	1100BTCU061603BAR1-P	0	Rounded Edge Copper Bar 1/2" x 4"																																																																									
1	1100BTCU061603BAR3-P	0	Rounded Edge Copper Bar 1/2" x 4"																																																																									
9	STK-Q-07310	2	Flange Lock Nut M8																																																																									
9	STK-A-67400	0	Buss Bar Insulator Kit																																																																									
10	STK-Q-05020	5	M5 x 8mm Thread Rolling Screw																																																																									
1	1100BTCU061603C	0	1100BTCU 27" x 72" Cover																																																																									
1	1100BTCU061603B	0	1100BTCU 27" x 72" x 8" Body																																																																									
Qty	Part Number	Rev	Description																																																																									
Parts List																																																																												

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor\_Dwg\BoxCad\Result\1100BTCU061603\1100BTCU061603.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP



BACK



LEFT



FRONT






RIGHT



BOTTOM

No.	Revisions	Date	By/Par

Isometric View

	Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a>	Flatness Aplatissement	
		 Max 3.0mm	
		Projection	
			
Customer Client		Date	
Drawn By Dessiné Par		Date 05-Aug-22	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description		Detail Rev.	
1100BTCU 27" x 72" x 8" Body			
Part Number Numéro Pièce		Rev.	4 8
1100BTCU061603B		0	


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU061603\1100BTCU061603.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	68.000	25.000	GND STUD M8 x 35mm (Inside)
2	68.000	23.000	GND STUD M8 x 35mm (Inside)



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

	Description	Status	
	1100BTCU 27" x 72" x 8" Body	(NULL)	
	Part Number	Rev.	5
	Numéro Pièce	0	8
1100BTCU061603B			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor\_Dwg\BoxCad\Result\1100BTCU061603\1100BTCU061603.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 05-Aug-22
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
2	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	1100BTCU061603B-P	0	1100BTCU 27" x 72" x 8" Body Part
Qty	Part Number	Rev	Description
Parts List			

Description	Detail Rev.
1100BTCU 27" x 72" x 8" Body	
Part Number Numéro Pièce <b>1100BTCU061603B</b>	Rev. 6 <b>0</b> 8

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU061603\1100BTCU061603.idw

Tolérance ±1/32" sauf spécification contraire

TOP

BACK

BOTTOM

LEFT

FRONT

RIGHT

0.000

72.000

27.000

0.000

No.

Revisions

Date

By/Par

Isometric View

exm

Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection

Customer Client

Drawn By  
Dessiné Par

Material  
Matière

Color  
Couleur

Description

Part Number  
Numéro Pièce

Date

Date 05-Aug-22

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Asa-61 Grey

Finish  
Fini

Smooth

Detail Rev.

Rev.

7

8

SEE BILL OF MATERIAL ON LAST PAGE

1100BTCU061603C





Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor\_Dwg\BoxCad\Result\1100BTCU061603\1100BTCU061603.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
			
<p>Isometric View</p>			
 <p>Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a></p>			<p>Flatness Aplatissement</p> <p>Max 3.0mm</p> <p>Projection</p> 
Customer Client			Date
Drawn By Dessiné Par BoxCad: BoxCad			Date 05-Aug-22
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur Asa-61 Grey		Finish Fini Smooth	
Description 1100BTCU 27" x 72" Cover			Detail Rev.
Part Number Numéro Pièce <b>1100BTCU061603C</b>			Rev. 8
			0 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1100BTCU061603C-P	0	1100BTCU 27" x 72" Flat Cover Part
Qty	Part Name	Rev	Description
Parts List			