


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU07403\1100BTCU07403.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT





BOTTOM

No.	Revisions	Date	By/Par



Isometric View



	Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com	Flatness Aplatissement	
		 Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 02-Aug-22	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Finis Smooth
Description		Detail Rev.	
1100BTCU 400A - 3Wires x 84" Assembly			
Part Number Numéro Pièce		Rev.	1 8
1100BTCU07403		0	


This drawing is confidential and must not be reproduced or used without the consent of Eurobex

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU07403\1100BTCU07403.idw

Tolérance ±1/32" sauf spécification contraire




STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



	Description 1100BTCU 400A - 3Wires x 84" Assembly	Status (NULL)	
	Part Number Numéro Pièce 1100BTCU07403	Rev. 0	2 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU07403\1100BTCU07403.idw		Tolérance ±1/32" sauf spécification contraire																																																	
NOTE <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 1 Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>W/O Standard door stiffener</td></tr><tr><td>4</td><td>W/O Inner panel</td></tr><tr><td>5</td><td>W/O Inner panel mounting studs</td></tr></table>				ITEM	DESCRIPTION	1	NEMA 1 Enclosure	2	C/W Standard ground studs on box and cover	3	W/O Standard door stiffener	4	W/O Inner panel	5	W/O Inner panel mounting studs	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>		No.	Revisions	Date	By/Par																																
ITEM	DESCRIPTION																																																				
1	NEMA 1 Enclosure																																																				
2	C/W Standard ground studs on box and cover																																																				
3	W/O Standard door stiffener																																																				
4	W/O Inner panel																																																				
5	W/O Inner panel mounting studs																																																				
No.	Revisions	Date	By/Par																																																		
				 Isometric View																																																	
																																																					
				 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement  Max 3.0mm Projection 																																																	
				<table><tr><td colspan="2">Customer Client</td><td>Date</td></tr><tr><td colspan="2">Drawn By Dessiné Par BoxCad: BoxCad</td><td>Date 02-Aug-22</td></tr><tr><td colspan="3">Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)</td></tr><tr><td colspan="2">Color Couleur Asa-61 Grey</td><td>Finish Fini Smooth</td></tr><tr><td colspan="2">Description 1100BTCU 400A - 3Wires x 84" Assembly</td><td>Detail Rev.</td></tr><tr><td colspan="2">Part Number Numéro Pièce 1100BTCU07403</td><td>Rev. 0</td></tr></table>		Customer Client		Date	Drawn By Dessiné Par BoxCad: BoxCad		Date 02-Aug-22	Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			Color Couleur Asa-61 Grey		Finish Fini Smooth	Description 1100BTCU 400A - 3Wires x 84" Assembly		Detail Rev.	Part Number Numéro Pièce 1100BTCU07403		Rev. 0																														
Customer Client		Date																																																			
Drawn By Dessiné Par BoxCad: BoxCad		Date 02-Aug-22																																																			
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)																																																					
Color Couleur Asa-61 Grey		Finish Fini Smooth																																																			
Description 1100BTCU 400A - 3Wires x 84" Assembly		Detail Rev.																																																			
Part Number Numéro Pièce 1100BTCU07403		Rev. 0																																																			
<table><tr><td>1</td><td>1100BTCU07403BAR3-P</td><td>0</td><td>Rounded Edge Copper Bar 3/16" x 1 1/2"</td></tr><tr><td>1</td><td>1100BTCU07403BAR2-P</td><td>0</td><td>Rounded Edge Copper Bar 3/16" x 1 1/2"</td></tr><tr><td>1</td><td>1100BTCU07403BAR1-P</td><td>0</td><td>Rounded Edge Copper Bar 3/16" x 1 1/2"</td></tr><tr><td>9</td><td>STK-Q-07310</td><td>2</td><td>Flange Lock Nut M8</td></tr><tr><td>9</td><td>STK-A-67400</td><td>0</td><td>Buss Bar Insulator Kit</td></tr><tr><td>10</td><td>STK-Q-03210</td><td>0</td><td>Thread Cutting Screw 1/4-20 x 5/16"</td></tr><tr><td>16</td><td>STK-Q-05020</td><td>5</td><td>M5 x 8mm Thread Rolling Screw</td></tr><tr><td>1</td><td>1100BTCU07403C</td><td>0</td><td>1100BTCU 18" x 84" Cover</td></tr><tr><td>1</td><td>1100BTCU07403B</td><td>0</td><td>1100BTCU 18" x 84" x 6" Body</td></tr><tr><td>3</td><td>885 BTMF</td><td>0</td><td>885 BTMF Mounting Feet Kit</td></tr><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr><tr><td colspan="4">Parts List</td></tr></table>				1	1100BTCU07403BAR3-P	0	Rounded Edge Copper Bar 3/16" x 1 1/2"	1	1100BTCU07403BAR2-P	0	Rounded Edge Copper Bar 3/16" x 1 1/2"	1	1100BTCU07403BAR1-P	0	Rounded Edge Copper Bar 3/16" x 1 1/2"	9	STK-Q-07310	2	Flange Lock Nut M8	9	STK-A-67400	0	Buss Bar Insulator Kit	10	STK-Q-03210	0	Thread Cutting Screw 1/4-20 x 5/16"	16	STK-Q-05020	5	M5 x 8mm Thread Rolling Screw	1	1100BTCU07403C	0	1100BTCU 18" x 84" Cover	1	1100BTCU07403B	0	1100BTCU 18" x 84" x 6" Body	3	885 BTMF	0	885 BTMF Mounting Feet Kit	Qty	Part Number	Rev	Description	Parts List					
1	1100BTCU07403BAR3-P	0	Rounded Edge Copper Bar 3/16" x 1 1/2"																																																		
1	1100BTCU07403BAR2-P	0	Rounded Edge Copper Bar 3/16" x 1 1/2"																																																		
1	1100BTCU07403BAR1-P	0	Rounded Edge Copper Bar 3/16" x 1 1/2"																																																		
9	STK-Q-07310	2	Flange Lock Nut M8																																																		
9	STK-A-67400	0	Buss Bar Insulator Kit																																																		
10	STK-Q-03210	0	Thread Cutting Screw 1/4-20 x 5/16"																																																		
16	STK-Q-05020	5	M5 x 8mm Thread Rolling Screw																																																		
1	1100BTCU07403C	0	1100BTCU 18" x 84" Cover																																																		
1	1100BTCU07403B	0	1100BTCU 18" x 84" x 6" Body																																																		
3	885 BTMF	0	885 BTMF Mounting Feet Kit																																																		
Qty	Part Number	Rev	Description																																																		
Parts List																																																					
PACKING <table><tr><th>ITEM</th><th>QTY</th><th>DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td>Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td>Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td>To protect cover surface and inside gasket</td></tr><tr><td>Cardboard corner</td><td>4</td><td>To reinforced for the plastic strap tightening</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td>To Squeeze 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>3</td><td>White label with PN</td></tr><tr><td>Plastic strap- Green</td><td>2</td><td>To secure the enclosure to the wood pallet</td></tr><tr><td>Wood Pallet</td><td>1</td><td>2" deeper and 3" larger than enclosure size</td></tr></table>				ITEM	QTY	DESCRIPTION	Cardboard sleeve	2	Top and Bottom	Cardboard strip	2	Between back of enclosure and inner panel	Plastic bag	1	To protect cover surface and inside gasket	Cardboard corner	4	To reinforced for the plastic strap tightening	Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together	Packaging label	3	White label with PN	Plastic strap- Green	2	To secure the enclosure to the wood pallet	Wood Pallet	1	2" deeper and 3" larger than enclosure size																							
ITEM	QTY	DESCRIPTION																																																			
Cardboard sleeve	2	Top and Bottom																																																			
Cardboard strip	2	Between back of enclosure and inner panel																																																			
Plastic bag	1	To protect cover surface and inside gasket																																																			
Cardboard corner	4	To reinforced for the plastic strap tightening																																																			
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together																																																			
Packaging label	3	White label with PN																																																			
Plastic strap- Green	2	To secure the enclosure to the wood pallet																																																			
Wood Pallet	1	2" deeper and 3" larger than enclosure size																																																			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU07403\1100BTCU07403.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK



LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 02-Aug-22	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 1100BTCU 18" x 84" x 6" Body			Detail Rev.
Part Number Numéro Pièce		Rev.	4
1100BTCU07403B		0	8

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU07403\1100BTCU07403.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	80.000	16.000	GND STUD M8 x 35mm (Inside)
2	80.000	14.000	GND STUD M8 x 35mm (Inside)



	Description 1100BTCU 18" x 84" x 6" Body	Status (NULL)	
	Part Number Numéro Pièce 1100BTCU07403B	Rev. 0	5 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1100BTCU07403\1100BTCU07403.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 02-Aug-22

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

1100BTCU 18" x 84" x 6" Body

Detail Rev.

Part Number
Numéro Pièce

1100BTCU07403B

Rev.

6

8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

TOP

BACK

0.000

84.000

RIGHT

— 18.000

— 0.000

BOTTOM

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU07403\1100BTCU07403.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement


Max 3.0mm

Projection

Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 02-Aug-22

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1100BTCU 18" x 84" Cover

Detail Rev.

Part Number
Numéro Pièce

1100BTCU07403C

Rev.

8

8

Qty	Part Name	Rev	Description
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100BTCU07403F-P	0	1100BTCU 18" x 84" Flanged Cover Part
1	1100BTCU07403C-P	0	1100BTCU 18" x 84" Flat Cover Part
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM