

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU092504\1100BTCU092504.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer Client

Date

Drawn By  
Dessiné Par BoxCad: BoxCad

Date 8/13/2022

Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color Couleur Asa-61 Grey

Finish Fini Smooth

Description 1100BTCU 2500A - 4Wires x 108" Assembly

Detail Rev.


Part Number Numéro Pièce 1100BTCU092504

Rev. 0 1 8

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobex

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

	Description 1100BTCU 2500A - 4Wires x 108" Assembly		Status (NULL)	
	Part Number Numéro Pièce <b>1100BTCU092504</b>		Rev. <b>0</b>	2
				8

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU092504\1100BTCU092504.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 1 Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	W/O Inner panel
5	W/O Inner panel mounting studs

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 8/13/2022	
Material Matière		BoxCad: BoxCad 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 1100BTCU 2500A - 4Wires x 108" Assembly			Detail Rev.
Part Number Numéro Pièce <b>1100BTCU092504</b>		Rev. <b>0</b>	3 8

1	1100BTCU092504BAR4-P	0	Rounded Edge Copper Bar 1/2" x 6"
1	1100BTCU092504BAR3-P	0	Rounded Edge Copper Bar 1/2" x 6"
1	1100BTCU092504BAR2-P	0	Rounded Edge Copper Bar 1/2" x 6"
1	1100BTCU092504BAR1-P	0	Rounded Edge Copper Bar 1/2" x 6"
16	STK-Q-07310	2	Flange Lock Nut M8
16	STK-A-67400	0	Buss Bar Insulator Kit
10	STK-Q-03210	0	Thread Cutting Screw 1/4-20 x 5/16"
20	STK-Q-05020	5	M5 x 8mm Thread Rolling Screw
1	1100BTCU092504C	0	1100BTCU 37" x 108" Cover
1	1100BTCU092504B	0	1100BTCU 37" x 108" x 10" Body
3	885 BTMF	0	885 BTMF Mounting Feet Kit
Qty	Part Number	Rev	Description
Parts List			

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

--	--


0.000  
10.000

**- 37.000**

**- 0.000**

--	--

No.	Revisions	Date	By/Par



### Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness	
Aplatissement	

Max 3.0mm

Max 3.0mm
Projection



Date \_\_\_\_\_

Date 8/13/2022

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Smooth

Detail Rev.

1100BTCU 37" x 108" x 10" Body

1

**1100BTCU092504B**

8

**SEE BILL OF MATERIAL ON LAST PAGE**


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU092504\1100BTCU092504.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	104.000	35.000	GND STUD M8 x 35mm (Inside)
2	104.000	33.000	GND STUD M8 x 35mm (Inside)



	Description 1100BTCU 37" x 108" x 10" Body	Status (NULL)	
	Part Number Numéro Pièce <b>1100BTCU092504B</b>	Rev. <b>0</b>	5 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU092504\1100BTCU092504.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 8/13/2022	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Finis Smooth
Description			Detail Rev.
1100BTCU 37" x 108" x 10" Body			
Part Number Numéro Pièce		Rev.	6
1100BTCU092504B		0	8

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100BTCU092504B-P	0	1100BTCU 37" x 108" x 10" Body Part
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
2	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	1100BTCU092504E-P	0	1100BTCU 37" x 108" x 10" Body Part
Qty	Part Number	Rev	Description
Parts List			

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU092504\1100BTCU092504.idw

Tolérance ±1/32" sauf spécification contraire

TOP

BACK

BOTTOM

LEFT

0.000

108.000

FRONT

RIGHT

37.000

0.000

Isometric View

1100BTCU 37" x 108" Cover

Part Number

Numéro Pièce

1100BTCU092504C

Customer Client

Drawn By  
Dessiné Par

Material  
Matière

Color  
Couleur

Description

BoxCad: BoxCad

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Asa-61 Grey

1100BTCU 37" x 108" Cover

Flatness  
Aplatissement

Max 3.0mm

Projection

Date

8/13/2022

Rev.

0

7

8

exm

Tél: (450) 979-4373

Fax: (450) 979-4626

[www.exmweb.com](http://www.exmweb.com)

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

Isometric View

0.000

37.000

108.000

FRONT

LEFT

TOP

BACK

BOTTOM

RIGHT

0.000

37.000

0.000

108.000

FRONT

TOP

BACK

BOTTOM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU092504\1100BTCU092504.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions


Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626

[www.exmweb.com](http://www.exmweb.com)


Flatness

Aplatissement



Max 3.0mm

Projection



Customer

Client

Date

Drawn By

Dessiné Par

BoxCad: BoxCad

Date

8/13/2022

Material

Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color

Couleur

Asa-61 Grey

Finish

Fin

Smooth

Description

1100BTCU 37" x 108" Cover

Detail Rev.

Part Number

Numéro Pièce

1100BTCU092504C

Rev.

8

0

8

1

STK-P-02400S

0

Powder Paint (Asa-61 Grey / Smooth)

1

1100BTCU092504F-P

0

1100BTCU 37" x 108" Flanged Cover Part

1

1100BTCU092504C-P

0

1100BTCU 37" x 108" Flat Cover Part

1

STK-S-00100

0

3.5" x 2" Silver Milar Flexcon Sticker

Qty

Part Name

Rev

Description

Parts List