

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1100BTCU101604\1100BTCU101604.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 10-Aug-22

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1100BTCU 1600A - 4Wires x 120"
Assembly

Detail Rev.

Part Number
Numéro Pièce

1100BTCU101604

Rev.

1

8

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobex

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU101604\1100BTCU101604.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



| | | | | |
|--|---|--|------------------|--------|
| | Description 1100BTCU 1600A - 4Wires x 120" Assembly | | Status (NULL) | |
| | Part Number Numéro Pièce 1100BTCU101604 | | Rev. 0 | 2 8 |
| | | | | |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1100BTCU101604\1100BTCU101604.idw

Tolérance ±1/32" sauf spécification contraire

| NOTE | |
|------|--|
| ITEM | DESCRIPTION |
| 1 | NEMA 1 Enclosure |
| 2 | C/W Standard ground studs on box and cover |
| 3 | W/O Standard door stiffener |
| 4 | W/O Inner panel |
| 5 | W/O Inner panel mounting studs |

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



| | | | |
|----------------------|--|---|--|
| Customer Client | | Date | |
| Drawn By Dessiné Par | | Date 10-Aug-22 | |
| Material Matière | | BoxCad: BoxCad | |
| | | 14 Ga Cold Rolled A1008 CS Type B (1.7mm) | |

| | | | |
|---------------|-------------|-------------|--------|
| Color Couleur | Asa-61 Grey | Finish Fini | Smooth |
|---------------|-------------|-------------|--------|

| | | | |
|---|--|-------------|--|
| Description | | Detail Rev. | |
| 1100BTCU 1600A - 4Wires x 120" Assembly | | | |

| | | | |
|--------------------------|--|------|---|
| Part Number Numéro Pièce | | Rev. | 3 |
| 1100BTCU101604 | | 0 | 8 |

| PACKING | | |
|-----------------------|-----|--|
| ITEM | QTY | DESCRIPTION |
| Cardboard sleeve | 2 | Top and Bottom |
| Cardboard strip | 2 | Between back of enclosure and inner panel |
| Plastic bag | 1 | To protect cover surface and inside gasket |
| Cardboard corner | 4 | To reinforced for the plastic strap tightening |
| Plastic strap - Black | 2 | To Squeeze 2 cardboard sleeve together |
| Packaging label | 3 | White label with PN |
| Plastic strap- Green | 2 | To secure the enclosure to the wood pallet |
| Wood Pallet | 1 | 2" deeper and 3" larger than enclosure size |

| | | | |
|------------|----------------------|-----|-------------------------------------|
| 1 | 1100BTCU101604BAR4-P | 0 | Rounded Edge Copper Bar 1/2" x 4" |
| 1 | 1100BTCU101604BAR3-P | 0 | Rounded Edge Copper Bar 1/2" x 4" |
| 1 | 1100BTCU101604BAR2-P | 0 | Rounded Edge Copper Bar 1/2" x 4" |
| 1 | 1100BTCU101604BAR1-P | 0 | Rounded Edge Copper Bar 1/2" x 4" |
| 16 | STK-Q-07310 | 2 | Flange Lock Nut M8 |
| 16 | STK-A-67400 | 0 | Buss Bar Insulator Kit |
| 10 | STK-Q-03210 | 0 | Thread Cutting Screw 1/4-20 x 5/16" |
| 20 | STK-Q-05020 | 5 | M5 x 8mm Thread Rolling Screw |
| 1 | 1100BTCU101604C | 0 | 1100BTCU 32" x 120" Cover |
| 1 | 1100BTCU101604B | 0 | 1100BTCU 32" x 120" x 10" Body |
| 3 | 885 BTMF | 0 | 885 BTMF Mounting Feet Kit |
| Qty | Part Number | Rev | Description |
| Parts List | | | |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1100BTCU101604\1100BTCU101604.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP



BACK



LEFT



FRONT






RIGHT



BOTTOM

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Isometric View

| | | | | | |
|---|--|--|--|---|--|
|  | | Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com | | Flatness Aplatissement  Max 3.0mm | |
| | | | | Projection  | |
| Customer Client | | | | Date | |
| Drawn By Dessiné Par | | | | Date 10-Aug-22 | |
| Material Matière | | | | 14 Ga Cold Rolled A1008 CS Type B (1.7mm) | |
| Color Couleur | | Asa-61 Grey | | Finish Fini Smooth | |
| Description 1100BTCU 32" x 120" x 10" Body | | | | Detail Rev. | |
| Part Number Numéro Pièce 1100BTCU101604B | | | | Rev. 0 | |
| | | | | 4 8 | |

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU101604\1100BTCU101604.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE | | | |
|---|---------|--------|-----------------------------|
| HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY) | | | |
| CUT-OUT | XDIM | YDIM | DESCRIPTION |
| 1 | 116.000 | 30.000 | GND STUD M8 x 35mm (Inside) |
| 2 | 116.000 | 28.000 | GND STUD M8 x 35mm (Inside) |



| | | | |
|--|---|------------------|--------|
| | Description 1100BTCU 32" x 120" x 10" Body | Status (NULL) | |
| | Part Number Numéro Pièce 1100BTCU101604B | Rev. 0 | 5 8 |





Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1100BTCU101604\1100BTCU101604.idw


Tolérance $\pm 1/32$ " sauf spécification contraire

| | | | |
|---|-----------|-----------------------|--|
| No. | Revisions | Date | By/Par |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
|  | | |  |
| <p>Isometric View</p> | | | |
|  <div>Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com</div> | | | <p>Flatness Aplatissement</p> <p>Max 3.0mm</p> <p>Projection</p>  |
| Customer Client | | | Date |
| Drawn By Dessiné Par BoxCad: BoxCad | | | Date 10-Aug-22 |
| Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm) | | | |
| Color Couleur Asa-61 Grey | | Finish Fini Smooth | |
| Description 1100BTCU 32" x 120" x 10" Body | | | Detail Rev. |
| Part Number Numéro Pièce 1100BTCU101604B | | | Rev. 0 |
| | | | 6 8 |


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

| | | | |
|------------|-------------------|-----|--|
| 1 | STK-P-02400S | 0 | Powder Paint (Asa-61 Grey / Smooth) |
| 1 | 1100BTCU101604B-P | 0 | 1100BTCU 32" x 120" x 10" Body Part |
| 1 | STK-S-00100 | 0 | 3.5" x 2" Silver Milar Flexcon Sticker |
| 2 | STK-Q-16005 | 1 | Stud M8 x 35 (No Paint Cap Required) |
| 1 | 1100BTCU101604E-P | 0 | 1100BTCU 32" x 120" x 10" Body Part |
| Qty | Part Number | Rev | Description |
| Parts List | | | |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Isometric View







SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1100BTCU101604\1100BTCU101604.idw

Tolérance ±1/32" sauf spécification contraire

| | | | |
|---|-----------|------|--|
| No. | Revisions | Date | By/Par |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
|  | | |  |
| <p>Isometric View</p> | | | |
|  <p>Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com</p> | | | <p>Flatness Aplatissement</p> <p>Max 3.0mm</p> <p>Projection</p>  |
| Customer Client | | | Date |
| Drawn By Dessiné Par BoxCad: BoxCad | | | Date 10-Aug-22 |
| Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm) | | | |
| Color Couleur Asa-61 Grey | | | Finish Fini Smooth |
| Description 1100BTCU 32" x 120" Cover | | | Detail Rev. |
| Part Number Numéro Pièce 1100BTCU101604C | | | Rev. 8 |
| | | | 0 8 |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

| | | | |
|------------|-------------------|-----|--|
| 1 | STK-P-02400S | 0 | Powder Paint (Asa-61 Grey / Smooth) |
| 1 | 1100BTCU101604F-P | 0 | 1100BTCU 32" x 120" Flanged Cover Part |
| 1 | 1100BTCU101604C-P | 0 | 1100BTCU 32" x 120" Flat Cover Part |
| 1 | STK-S-00100 | 0 | 3.5" x 2" Silver Milar Flexcon Sticker |
| Qty | Part Name | Rev | Description |
| Parts List | | | |