


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU11603\1100BTCU11603.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK



LEFT



FRONT




RIGHT







BOTTOM

No.	Revisions	Date	By/Par



Isometric View



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
				Projection 	
Customer Client				Date	
Drawn By Dessiné Par				Date 03-Aug-22	
Material Matière				14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey		Finish Fini Smooth	
Description 1100BTCU 600A - 3Wires x 132" Assembly				Detail Rev.	
Part Number Numéro Pièce				Rev.	
1100BTCU11603				0	
				1 8	


This drawing is confidential and must not be reproduced or used without the consent of Eurobex


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU11603\1100BTCU11603.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



	Description		Status	
	1100BTCU 600A - 3Wires x 132" Assembly		(NULL)	
	Part Number Numéro Pièce 1100BTCU11603		Rev. 0	2 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU11603\1100BTCU11603.idw


Tolérance ±1/32" sauf spécification contraire


NOTE	
ITEM	DESCRIPTION
1	NEMA 1 Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	W/O Inner panel
5	W/O Inner panel mounting studs

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm
Projection


Customer Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 03-Aug-22

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1100BTCU 600A - 3Wires x 132" Assembly

Detail Rev.

Part Number
Numéro Pièce

1100BTCU11603

Rev.

3

8

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	1100BTCU11603BAR3-P	0	Rounded Edge Copper Bar 1/4" x 2"
1	1100BTCU11603BAR2-P	0	Rounded Edge Copper Bar 1/4" x 2"
1	1100BTCU11603BAR1-P	0	Rounded Edge Copper Bar 1/4" x 2"
15	STK-Q-07310	2	Flange Lock Nut M8
15	STK-A-67400	0	Buss Bar Insulator Kit
10	STK-Q-03210	0	Thread Cutting Screw 1/4-20 x 5/16"
20	STK-Q-05020	5	M5 x 8mm Thread Rolling Screw
1	1100BTCU11603C	0	1100BTCU 24" x 132" Cover
1	1100BTCU11603B	0	1100BTCU 24" x 132" x 8" Body
3	885 BTMF	0	885 BTMF Mounting Feet Kit
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU11603\1100BTCU11603.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP



BACK



LEFT



FRONT




RIGHT







BOTTOM

No.	Revisions	Date	By/Par



Isometric View



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
				Projection 	
Customer Client				Date	
Drawn By Dessiné Par				Date 03-Aug-22	
Material Matière				14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey		Finish Finis Smooth	
Description 1100BTCU 24" x 132" x 8" Body				Detail Rev.	
Part Number Numéro Pièce 1100BTCU11603B				Rev. 0	<div>4 8</div>

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU11603\1100BTCU11603.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	128.000	22.000	GND STUD M8 x 35mm (Inside)
2	128.000	20.000	GND STUD M8 x 35mm (Inside)



	Description 1100BTCU 24" x 132" x 8" Body		Status (NULL)	
	Part Number Numéro Pièce 1100BTCU11603B		Rev. 0	5 8






Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1100BTCU11603\1100BTCU11603.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
			
Isometric View			
		Flatness Aplatissement  Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 03-Aug-22	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur Asa-61 Grey		Finish Fin Smooth	
Description 1100BTCU 24" x 132" x 8" Body			Detail Rev.
Part Number Numéro Pièce 1100BTCU11603B			Rev. 6 0 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100BTCU11603B-P	0	1100BTCU 24" x 132" x 8" Body Part
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
2	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	1100BTCU11603E-P	0	1100BTCU 24" x 132" x 8" Body Part
Qty	Part Number	Rev	Description
Parts List			

BOTTOM





SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU11603\1100BTCU11603.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
			
<p>Isometric View</p>			
 <p>Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com</p>			<p>Flatness Aplatissement</p> <p>Max 3.0mm</p> <p>Projection</p> 
Customer Client			Date
Drawn By Dessiné Par BoxCad: BoxCad			Date 03-Aug-22
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur Asa-61 Grey			Finish Fini Smooth
Description 1100BTCU 24" x 132" Cover			Detail Rev.
Part Number Numéro Pièce 1100BTCU11603C			Rev. 8 0 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100BTCU11603F-P	0	1100BTCU 24" x 132" Flanged Cover Part
1	1100BTCU11603C-P	0	1100BTCU 24" x 132" Flat Cover Part
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
Qty	Part Name	Rev	Description
Parts List			