

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU11605\1100BTCU11605.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK



LEFT



FRONT




RIGHT





BOTTOM

No.	Revisions	Date	By/Par



Isometric View



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
				Projection 	
Customer Client				Date	
Drawn By Dessiné Par				Date 03-Aug-22	
Material Matière				14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey		Finish Finis Smooth	
Description 1100BTCU 600A - 5Wires x 132" Assembly				Detail Rev.	
Part Number Numéro Pièce				Rev.	
1100BTCU11605				0	
				1 8	


This drawing is confidential and must not be reproduced or used without the consent of Eurobex

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU11605\1100BTCU11605.idw

Tolérance $\pm 1/32$ " sauf spécification contraire



STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



	Description	Status	
	1100BTCU 600A - 5Wires x 132" Assembly	(NULL)	
	Part Number Numéro Pièce	Rev.	2
	1100BTCU11605	0	8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU11605\1100BTCU11605.idw		Tolérance ±1/32" sauf spécification contraire																																																																													
<table><tr><th colspan="2">NOTE</th></tr><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 1 Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>W/O Standard door stiffener</td></tr><tr><td>4</td><td>W/O Inner panel</td></tr><tr><td>5</td><td>W/O Inner panel mounting studs</td></tr></table>				NOTE		ITEM	DESCRIPTION	1	NEMA 1 Enclosure	2	C/W Standard ground studs on box and cover	3	W/O Standard door stiffener	4	W/O Inner panel	5	W/O Inner panel mounting studs	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>		No.	Revisions	Date	By/Par																																																										
NOTE																																																																																	
ITEM	DESCRIPTION																																																																																
1	NEMA 1 Enclosure																																																																																
2	C/W Standard ground studs on box and cover																																																																																
3	W/O Standard door stiffener																																																																																
4	W/O Inner panel																																																																																
5	W/O Inner panel mounting studs																																																																																
No.	Revisions	Date	By/Par																																																																														
																																																																																	
<table><tr><td colspan="2">Isometric View</td></tr></table>				Isometric View		<table><tr><td colspan="2"> Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com</td></tr><tr><td colspan="2">Customer Client</td></tr><tr><td colspan="2">Drawn By Dessiné Par</td></tr><tr><td colspan="2">Material Matière</td></tr><tr><td colspan="2">Color Couleur</td></tr><tr><td colspan="2">Description</td></tr><tr><td colspan="2">Part Number Numéro Pièce</td></tr></table>		 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Customer Client		Drawn By Dessiné Par		Material Matière		Color Couleur		Description		Part Number Numéro Pièce																																																													
Isometric View																																																																																	
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com																																																																																	
Customer Client																																																																																	
Drawn By Dessiné Par																																																																																	
Material Matière																																																																																	
Color Couleur																																																																																	
Description																																																																																	
Part Number Numéro Pièce																																																																																	
<table><tr><th colspan="4">PACKING</th></tr><tr><th>ITEM</th><th>QTY</th><th colspan="2">DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td colspan="2">Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td colspan="2">Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td colspan="2">To protect cover surface and inside gasket</td></tr><tr><td>Cardboard corner</td><td>4</td><td colspan="2">To reinforced for the plastic strap tightening</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td colspan="2">To Squeeze 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>3</td><td colspan="2">White label with PN</td></tr><tr><td>Plastic strap- Green</td><td>2</td><td colspan="2">To secure the enclosure to the wood pallet</td></tr><tr><td>Wood Pallet</td><td>1</td><td colspan="2">2" deeper and 3" larger than enclosure size</td></tr></table>				PACKING				ITEM	QTY	DESCRIPTION		Cardboard sleeve	2	Top and Bottom		Cardboard strip	2	Between back of enclosure and inner panel		Plastic bag	1	To protect cover surface and inside gasket		Cardboard corner	4	To reinforced for the plastic strap tightening		Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together		Packaging label	3	White label with PN		Plastic strap- Green	2	To secure the enclosure to the wood pallet		Wood Pallet	1	2" deeper and 3" larger than enclosure size		<table><tr><td colspan="4">Flatness Aplatissement</td></tr><tr><td colspan="4">Max 3.0mm</td></tr><tr><td colspan="4">Projection</td></tr><tr><td colspan="2">Date</td><td colspan="2">Date 03-Aug-22</td></tr><tr><td colspan="2">BoxCad: BoxCad</td><td colspan="2">Detail Rev.</td></tr><tr><td colspan="2">14 Ga Cold Rolled A1008 CS Type B (1.7mm)</td><td colspan="2">1100BTCU 600A - 5Wires x 132" Assembly</td></tr><tr><td colspan="2">Asa-61 Grey</td><td colspan="2">Smooth</td></tr><tr><td colspan="2">1100BTCU11605</td><td colspan="2">Rev. 0</td></tr><tr><td colspan="2">Parts List</td><td colspan="2">3 8</td></tr></table>		Flatness Aplatissement				Max 3.0mm				Projection				Date		Date 03-Aug-22		BoxCad: BoxCad		Detail Rev.		14 Ga Cold Rolled A1008 CS Type B (1.7mm)		1100BTCU 600A - 5Wires x 132" Assembly		Asa-61 Grey		Smooth		1100BTCU11605		Rev. 0		Parts List		3 8	
PACKING																																																																																	
ITEM	QTY	DESCRIPTION																																																																															
Cardboard sleeve	2	Top and Bottom																																																																															
Cardboard strip	2	Between back of enclosure and inner panel																																																																															
Plastic bag	1	To protect cover surface and inside gasket																																																																															
Cardboard corner	4	To reinforced for the plastic strap tightening																																																																															
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together																																																																															
Packaging label	3	White label with PN																																																																															
Plastic strap- Green	2	To secure the enclosure to the wood pallet																																																																															
Wood Pallet	1	2" deeper and 3" larger than enclosure size																																																																															
Flatness Aplatissement																																																																																	
Max 3.0mm																																																																																	
Projection																																																																																	
Date		Date 03-Aug-22																																																																															
BoxCad: BoxCad		Detail Rev.																																																																															
14 Ga Cold Rolled A1008 CS Type B (1.7mm)		1100BTCU 600A - 5Wires x 132" Assembly																																																																															
Asa-61 Grey		Smooth																																																																															
1100BTCU11605		Rev. 0																																																																															
Parts List		3 8																																																																															

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU11605\1100BTCU11605.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP




BACK



LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par

Isometric View

		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
				Projection 	
Customer Client				Date	
Drawn By Dessiné Par				Date 03-Aug-22	
Material Matière				14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey		Finish Fin Smooth	
Description 1100BTCU 36" x 132" x 8" Body				Detail Rev.	
Part Number Numéro Pièce 1100BTCU11605B				Rev. 0	
				4 8	

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU11605\1100BTCU11605.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	128.000	34.000	GND STUD M8 x 35mm (Inside)
2	128.000	32.000	GND STUD M8 x 35mm (Inside)



	Description	Status	
	1100BTCU 36" x 132" x 8" Body	(NULL)	
	Part Number Numéro Pièce 1100BTCU11605B	Rev. 0	5 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1100BTCU11605\1100BTCU11605.idw


Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par





Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm
Projection



Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 03-Aug-22	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur Asa-61 Grey		Finish Fini Smooth	
Description 1100BTCU 36" x 132" x 8" Body			Detail Rev.
Part Number Numéro Pièce 1100BTCU11605B			Rev. 0
			6 8

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100BTCU11605B-P	0	1100BTCU 36" x 132" x 8" Body Part
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
2	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	1100BTCU11605E-P	0	1100BTCU 36" x 132" x 8" Body Part
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXIM



Isometric View



SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU11605\1100BTCU11605.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 03-Aug-22	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur Asa-61 Grey		Finish Fini Smooth	
Description 1100BTCU 36" x 132" Cover		Detail Rev.	
Part Number Numéro Pièce 1100BTCU11605C		Rev. 0	8 8

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100BTCU11605F-P	0	1100BTCU 36" x 132" Flanged Cover Part
1	1100BTCU11605C-P	0	1100BTCU 36" x 132" Flat Cover Part
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
Qty	Part Name	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM