

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU122505\1100BTCU122505.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		BoxCad: BoxCad Date 2022-08-05	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 1100BTCU 2500A - 5Wires x 144" Assembly			Detail Rev.
Part Number Numéro Pièce		Rev. 0	1 8


SEE BILL OF MATERIAL ON LAST PAGE

1100BTCU122505

This drawing is confidential and must not be reproduced or used without the consent of Eurobox

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox



	Description 1100BTCU 2500A - 5Wires x 144" Assembly		Status (NULL)	
	Part Number Numéro Pièce 1100BTCU122505		Rev. 0	2
				8

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU122505\1100BTCU122505.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 1 Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	W/O Inner panel
5	W/O Inner panel mounting studs

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 2022-08-05	
BoxCad: BoxCad			
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	

Color Couleur	Asa-61 Grey	Finish Fini	Smooth
---------------	-------------	-------------	--------

Description 1100BTCU 2500A - 5Wires x 144" Assembly		Detail Rev.	
--	--	-------------	--

Part Number Numéro Pièce 1100BTCU122505		Rev. 0	3 8
---	--	------------------	--------

1	1100BTCU122505BAR5-P	0	Rounded Edge Copper Bar 1/2" x 6"
1	1100BTCU122505BAR4-P	0	Rounded Edge Copper Bar 1/2" x 6"
1	1100BTCU122505BAR3-P	0	Rounded Edge Copper Bar 1/2" x 6"
1	1100BTCU122505BAR2-P	0	Rounded Edge Copper Bar 1/2" x 6"
1	1100BTCU122505BAR1-P	0	Rounded Edge Copper Bar 1/2" x 6"
25	STK-Q-07310	2	Flange Lock Nut M8
25	STK-A-67400	0	Buss Bar Insulator Kit
10	STK-Q-03210	0	Thread Cutting Screw 1/4-20 x 5/16"
20	STK-Q-05020	5	M5 x 8mm Thread Rolling Screw
1	1100BTCU122505C	0	1100BTCU 44" x 144" Cover
1	1100BTCU122505B	0	1100BTCU 44" x 144" x 10" Body
3	885 BTMF	0	885 BTMF Mounting Feet Kit
Qty	Part Number	Rev	Description
Parts List			

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU122505\1100BTCU122505.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP



BACK



LEFT



FRONT





RIGHT



BOTTOM

No.	Revisions	Date	By/Par

Isometric View

		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
				Projection 	
Customer Client				Date	
Drawn By Dessiné Par				Date 2022-08-05	
Material Matière				14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey		Finish Fini Smooth	
Description 1100BTCU 44" x 144" x 10" Body				Detail Rev.	
Part Number Numéro Pièce				Rev.	
1100BTCU122505B				0	
				4 8	

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU122505\1100BTCU122505.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	140.000	42.000	GND STUD M8 x 35mm (Inside)
2	140.000	40.000	GND STUD M8 x 35mm (Inside)



	Description 1100BTCU 44" x 144" x 10" Body	Status (NULL)	
	Part Number Numéro Pièce 1100BTCU122505B	Rev. 0	5 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU122505\1100BTCU122505.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par




Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection


Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 2022-08-05	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur Asa-61 Grey		Finish Finis Smooth	
Description 1100BTCU 44" x 144" x 10" Body			Detail Rev.
Part Number Numéro Pièce 1100BTCU122505B			Rev. 0
			6 8

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100BTCU122505B-P	0	1100BTCU 44" x 144" x 10" Body Part
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
2	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	1100BTCU122505E-P	0	1100BTCU 44" x 144" x 10" Body Part
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Isometric View




SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100BTCU122505\1100BTCU122505.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
			
Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com			Flatness Aplatissement Max 3.0mm Projection 
Customer Client			Date
Drawn By Dessiné Par BoxCad: BoxCad			Date 2022-08-05
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur Asa-61 Grey			Finish Fini Smooth
Description			Detail Rev.
1100BTCU 44" x 144" Cover			
Part Number Numéro Pièce			Rev. 8
1100BTCU122505C			0 8

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1100BTCU122505F-P	0	1100BTCU 44" x 144" Flanged Cover Part
1	1100BTCU122505C-P	0	1100BTCU 44" x 144" Flat Cover Part
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
Qty	Part Name	Rev	Description
Parts List			