


This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP423008\1100CIP423008.idw



Tolérance $\pm 1/32$ " sauf spécification contraire




TOP




BACK



FRONT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: Zin

Date 23-Nov-20

Material
Matière

14 Ga H.R.P. & O. (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1100CIP 42" x 30" x 8" Assembly

Detail Rev.

Part Number
Numéro Pièce

1100CIP423008

Rev.

1

0

2

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP423008\1100CIP423008.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 1 Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Standard inner panel (Sold separately)
5	C/W Standard inner panel mounting studs

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 23-Nov-20	
Material Matière		14 Ga H.R.P. & O. (1.7mm)	

Color Couleur	Asa-61 Grey	Finish Fini	Smooth
------------------	-------------	----------------	--------

Description	Detail Rev.	
1100CIP 42" x 30" x 8" Assembly		

Part Number Numéro Pièce	Rev.	2
1100CIP423008	0	2

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	881 SP4230G	0	881 SP - Inner Panel
1	1100CIP423008C	0	1100CIP 42" x 30" Cover
6	STK-Q-07310	2	Flange Lock Nut M8
6	STK-Q-07610	8	M8 Plastic Spacer 22.2mm
1	1100CIP423008B	0	1100CIP 42" x 30" x 8" Body
3	STK-Q-04050-07	7	M6 x 7mm Hexagon Socket Head Machine Screw with Nyseal
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP423008\1100CIP423008B.idw


Tolérance $\pm 1/32$ " sauf spécification contraire

No.	Revisions	Date	By/Par




Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 23-Nov-20	
Material Matière		14 Ga H.R.P. & O. (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 1100CIP 42" x 30" x 8" Body			Detail Rev.
Part Number Numéro Pièce		Rev.	1 7
SEE BILL OF MATERIAL ON LAST PAGE		1100CIP423008B	

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Sl. No.	Name of the Candidate	Grade	Score	Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				
61				
62				
63				
64				
65				
66				
67				
68				
69				
70				
71				
72				
73				
74				
75				
76				
77				
78				
79				
80				
81				
82				
83				
84				
85				
86				
87				
88				
89				
90				
91				
92				
93				
94				
95				
96				
97				
98				
99				
100				



	Description		Status	
	1100CIP 42" x 30" x 08" Body Part Number Numéro Pièce 1100CIP423008B		Rev. 0	5 7


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP423008\1100CIP423008B6.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	40.125	IP STUD M8 x 35mm (Inside)
3	28.125	40.125	IP STUD M8 x 35mm (Inside)
4	28.125	1.875	IP STUD M8 x 35mm (Inside)
5	1.875	21.000	IP STUD M8 x 35mm (Inside)
6	28.125	21.000	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
7	29.250	0.750	RND Ø0.390
8	29.250	41.250	RND Ø0.390
9	0.750	41.250	RND Ø0.390
10	0.750	0.750	RND Ø0.390



	Description 1100CIP 42" x 30" x 08" Body	Status	
	Part Number Numéro Pièce 1100CIP423008B	Rev. 0	6 7



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP423008\1100CIP423008B.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
Customer Client		Date	
Drawn By Dessiné Par		Date 23-Nov-20	
BoxCad: Zin			
Material Matière		14 Ga H.R.P. & O. (1.7mm)	
Color Couleur		Finish Fini	
Asa-61 Grey		Smooth	
Description			Detail Rev.
1100CIP 42" x 30" x 8" Body			
Part Number Numéro Pièce			Rev.
1100CIP423008B			7
			7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
6	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	1100CIP423008B-P	0	1100CIP 42" x 30" x 08" Body Part
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP423008\1100CIP423008C.idw

Tolérance ±1/32" sauf spécification contraire



TOP




BACK




BOTTOM

0.000
0.934



LEFT

0.000



FRONT

29.918


41.803




RIGHT



0.000

No.	Revisions	Date	By/Par



Isometric View



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
				Projection 	
Customer Client				Date	
Drawn By Dessiné Par BxCad: Zin				Date 23-Nov-20	
Material Matière				14 Ga H.R.P. & O. (1.7mm)	
Color Couleur		Asa-61 Grey		Finish Finis Smooth	
Description 1100CIP 42" x 30" Cover				Detail Rev.	
Part Number Numéro Pièce 1100CIP423008C				Rev. 1 0 3	

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP423008\1100CIP423008C.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	14.959	1.435	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
2	1.486	1.709	GND STUD M6 x 16mm (Inside)
3	3.750	38.053	LABEL_EXM (Inside)
4	28.494	37.553	LOCK 880 SCQ4-SL @ 0.0°
5	28.494	4.250	LOCK 880 SCQ4-SL @ 0.0°



	Description		Status	
	1100CIP 42" x 30" Cover		(NULL)	
	Part Number Numéro Pièce 1100CIP423008C		Rev. 0	2 3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP423008\1100CIP423008C.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions

Date

By/Par




Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: Zin

Date 23-Nov-20

Material
Matière

14 Ga H.R.P. & O. (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1100CIP 42" x 30" Cover

Detail Rev.

Part Number
Numéro Pièce

1100CIP423008C

Rev. 0

3
3

2	880 SCQ4-SL	6	5412 ES 1/4 Turn Lock
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-Q-16080	0	Ground Stud M6 x 16mm
2	STK-G-00350	1	Rubber Gasket 3/4" x 3/4" x 7/32"
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-Q-46515	3	5412 ES Door Support with Brass Insert
1	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	1100CIP423008C-P	0	1100CIP 42" x 30" Cover Part
3	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
Qty	Part Name	Rev	Description
Parts List			

C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP4230G.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

The diagram shows an isometric view of a rectangular frame. The frame is composed of four lines forming a rectangle. On the right side of the frame, there is a vertical barcode. The barcode consists of a series of vertical black bars of varying widths. Below the barcode, the text "Isometric View" is written in a bold, sans-serif font.

1	881 SP4230G-P	0	881 SP - Inner Panel Part	12 Ga Galvanized	Unpainted	Galvanized
Qty	Part Number	Rev	Description	Material	Color	Finish
Parts List						

This drawing is confidential and must not be reproduced or used without the consent of EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP4230G.idw



Tolérance ±1/32" sauf spécification contraire


Table 1			FRONT VIEW
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.875	1.875	GROUND HOLE (RND Ø0.290)
2	27.125	1.875	GROUND HOLE (RND Ø0.290)
3	0.875	38.125	GROUND HOLE (RND Ø0.290)
4	27.125	38.125	GROUND HOLE (RND Ø0.290)
5	0.875	20.000	MTG STUD HOLE (RND Ø0.500)
6	27.125	20.000	MTG STUD HOLE (RND Ø0.500)

All knockouts are actual size / Les disques défonçables sont grandeur réel



FRONT

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com			Flatness Aplatissement Max 3.0mm Projection 
Customer Client			Date
Drawn By Dessiné Par BoxCad			Date 1/23/2007
Material Matière			See Part List
Color Couleur		See Part List	Finish Fini See Part List
Description 881 SP - Inner Panel			Detail Rev.
Part Number Numéro Pièce 881 SP4230G			Rev. 0
			2 2



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM