

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP483612\1100CIP483612.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement




Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 23-Nov-20	
Material Matière		14 Ga H.R.P. & O. (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 1100CIP 48" x 36" x 12" Assembly			Detail Rev.
Part Number Numéro Pièce			Rev. 1 0 2
SEE BILL OF MATERIAL ON LAST PAGE			1100CIP483612

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP483612\1100CIP483612.idw		Tolérance ±1/32" sauf spécification contraire																																																								
NOTE <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 1 Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>W/O Standard door stiffener</td></tr><tr><td>4</td><td>C/W Standard inner panel (Sold separately)</td></tr><tr><td>5</td><td>C/W Standard inner panel mounting studs</td></tr></table>				ITEM	DESCRIPTION	1	NEMA 1 Enclosure	2	C/W Standard ground studs on box and cover	3	W/O Standard door stiffener	4	C/W Standard inner panel (Sold separately)	5	C/W Standard inner panel mounting studs	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>		No.	Revisions	Date	By/Par																																							
ITEM	DESCRIPTION																																																											
1	NEMA 1 Enclosure																																																											
2	C/W Standard ground studs on box and cover																																																											
3	W/O Standard door stiffener																																																											
4	C/W Standard inner panel (Sold separately)																																																											
5	C/W Standard inner panel mounting studs																																																											
No.	Revisions	Date	By/Par																																																									
				 Isometric View 																																																								
				 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement  Max 3.0mm Projection 																																																								
				Customer Client		Date																																																						
				Drawn By Dessiné Par BoxCad: Zin		Date 23-Nov-20																																																						
Material Matière 14 Ga H.R.P. & O. (1.7mm)				Color Couleur Asa-61 Grey		Finish Fin Smooth																																																						
				Description 1100CIP 48" x 36" x 12" Assembly		Detail Rev.																																																						
				Part Number Numéro Pièce 1100CIP483612		Rev. 0																																																						
PACKING <table><tr><th>ITEM</th><th>QTY</th><th>DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td>Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td>Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td>To protect cover surface and inside gasket</td></tr><tr><td>Cardboard corner</td><td>4</td><td>To reinforced for the plastic strap tightening</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td>To Squeeze the 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>3</td><td>White label with PN</td></tr><tr><td>Plastic strap- Green</td><td>2</td><td>To secure the enclosure to the wood pallet</td></tr><tr><td>Wood Pallet</td><td>1</td><td>2" deeper and 3" larger than enclosure size</td></tr></table>				ITEM	QTY	DESCRIPTION	Cardboard sleeve	2	Top and Bottom	Cardboard strip	2	Between back of enclosure and inner panel	Plastic bag	1	To protect cover surface and inside gasket	Cardboard corner	4	To reinforced for the plastic strap tightening	Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together	Packaging label	3	White label with PN	Plastic strap- Green	2	To secure the enclosure to the wood pallet	Wood Pallet	1	2" deeper and 3" larger than enclosure size	<table><tr><td>1</td><td>881 SP4836G</td><td>0</td><td>881 SP - Inner Panel</td></tr><tr><td>1</td><td>1100CIP483612C</td><td>0</td><td>1100CIP 48" x 36" Cover</td></tr><tr><td>6</td><td>STK-Q-07310</td><td>2</td><td>Flange Lock Nut M8</td></tr><tr><td>6</td><td>STK-Q-07610</td><td>8</td><td>M8 Plastic Spacer 22.2mm</td></tr><tr><td>1</td><td>1100CIP483612B</td><td>0</td><td>1100CIP 48" x 36" x 12" Body</td></tr><tr><td>3</td><td>STK-Q-04050-07</td><td>7</td><td>M6 x 7mm Hexagon Socket Head Machine Screw with Nyseal</td></tr><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr></table> Parts List		1	881 SP4836G	0	881 SP - Inner Panel	1	1100CIP483612C	0	1100CIP 48" x 36" Cover	6	STK-Q-07310	2	Flange Lock Nut M8	6	STK-Q-07610	8	M8 Plastic Spacer 22.2mm	1	1100CIP483612B	0	1100CIP 48" x 36" x 12" Body	3	STK-Q-04050-07	7	M6 x 7mm Hexagon Socket Head Machine Screw with Nyseal	Qty	Part Number	Rev	Description
ITEM	QTY	DESCRIPTION																																																										
Cardboard sleeve	2	Top and Bottom																																																										
Cardboard strip	2	Between back of enclosure and inner panel																																																										
Plastic bag	1	To protect cover surface and inside gasket																																																										
Cardboard corner	4	To reinforced for the plastic strap tightening																																																										
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together																																																										
Packaging label	3	White label with PN																																																										
Plastic strap- Green	2	To secure the enclosure to the wood pallet																																																										
Wood Pallet	1	2" deeper and 3" larger than enclosure size																																																										
1	881 SP4836G	0	881 SP - Inner Panel																																																									
1	1100CIP483612C	0	1100CIP 48" x 36" Cover																																																									
6	STK-Q-07310	2	Flange Lock Nut M8																																																									
6	STK-Q-07610	8	M8 Plastic Spacer 22.2mm																																																									
1	1100CIP483612B	0	1100CIP 48" x 36" x 12" Body																																																									
3	STK-Q-04050-07	7	M6 x 7mm Hexagon Socket Head Machine Screw with Nyseal																																																									
Qty	Part Number	Rev	Description																																																									

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXIM

Isometric View


SEE BILL OF MATERIAL ON LAST PAGE



This drawing is confidential and must not be reproduced or used without the consent of EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




	Description	Status	
	1100CIP 48" x 36" x 12" Body		
	Part Number	Rev.	2 / 7
	Numéro Pièce	0	
1100CIP483612B			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE




	Description	Status	
	1100CIP 48" x 36" x 12" Body		
	Part Number Numéro Pièce	Rev.	3
	1100CIP483612B	0	7

This drawing is confidential and must not be reproduced or used without the consent of EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



	Description	Status	
	1100CIP 48" x 36" x 12" Body		
	Part Number	Rev.	4
	Numéro Pièce	0	7
1100CIP483612B			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

The diagram shows a rectangular frame with the following dimensions and labels:

- Top horizontal dimension:** 0.000
- Right vertical dimension:** 48.000
- Bottom horizontal dimension:** 12.000
- Left vertical dimension:** 0.000
- Internal vertical dimension (left side):** 0.000
- Internal vertical dimension (right side):** 0.000
- Internal vertical dimension (bottom):** 0.000
- Label '1':** Located near the bottom-left corner of the frame.



	Description 1100CIP 48" x 36" x 12" Body		Status	
	Part Number Numéro Pièce 1100CIP483612B		Rev. 0	5 7


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP483612\1100CIP483612B6.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	46.125	IP STUD M8 x 35mm (Inside)
3	34.125	46.125	IP STUD M8 x 35mm (Inside)
4	34.125	1.875	IP STUD M8 x 35mm (Inside)
5	1.875	24.000	IP STUD M8 x 35mm (Inside)
6	34.125	24.000	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
7	35.250	0.750	RND Ø0.390
8	35.250	47.250	RND Ø0.390
9	0.750	47.250	RND Ø0.390
10	0.750	0.750	RND Ø0.390



	Description	Status	
	1100CIP 48" x 36" x 12" Body		
	Part Number	Rev.	6 / 7
	Numéro Pièce 1100CIP483612B	0	

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP483612\1100CIP483612B.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: Zin	Date 23-Nov-20
Material Matière 14 Ga H.R.P. & O. (1.7mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth
Description 1100CIP 48" x 36" x 12" Body	Detail Rev.
Part Number Numéro Pièce 1100CIP483612B	Rev. 0
	7


1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
6	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	1100CIP483612B-P	0	1100CIP 48" x 36" x 12" Body Part
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP483612\1100CIP483612C.idw

Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM



LEFT




FRONT



RIGHT

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 23-Nov-20	
Material Matière		14 Ga H.R.P. & O. (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 1100CIP 48" x 36" Cover			Detail Rev.
Part Number Numéro Pièce			Rev. 1
SEE BILL OF MATERIAL ON LAST PAGE 1100CIP483612C			0 3


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP483612\1100CIP483612C.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	17.959	1.435	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
2	1.486	1.709	GND STUD M6 x 16mm (Inside)
3	6.750	41.053	LABEL_EXM (Inside)
4	34.494	43.553	LOCK 880 SCQ4-SL @ 0.0°
5	34.494	4.250	LOCK 880 SCQ4-SL @ 0.0°



	Description	Status	
	1100CIP 48" x 36" Cover	(NULL)	
	Part Number Numéro Pièce	Rev.	2
	1100CIP483612C	0	3




Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-1\1100CIP483612\1100CIP483612C.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
			
Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com			Flatness Aplatissement Max 3.0mm Projection 
Customer Client			Date
Drawn By Dessiné Par BoxCad: Zin			Date 23-Nov-20
Material Matière 14 Ga H.R.P. & O. (1.7mm)			
Color Couleur Asa-61 Grey		Finish Fini Smooth	
Description 1100CIP 48" x 36" Cover			Detail Rev.
Part Number Numéro Pièce 1100CIP483612C			Rev. 3 0 3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-Q-16080	0	Ground Stud M6 x 16mm
2	STK-G-00350	1	Rubber Gasket 3/4" x 3/4" x 7/32"
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-Q-46515	3	5412 ES Door Support with Brass Insert
1	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	1100CIP483612C-P	0	1100CIP 48" x 36" Cover Part
3	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
2	880 SCQ4-SL	6	5412 ES 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			

C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP4836G.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

The diagram shows an isometric view of a rectangular frame. The frame is composed of four lines: a top horizontal line, a bottom horizontal line, a left vertical line, and a right vertical line. Each corner of the frame is marked with a small black dot. On the right side of the frame, there is a vertical barcode consisting of a series of black bars of varying widths. Below the frame, the text "Isometric View" is written in a bold, sans-serif font.

1	881 SP4836G-P	0	881 SP - Inner Panel Part	12 Ga Galvanized	Unpainted	Galvanized
Qty	Part Number	Rev	Description	Material	Color	Finish
Parts List						

RIGHT

Flatness
Aplatissement

Max 3.0mm

Projection

The drawing shows a part with a flatness tolerance of 3.0mm. The tolerance is indicated by a feature control frame with the text 'Flatness' and 'Aplatissement' and a tolerance value of 'Max 3.0mm'. The projection view shows the part's profile, which is a trapezoid with a circular hole in the center.

Customer Client	Date
Drawn By Dessiné Par BoxCad	Date 1/23/2007
Material Matière	See Part List
Color Couleur	Finish Fini
See Part List	See Part List

Description	Detail Rev.
881 SP - Inner Panel	

Part Number Numéro Pièce	Rev.	1 2
881 SP4836G	0	

