


This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100DFP161606N\1100DFP161606N.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




LEFT




FRONT




RIGHT



BOTTOM



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer  
Client

Date

Drawn By  
Dessiné Par

BoxCad: BoxCad

Date

19-Jul-22

Material  
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color  
Couleur

Asa-61 Grey

Finish  
Fini

Smooth

Description

1100DFPN 16" x 16" x 6" Assembly

Detail Rev.

Part Number  
Numéro Pièce

1100DFP161606N

Rev.

1

10

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100DFP161606N\1100DFP161606N.idw


Tolérance ±1/32" sauf spécification contraire


| NOTE |  |
|------|--|
| ITEM | DESCRIPTION                                    |
| 1    | NEMA 1 Enclosure                               |
| 2    | C/W Standard ground provision on box and cover |
| 3    | W/O Standard door stiffener                    |
| 4    | W/O Inner panel                                |
| 5    | W/O Inner panel mounting provision             |
| 6    | C/W Padlock Kit (Not Installed)                |

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |




Isometric View





Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement  
Max 3.0mm  
Projection  


Customer  
Client

Date

Drawn By  
Dessiné Par

BoxCad: BoxCad

Date 19-Jul-22

Material  
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color  
Couleur

Asa-61 Grey

Finish  
Fin

Smooth

Description

1100DFPN 16" x 16" x 6" Assembly

Detail Rev.

Part Number  
Numéro Pièce

1100DFP161606N

Rev. 0

2  
10

| PACKING              |     |   |
|----------------------|-----|---|
| ITEM                 | QTY | DESCRIPTION                             |
| Thermal plastic film | 1   | Use with Packing Tunnel Wrapper Machine |
| Packaging label      | 1   | White label with product number         |

|            |                 |     |                               |
|------------|-----------------|-----|-------------------------------|
| 1          | 880 DPF16       | 0   | 880 DFP Padlock Kit           |
| 4          | STK-Q-05020     | 5   | M5 x 8mm Thread Rolling Screw |
| 1          | 1100DFP161606NC | 0   | 1100DFPN 16" x 16" Cover      |
| 1          | 1100DFP161606NB | 0   | 1100DFPN 16" x 16" x 6" Body  |
| Qty        | Part Number     | Rev | Description                   |
| Parts List |                 |     |                               |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor\_Dwg\BoxCad\Result\1100DFP161606N\1100DFP161606N.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK




LEFT



FRONT




RIGHT







BOTTOM

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



Isometric View



|   |  |  |  |   |  |
|---|--|--|--|---|--|
|  |  | Tél: (450) 979-4373<br>Fax: (450) 979-4626<br><a href="http://www.exmweb.com">www.exmweb.com</a> |  | Flatness<br>Aplatissement<br><br>Max 3.0mm |  |
|   |  |  |  | Projection<br>                             |  |
| Customer<br>Client  |  |  |  | Date  |  |
| Drawn By<br>Dessiné Par   |  |  |  | Date  |  |
| Material<br>Matière   |  |  |  | 16 Ga Cold Rolled A1008 CS Type B (1.4mm)   |  |
| Color<br>Couleur  |  | Asa-61 Grey  |  | Finish<br>Fini  |  |
|   |  |  |  | Smooth  |  |
| Description<br>1100DFPN 16" x 16" x 6" Body   |  |  |  | Detail Rev.   |  |
| Part Number<br>Numéro Pièce   |  |  |  | Rev.  |  |
| <b>1100DFP161606NB</b>  |  |  |  | <b>0</b>  |  |
|   |  |  |  | 3<br>10   |  |

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100DFP161606N\1100DFP161606N.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |       |       |             |
|---|-------|-------|-------------|
| HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)         |       |       |             |
| CUT-OUT   | XDIM  | YDIM  | DESCRIPTION |
| 1   | 7.500 | 5.000 | RND Ø0.290  |
| 2   | 8.500 | 5.000 | RND Ø0.290  |



|  |  |          |         |
|--|--|----------|---------|
|  | Description                            | Status   |         |
|  | 1100DFPN 16" x 16" x 6" Body           | (NULL)   |         |
|  | Part Number                            | Rev.     | 4<br>10 |
|  | Numéro Pièce<br><b>1100DFP161606NB</b> | <b>0</b> |         |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100DFP161606N\1100DFP161606N.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |       |       |             |
|---|-------|-------|-------------|
| HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)      |       |       |             |
| CUT-OUT   | XDIM  | YDIM  | DESCRIPTION |
| 1   | 7.500 | 5.000 | RND Ø0.290  |
| 2   | 8.500 | 5.000 | RND Ø0.290  |



|                 |                              |        |    |
|-----------------|------------------------------|--------|----|
|                 | Description                  | Status |    |
|                 | 1100DFPN 16" x 16" x 6" Body | (NULL) |    |
|                 | Part Number                  | Rev.   | 5  |
|                 | Numéro Pièce                 | 0      | 10 |
| 1100DFP161606NB |                              |        |    |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100DFP161606N\1100DFP161606N.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |        |        |             |
|---|--------|--------|-------------|
| HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)        |        |        |             |
| CUT-OUT   | XDIM   | YDIM   | DESCRIPTION |
| 1   | 15.000 | 1.000  | RND Ø0.290  |
| 2   | 15.000 | 15.000 | RND Ø0.290  |
| 3   | 1.000  | 15.000 | RND Ø0.290  |
| 4   | 1.000  | 1.000  | RND Ø0.290  |



|  |   |                  |         |
|--|---|------------------|---------|
|  | Description<br>1100DFPN 16" x 16" x 6" Body           | Status<br>(NULL) |         |
|  | Part Number<br>Numéro Pièce<br><b>1100DFP161606NB</b> | Rev.<br><b>0</b> | 6<br>10 |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor\_Dwg\BoxCad\Result\1100DFP161606N\1100DFP161606N.idw

Tolérance ±1/32" sauf spécification contraire

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



|   |  |   |                       |
|---|--|---|-----------------------|
| Customer<br>Client                                    |  | Date                                      |                       |
| Drawn By<br>Dessiné Par                               |  | Date 19-Jul-22                            |                       |
| Material<br>Matière                                   |  | 16 Ga Cold Rolled A1008 CS Type B (1.4mm) |                       |
| Color<br>Couleur                                      |  | Asa-61 Grey                               | Finish<br>Fini Smooth |
| Description<br>1100DFPN 16" x 16" x 6" Body           |  |   | Detail Rev.           |
| Part Number<br>Numéro Pièce<br><b>1100DFP161606NB</b> |  |   | Rev. <b>0</b>         |
|   |  |   | 7<br>10               |

|            |                   |     |                                     |
|------------|-------------------|-----|-------------------------------------|
| 1          | STK-P-02400S      | 0   | Powder Paint (Asa-61 Grey / Smooth) |
| 1          | 1100DFP161606NB-P | 0   | 1100DFPN 16" x 16" x 6" Body Part   |
| Qty        | Part Number       | Rev | Description                         |
| Parts List |                   |     |                                     |

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100DFP161606N\1100DFP161606N.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM



**SEE BILL OF MATERIAL ON LAST PAGE**




This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1100DFP161606N\1100DFP161606N.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |       |        |             |
|---|-------|--------|-------------|
| HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)       |       |        |             |
| CUT-OUT   | XDIM  | YDIM   | DESCRIPTION |
| 1   | 8.000 | 15.250 | RND Ø0.290  |
| 2   | 8.000 | 14.500 | RND Ø0.290  |
| 3   | 8.000 | 1.500  | RND Ø0.290  |
| 4   | 8.000 | 0.750  | RND Ø0.290  |



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM





|  |  |                  |         |
|--|--|------------------|---------|
|  | Description<br>1100DFPN 16" x 16" Cover        | Status<br>(NULL) |         |
|  | Part Number<br>Numéro Pièce<br>1100DFP161606NC | Rev.<br>0        | 9<br>10 |

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor\_Dwg\BoxCad\Result\1100DFP161606N\1100DFP161606N.idw

Tolérance ±1/32" sauf spécification contraire

|   |           |   |  |
|---|-----------|---|--|
| No.   | Revisions | Date  | By/Par   |
|   |           |   |  |
|   |           |   |  |
|   |           |   |  |
|   |           |   |  |
|   |           |   |  |
|                       |           |   |  |
| <p>Isometric View</p>   |           |   |  |
|                      |           | <p>Flatness<br/>Aplatissement</p> <p>Max 3.0mm</p>  |  |
| <p>Tél: (450) 979-4373<br/>Fax: (450) 979-4626<br/><a href="http://www.exmweb.com">www.exmweb.com</a></p> |           | <p>Projection</p>  |  |
| Customer<br>Client  |           | Date  |  |
| Drawn By<br>Dessiné Par   |           | Date 19-Jul-22  |  |
| BoxCad: BoxCad  |           |   |  |
| Material<br>Matière   |           | 16 Ga Cold Rolled A1008 CS Type B (1.4mm)   |  |
| Color<br>Couleur  |           | Asa-61 Grey   |  |
| Finish<br>Fini  |           | Smooth  |  |
| Description   |           |   | Detail Rev.  |
| 1100DFPN 16" x 16" Cover  |           |   |  |
| Part Number<br>Numéro Pièce   |           |   | Rev. 10  |
| 1100DFP161606NC   |           |   | 0  |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

|            |                   |     |                                     |
|------------|-------------------|-----|-------------------------------------|
| 1          | STK-S-00950       | 1   | UL 74SL Pull-Box Sticker            |
| 1          | STK-S-00800       | 2   | CSA Electrical Box Sticker          |
| 1          | 1100DFP161606NC-P | 0   | 1100DFPN 16" x 16" Cover Part       |
| 1          | STK-P-02400S      | 0   | Powder Paint (Asa-61 Grey / Smooth) |
| Qty        | Part Number       | Rev | Description                         |
| Parts List |                   |     |                                     |