

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Isometric View



Flatness
Aplatissement

Max 3.0mm

Projection

The drawing shows a flatness tolerance of 3.0mm and a projection view. The flatness tolerance is indicated by a curved arrow pointing to the surface, with the text 'Flatness Aplatissement' and 'Max 3.0mm'. The projection view is shown as a circular cross-section with a central hole, labeled 'Projection'.

Part Number Numéro Pièce	Rev.	1 14
1412BT062503DT	0	

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobex

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT062503DT\1412BT062503DT.idw

Tolérance $\pm 1/32$ " sauf spécification contraire



STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



	Description	Status	
	1412BT 2500A - 3Wires x 72" Assembly	(NULL)	
	Part Number Numéro Pièce 1412BT062503DT	Rev. 0	2 14

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT062503DT\1412BT062503DT.idw		Tolérance ±1/32" sauf spécification contraire																																																																																				
NOTE <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 4/12 Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>W/O Standard door stiffener</td></tr><tr><td>4</td><td>C/W Special inner panel (Sold separately)</td></tr><tr><td>5</td><td>C/W Standard inner panel mounting studs</td></tr></table>				ITEM	DESCRIPTION	1	NEMA 4/12 Enclosure	2	C/W Standard ground studs on box and cover	3	W/O Standard door stiffener	4	C/W Special inner panel (Sold separately)	5	C/W Standard inner panel mounting studs	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>  Isometric View   Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection  <table><tr><td colspan="2">Customer Client</td><td colspan="2">Date</td></tr><tr><td colspan="2">Drawn By Dessiné Par BoxCad: BoxCad</td><td colspan="2">Date 10/6/2022</td></tr><tr><td colspan="4">Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)</td></tr><tr><td colspan="2">Color Couleur Asa-61 Grey</td><td colspan="2">Finish Fin Smooth</td></tr><tr><td colspan="2">Description 1412BT 2500A - 3Wires x 72" Assembly</td><td colspan="2">Detail Rev.</td></tr><tr><td colspan="2">Part Number Numéro Pièce 1412BT062503DT</td><td>Rev. 0</td><td>3 14</td></tr></table>		No.	Revisions	Date	By/Par																									Customer Client		Date		Drawn By Dessiné Par BoxCad: BoxCad		Date 10/6/2022		Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)				Color Couleur Asa-61 Grey		Finish Fin Smooth		Description 1412BT 2500A - 3Wires x 72" Assembly		Detail Rev.		Part Number Numéro Pièce 1412BT062503DT		Rev. 0	3 14																			
ITEM	DESCRIPTION																																																																																							
1	NEMA 4/12 Enclosure																																																																																							
2	C/W Standard ground studs on box and cover																																																																																							
3	W/O Standard door stiffener																																																																																							
4	C/W Special inner panel (Sold separately)																																																																																							
5	C/W Standard inner panel mounting studs																																																																																							
No.	Revisions	Date	By/Par																																																																																					
Customer Client		Date																																																																																						
Drawn By Dessiné Par BoxCad: BoxCad		Date 10/6/2022																																																																																						
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)																																																																																								
Color Couleur Asa-61 Grey		Finish Fin Smooth																																																																																						
Description 1412BT 2500A - 3Wires x 72" Assembly		Detail Rev.																																																																																						
Part Number Numéro Pièce 1412BT062503DT		Rev. 0	3 14																																																																																					
PACKING <table><tr><th>ITEM</th><th>QTY</th><th>DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td>Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td>Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td>To protect cover surface and inside gasket</td></tr><tr><td>Cardboard corner</td><td>4</td><td>To reinforced for the plastic strap tightening</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td>To Squeeze 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>3</td><td>White label with PN</td></tr><tr><td>Plastic strap- Green</td><td>2</td><td>To secure the enclosure to the wood pallet</td></tr><tr><td>Wood Pallet</td><td>1</td><td>2" deeper and 3" larger than enclosure size</td></tr></table>				ITEM	QTY	DESCRIPTION	Cardboard sleeve	2	Top and Bottom	Cardboard strip	2	Between back of enclosure and inner panel	Plastic bag	1	To protect cover surface and inside gasket	Cardboard corner	4	To reinforced for the plastic strap tightening	Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together	Packaging label	3	White label with PN	Plastic strap- Green	2	To secure the enclosure to the wood pallet	Wood Pallet	1	2" deeper and 3" larger than enclosure size	<table><tr><td>1</td><td>885 ESMF1</td><td>0</td><td>885 ESMF1 Mounting Feet Kit</td></tr><tr><td>1</td><td>1412BT062503DTBAR1-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/4" x 6"</td></tr><tr><td>1</td><td>1412BT062503DTBAR2-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/4" x 6"</td></tr><tr><td>1</td><td>1412BT062503DTBAR3-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/4" x 6"</td></tr><tr><td>1</td><td>1412BT062503DTIP1</td><td>0</td><td>1412BT 22.125" x 47" Inner Panel</td></tr><tr><td>9</td><td>STK-A-67400</td><td>0</td><td>Buss Bar Insulator Kit</td></tr><tr><td>1</td><td>STK-K-01800</td><td>5</td><td>5412 ES Accessory Kit</td></tr><tr><td>4</td><td>STK-Q-04050-07</td><td>7</td><td>M6 x 7mm Hexagon Socket Head Machine Screw with Nyseal</td></tr><tr><td>15</td><td>STK-Q-07310</td><td>2</td><td>Flange Lock Nut M8</td></tr><tr><td>6</td><td>STK-Q-07610</td><td>8</td><td>M8 Plastic Spacer 22.2mm</td></tr><tr><td>1</td><td>1412BT062503DTB</td><td>0</td><td>1412BT 30" x 72" x 10" Body</td></tr><tr><td>1</td><td>1412BT062503DTC</td><td>0</td><td>1412BT 30" x 72" Cover</td></tr><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr><tr><td colspan="4">Parts List</td></tr></table>		1	885 ESMF1	0	885 ESMF1 Mounting Feet Kit	1	1412BT062503DTBAR1-P	0	Rounded Edge Aluminum Bar 3/4" x 6"	1	1412BT062503DTBAR2-P	0	Rounded Edge Aluminum Bar 3/4" x 6"	1	1412BT062503DTBAR3-P	0	Rounded Edge Aluminum Bar 3/4" x 6"	1	1412BT062503DTIP1	0	1412BT 22.125" x 47" Inner Panel	9	STK-A-67400	0	Buss Bar Insulator Kit	1	STK-K-01800	5	5412 ES Accessory Kit	4	STK-Q-04050-07	7	M6 x 7mm Hexagon Socket Head Machine Screw with Nyseal	15	STK-Q-07310	2	Flange Lock Nut M8	6	STK-Q-07610	8	M8 Plastic Spacer 22.2mm	1	1412BT062503DTB	0	1412BT 30" x 72" x 10" Body	1	1412BT062503DTC	0	1412BT 30" x 72" Cover	Qty	Part Number	Rev	Description	Parts List			
ITEM	QTY	DESCRIPTION																																																																																						
Cardboard sleeve	2	Top and Bottom																																																																																						
Cardboard strip	2	Between back of enclosure and inner panel																																																																																						
Plastic bag	1	To protect cover surface and inside gasket																																																																																						
Cardboard corner	4	To reinforced for the plastic strap tightening																																																																																						
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together																																																																																						
Packaging label	3	White label with PN																																																																																						
Plastic strap- Green	2	To secure the enclosure to the wood pallet																																																																																						
Wood Pallet	1	2" deeper and 3" larger than enclosure size																																																																																						
1	885 ESMF1	0	885 ESMF1 Mounting Feet Kit																																																																																					
1	1412BT062503DTBAR1-P	0	Rounded Edge Aluminum Bar 3/4" x 6"																																																																																					
1	1412BT062503DTBAR2-P	0	Rounded Edge Aluminum Bar 3/4" x 6"																																																																																					
1	1412BT062503DTBAR3-P	0	Rounded Edge Aluminum Bar 3/4" x 6"																																																																																					
1	1412BT062503DTIP1	0	1412BT 22.125" x 47" Inner Panel																																																																																					
9	STK-A-67400	0	Buss Bar Insulator Kit																																																																																					
1	STK-K-01800	5	5412 ES Accessory Kit																																																																																					
4	STK-Q-04050-07	7	M6 x 7mm Hexagon Socket Head Machine Screw with Nyseal																																																																																					
15	STK-Q-07310	2	Flange Lock Nut M8																																																																																					
6	STK-Q-07610	8	M8 Plastic Spacer 22.2mm																																																																																					
1	1412BT062503DTB	0	1412BT 30" x 72" x 10" Body																																																																																					
1	1412BT062503DTC	0	1412BT 30" x 72" Cover																																																																																					
Qty	Part Number	Rev	Description																																																																																					
Parts List																																																																																								

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT062503DT\1412BT062503DT.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP



BACK




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 10/6/2022

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1412BT 30" x 72" x 10" Body

Detail Rev.

Part Number
Numéro Pièce

1412BT062503DTB

Rev.

4

14

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT062503DT\1412BT062503DT.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	68.000	28.000	GND STUD M8 x 35mm (Inside)
2	68.000	26.000	GND STUD M8 x 35mm (Inside)
3	5.875	25.500	IP STUD M8 x 35mm (Inside)
4	51.125	25.500	IP STUD M8 x 35mm (Inside)
5	5.875	5.125	IP STUD M8 x 35mm (Inside)
6	51.125	5.125	IP STUD M8 x 35mm (Inside)
7	30.125	25.500	IP STUD M8 x 35mm (Inside)
8	30.125	5.125	IP STUD M8 x 35mm (Inside)



	Description 1412BT 30" x 72" x 10" Body	Status (NULL)	
	Part Number Numéro Pièce 1412BT062503DTB	Rev. 0	5 14

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT062503DT\1412BT062503DT.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par




Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm

Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

10/6/2022

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

1412BT 30" x 72" x 10" Body

Detail Rev.

Part Number
Numéro Pièce

1412BT062503DTB

Rev.

6

14

Qty	Part Number	Rev	Description
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
8	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BT062503DTB-P	0	1412BT 30" x 72" x 10" Body Part
Parts List			


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT062503DT\1412BT062503DT.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	51.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
2	45.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
3	39.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
4	33.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
5	21.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
6	15.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
7	9.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
8	3.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC



	Description	Status	
	Rounded Edge Aluminum Bar 3/4" x 6"	(NULL)	
	Part Number Numéro Pièce	Rev.	7
1412BT062503DTBAR1-P		0	14

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT062503DT\1412BT062503DT.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	51.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
2	45.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
3	39.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
4	33.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
5	21.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
6	15.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
7	9.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
8	3.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC



	Description	Status	
	Rounded Edge Aluminum Bar 3/4" x 6"	(NULL)	
	Part Number Numéro Pièce	Rev.	
1412BT062503DTBAR2-P		0	8
		14	

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT062503DT\1412BT062503DT.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	51.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
2	45.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
3	39.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
4	33.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
5	21.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
6	15.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
7	9.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC
8	3.000	3.000	RND Ø0.201 THREAD 1/4-20 UNC



	Description		Status	
	Rounded Edge Aluminum Bar 3/4" x 6"		(NULL)	
	Part Number Numéro Pièce 1412BT062503DTBAR3-P		Rev. 0	9 14

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT062503DT\1412BT062503DT.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK



LEFT



FRONT





RIGHT



BOTTOM


No.	Revisions	Date	By/Par

Isometric View

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 10/6/2022	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 1412BT 30" x 72" Cover			Detail Rev.
Part Number Numéro Pièce		Rev.	10
SEE BILL OF MATERIAL ON LAST PAGE		0	14
1412BT062503DTC			

This drawing is confidential and must not be reproduced or used without the consent of Eurobox

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.500	1.486	GND STUD M6 x 16mm (Inside)
2	70.379	14.959	LOCK 880 SCQ4-SL @ 0.0°
3	1.424	14.959	LOCK 880 SCQ4-SL @ 180.0°
4	67.553	28.494	LOCK 880 SCQ4-SL @ 90.0°
5	35.902	28.494	LOCK 880 SCQ4-SL @ 90.0°
6	4.250	28.494	LOCK 880 SCQ4-SL @ 90.0°



	Description 1412BT 30" x 72" Cover	Status (NULL)	
	Part Number Numéro Pièce 1412BT062503DTC	Rev. 0	11 14

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT062503DT\1412BT062503DT.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm
Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1412BT 30" x 72" Cover

Detail Rev.

Part Number
Numéro Pièce

1412BT062503DTC

Rev.

12

14

1	1412BT062503DTG	0	1412BT 30" x 72" Cover Gasket
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BT062503DTC-P	0	1412BT 30" x 72" Cover Part
5	880 SCQ4-SL	6	5412 ES 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32"$ unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT062503DT\1412BT062503DT.idw


Tolérance $\pm 1/32"$ sauf spécification contraire




TOP




FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Finish Fini	
Description		Detail Rev.	
Part Number Numéro Pièce		Rev.	
1412BT062503DTIP1		0	13
			14

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT062503DT\1412BT062503DT.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

10/6/2022

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BT 22.125" x 47" Inner Panel

Detail Rev.

Part Number
Numéro Pièce

1412BT062503DTIP1

Rev.

14

0

14

1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	1412BT062503DTIP1-P	0	1412BT 22.125" x 72" Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			