

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1412BT071004\1412BT071004.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



LEFT



LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par

Isometric View


 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 13-Sep-22	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 1412BT 1000A - 4Wires x 84" Assembly			Detail Rev.
Part Number Numéro Pièce		Rev.	1
1412BT071004		0	13

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobox




STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox



	Description		Status	
	1412BT 1000A - 4Wires x 84" Assembly		(NULL)	
	Part Number Numéro Pièce		Rev.	2
	1412BT071004		0	13

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT071004\1412BT071004.idw		Tolérance ±1/32" sauf spécification contraire																																																																																												
NOTE <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 4/12 Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>W/O Standard door stiffener</td></tr><tr><td>4</td><td>C/W Special inner panel (Sold separately)</td></tr><tr><td>5</td><td>C/W Standard inner panel mounting studs</td></tr></table>				ITEM	DESCRIPTION	1	NEMA 4/12 Enclosure	2	C/W Standard ground studs on box and cover	3	W/O Standard door stiffener	4	C/W Special inner panel (Sold separately)	5	C/W Standard inner panel mounting studs	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>		No.	Revisions	Date	By/Par																																																																											
ITEM	DESCRIPTION																																																																																															
1	NEMA 4/12 Enclosure																																																																																															
2	C/W Standard ground studs on box and cover																																																																																															
3	W/O Standard door stiffener																																																																																															
4	C/W Special inner panel (Sold separately)																																																																																															
5	C/W Standard inner panel mounting studs																																																																																															
No.	Revisions	Date	By/Par																																																																																													
				 Isometric View																																																																																												
																																																																																																
				 Flatness Aplatissement Max 3.0mm  Projection																																																																																												
				 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Customer Client Date Drawn By Dessiné Par BoxCad: BoxCad Date 13-Sep-22 Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm) Color Couleur Asa-61 Grey Finish Fin Smooth Description 1412BT 1000A - 4Wires x 84" Assembly Detail Rev. Part Number Numéro Pièce 1412BT071004 Rev. 0 3 13																																																																																												
<table><tr><th>ITEM</th><th>QTY</th><th>DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td>Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td>Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td>To protect cover surface and inside gasket</td></tr><tr><td>Cardboard corner</td><td>4</td><td>To reinforced for the plastic strap tightening</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td>To Squeeze 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>3</td><td>White label with PN</td></tr><tr><td>Plastic strap- Green</td><td>2</td><td>To secure the enclosure to the wood pallet</td></tr><tr><td>Wood Pallet</td><td>1</td><td>2" deeper and 3" larger than enclosure size</td></tr></table>				ITEM	QTY	DESCRIPTION	Cardboard sleeve	2	Top and Bottom	Cardboard strip	2	Between back of enclosure and inner panel	Plastic bag	1	To protect cover surface and inside gasket	Cardboard corner	4	To reinforced for the plastic strap tightening	Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together	Packaging label	3	White label with PN	Plastic strap- Green	2	To secure the enclosure to the wood pallet	Wood Pallet	1	2" deeper and 3" larger than enclosure size	<table><tr><td>1</td><td>885 ESMF1</td><td>0</td><td>885 ESMF1 Mounting Feet Kit</td></tr><tr><td>1</td><td>1412BT071004IP2</td><td>0</td><td>1412BT 24.125" x 28" Right Inner Panel</td></tr><tr><td>1</td><td>1412BT071004BAR1-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/8" x 4 1/2"</td></tr><tr><td>1</td><td>1412BT071004BAR2-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/8" x 4 1/2"</td></tr><tr><td>1</td><td>1412BT071004BAR3-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/8" x 4 1/2"</td></tr><tr><td>1</td><td>1412BT071004BAR4-P</td><td>0</td><td>Rounded Edge Aluminum Bar 3/8" x 4 1/2"</td></tr><tr><td>1</td><td>1412BT071004IP1</td><td>0</td><td>1412BT 24.125" x 56" Inner Panel</td></tr><tr><td>12</td><td>STK-A-67400</td><td>0</td><td>Buss Bar Insulator Kit</td></tr><tr><td>1</td><td>STK-K-01800</td><td>5</td><td>5412 ES Accessory Kit</td></tr><tr><td>6</td><td>STK-Q-04050-07</td><td>7</td><td>M6 x 7mm Hexagon Socket Head Machine Screw with Nyseal</td></tr><tr><td>20</td><td>STK-Q-07310</td><td>2</td><td>Flange Lock Nut M8</td></tr><tr><td>8</td><td>STK-Q-07610</td><td>8</td><td>M8 Plastic Spacer 22.2mm</td></tr><tr><td>1</td><td>1412BT071004B</td><td>0</td><td>1412BT 30" x 84" x 10" Body</td></tr><tr><td>1</td><td>1412BT071004C</td><td>0</td><td>1412BT 30" x 84" Cover</td></tr><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr><tr><td colspan="4">Parts List</td></tr></table>		1	885 ESMF1	0	885 ESMF1 Mounting Feet Kit	1	1412BT071004IP2	0	1412BT 24.125" x 28" Right Inner Panel	1	1412BT071004BAR1-P	0	Rounded Edge Aluminum Bar 3/8" x 4 1/2"	1	1412BT071004BAR2-P	0	Rounded Edge Aluminum Bar 3/8" x 4 1/2"	1	1412BT071004BAR3-P	0	Rounded Edge Aluminum Bar 3/8" x 4 1/2"	1	1412BT071004BAR4-P	0	Rounded Edge Aluminum Bar 3/8" x 4 1/2"	1	1412BT071004IP1	0	1412BT 24.125" x 56" Inner Panel	12	STK-A-67400	0	Buss Bar Insulator Kit	1	STK-K-01800	5	5412 ES Accessory Kit	6	STK-Q-04050-07	7	M6 x 7mm Hexagon Socket Head Machine Screw with Nyseal	20	STK-Q-07310	2	Flange Lock Nut M8	8	STK-Q-07610	8	M8 Plastic Spacer 22.2mm	1	1412BT071004B	0	1412BT 30" x 84" x 10" Body	1	1412BT071004C	0	1412BT 30" x 84" Cover	Qty	Part Number	Rev	Description	Parts List			
ITEM	QTY	DESCRIPTION																																																																																														
Cardboard sleeve	2	Top and Bottom																																																																																														
Cardboard strip	2	Between back of enclosure and inner panel																																																																																														
Plastic bag	1	To protect cover surface and inside gasket																																																																																														
Cardboard corner	4	To reinforced for the plastic strap tightening																																																																																														
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together																																																																																														
Packaging label	3	White label with PN																																																																																														
Plastic strap- Green	2	To secure the enclosure to the wood pallet																																																																																														
Wood Pallet	1	2" deeper and 3" larger than enclosure size																																																																																														
1	885 ESMF1	0	885 ESMF1 Mounting Feet Kit																																																																																													
1	1412BT071004IP2	0	1412BT 24.125" x 28" Right Inner Panel																																																																																													
1	1412BT071004BAR1-P	0	Rounded Edge Aluminum Bar 3/8" x 4 1/2"																																																																																													
1	1412BT071004BAR2-P	0	Rounded Edge Aluminum Bar 3/8" x 4 1/2"																																																																																													
1	1412BT071004BAR3-P	0	Rounded Edge Aluminum Bar 3/8" x 4 1/2"																																																																																													
1	1412BT071004BAR4-P	0	Rounded Edge Aluminum Bar 3/8" x 4 1/2"																																																																																													
1	1412BT071004IP1	0	1412BT 24.125" x 56" Inner Panel																																																																																													
12	STK-A-67400	0	Buss Bar Insulator Kit																																																																																													
1	STK-K-01800	5	5412 ES Accessory Kit																																																																																													
6	STK-Q-04050-07	7	M6 x 7mm Hexagon Socket Head Machine Screw with Nyseal																																																																																													
20	STK-Q-07310	2	Flange Lock Nut M8																																																																																													
8	STK-Q-07610	8	M8 Plastic Spacer 22.2mm																																																																																													
1	1412BT071004B	0	1412BT 30" x 84" x 10" Body																																																																																													
1	1412BT071004C	0	1412BT 30" x 84" Cover																																																																																													
Qty	Part Number	Rev	Description																																																																																													
Parts List																																																																																																

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1412BT071004\1412BT071004.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client

Date

Drawn By
Dessiné Par BoxCad: BoxCad

Date 13-Sep-22

Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color Couleur Asa-61 Grey

Finish Fini Smooth

Description
1412BT 30" x 84" x 10" Body

Detail Rev.

Part Number
Numéro Pièce
1412BT071004B

Rev.
0

4
13

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT071004\1412BT071004.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	80.000	28.000	GND STUD M8 x 35mm (Inside)
2	80.000	26.000	GND STUD M8 x 35mm (Inside)
3	5.875	27.500	IP STUD M8 x 35mm (Inside)
4	34.625	27.500	IP STUD M8 x 35mm (Inside)
5	5.875	5.125	IP STUD M8 x 35mm (Inside)
6	34.625	5.125	IP STUD M8 x 35mm (Inside)
7	56.875	27.500	IP STUD M8 x 35mm (Inside)
8	60.125	27.500	IP STUD M8 x 35mm (Inside)
9	56.875	5.125	IP STUD M8 x 35mm (Inside)
10	60.125	5.125	IP STUD M8 x 35mm (Inside)



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

	Description 1412BT 30" x 84" x 10" Body	Status (NULL)	
	Part Number Numéro Pièce 1412BT071004B	Rev. 0	5 13



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1412BT071004\1412BT071004.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 13-Sep-22	
Material Matière		BoxCad: BoxCad 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 1412BT 30" x 84" x 10" Body			Detail Rev.
Part Number Numéro Pièce		Rev.	6
1412BT071004B		0	13

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	1412BT071004B-P	0	1412BT 30" x 84" x 10" Body Part
1	1412BT071004E-P	0	1412BT 30" x 84" x 10" Right Body Part
1	STK-G-00701	0	1" x 1/4" Self-Adhesive Neoprene Gasket
10	STK-Q-00260	1	M6 x 13mm Carriage Bolt
10	STK-Q-07220	1	M6 Nylon Insert Lock Nut
10	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
2	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1412BT071004\1412BT071004.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par

Isometric View

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 13-Sep-22	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 1412BT 30" x 84" Cover			Detail Rev.
Part Number Numéro Pièce		Rev.	7
SEE BILL OF MATERIAL ON LAST PAGE		0	13

1412BT071004C


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT071004\1412BT071004.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.500	1.486	GND STUD M6 x 16mm (Inside)
2	82.303	1.486	GND STUD M6 x 16mm (Inside)
3	82.379	14.959	LOCK 880 SCQ4-SL @ 0.0°
4	43.424	14.959	LOCK 880 SCQ4-SL @ 180.0°
5	40.379	14.959	LOCK 880 SCQ4-SL @ 0.0°
6	1.424	14.959	LOCK 880 SCQ4-SL @ 180.0°
7	79.553	28.494	LOCK 880 SCQ4-SL @ 90.0°
8	62.902	28.494	LOCK 880 SCQ4-SL @ 90.0°
9	46.250	28.494	LOCK 880 SCQ4-SL @ 90.0°
10	37.553	28.494	LOCK 880 SCQ4-SL @ 90.0°
11	20.902	28.494	LOCK 880 SCQ4-SL @ 90.0°
12	4.250	28.494	LOCK 880 SCQ4-SL @ 90.0°



	Description	Status	
	1412BT 30" x 84" Cover	(NULL)	
	Part Number	Rev.	8
	Numéro Pièce	0	13

1412BT071004C

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1412BT071004\1412BT071004.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
Isometric View			
		Flatness Aplatissement Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 13-Sep-22	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur Asa-61 Grey		Finish Fini Smooth	
Description 1412BT 30" x 84" Cover			Detail Rev.
Part Number Numéro Pièce 1412BT071004C			Rev. 9
			13

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


2	1412BT071004G	0	1412BT 30" x 84" Cover Gasket
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
6	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
2	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BT071004C-P	0	1412BT 30" x 84" Cover Part
1	1412BT071004F-P	0	1412BT 30" x 84" Right Cover Part
10	880 SCQ4-SL	6	5412 ES 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT071004\1412BT071004.idw


Tolérance $\pm 1/32$ " sauf spécification contraire



TOP



FRONT



RIGHT






SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 13-Sep-22	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		White RAL9003	Finish Fini Smooth
Description 1412BT 24.125" x 56" Inner Panel			Detail Rev.
Part Number Numéro Pièce		Rev.	10
1412BT071004IP1		0	13

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1412BT071004\1412BT071004.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 13-Sep-22
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur White RAL9003	Finish Fini Smooth
Description 1412BT 24.125" x 56" Inner Panel	Detail Rev.
Part Number Numéro Pièce 1412BT071004IP1	Rev. 11 0 13

1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	1412BT071004IP1-P	0	1412BT 24.125" x 84" Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT071004\1412BT071004.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP




FRONT

24.125
23.707

RIGHT

0.418
0.000



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 13-Sep-22

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BT 24.125" x 28" Right Inner Panel

Detail Rev.

Part Number
Numéro Pièce

1412BT071004IP2

Rev.

12
0
13

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\1412BT071004\1412BT071004.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par




Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm

Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 13-Sep-22

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BT 24.125" x 28" Right Inner Panel

Detail Rev.

Part Number
Numéro Pièce

1412BT071004IP2

Rev. 0

13

Qty	Part Number	Rev	Description
1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	1412BT071004IP2-P	0	1412BT 24.125" x 84" Right Inner Panel Part
Parts List			