

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

**Isometric View**



Flatness  
Aplatissement

Max 3.0mm

Projection

The drawing shows a part with a flatness tolerance of 3.0mm. The tolerance is indicated by a feature control frame with the text 'Flatness' and 'Aplatissement' and a tolerance value of 'Max 3.0mm'. The projection view shows the part's profile, which is a trapezoid with a circular hole in the center. The hole is defined by two concentric circles, with the outer circle representing the hole's boundary and the inner circle representing the hole's center. The part's profile is shown in a side view, with a dashed line indicating the hidden part of the hole.

|                                                     |                  |         |
|-----------------------------------------------------|------------------|---------|
| Part Number<br>Numéro Pièce<br><b>1412BT10803DT</b> | Rev.<br><b>0</b> | 1<br>16 |
|-----------------------------------------------------|------------------|---------|

**SEE BILL OF MATERIAL ON LAST PAGE**


This drawing is confidential and must not be reproduced or used without the consent of Eurobex

Tolerance  $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT10803DT\1412BT10803DT.idw

Tolérance  $\pm 1/32$ " sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE





|                                                                                       |                                      |  |        |    |
|---------------------------------------------------------------------------------------|--------------------------------------|--|--------|----|
|  | Description                          |  | Status |    |
|                                                                                       | 1412BT 800A - 3Wires x 120" Assembly |  | (NULL) |    |
|                                                                                       | Part Number<br>Numéro Pièce          |  | Rev.   | 2  |
|                                                                                       | 1412BT10803DT                        |  | 0      | 16 |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



|          |               |
|----------|---------------|
| Flatness | Aplatissement |
|----------|---------------|



|            |                     |     |                                                        |
|------------|---------------------|-----|--------------------------------------------------------|
| 1          | 885 ESMF1           | 0   | 885 ESMF1 Mounting Feet Kit                            |
| 1          | 1412BT10803DTIP2    | 0   | 1412BT 18.125" x 31" Right Inner Panel                 |
| 1          | 1412BT10803DTBAR1-P | 0   | Rounded Edge Aluminum Bar 1/2" x 3"                    |
| 1          | 1412BT10803DTBAR2-P | 0   | Rounded Edge Aluminum Bar 1/2" x 3"                    |
| 1          | 1412BT10803DTBAR3-P | 0   | Rounded Edge Aluminum Bar 1/2" x 3"                    |
| 1          | 1412BT10803DTIP1    | 0   | 1412BT 18.125" x 31" Left Inner Panel                  |
| 12         | STK-A-67400         | 0   | Buss Bar Insulator Kit                                 |
| 1          | STK-K-01800         | 5   | 5412 ES Accessory Kit                                  |
| 8          | STK-Q-04050-07      | 7   | M6 x 7mm Hexagon Socket Head Machine Screw with Nyseal |
| 20         | STK-Q-07310         | 2   | Flange Lock Nut M8                                     |
| 8          | STK-Q-07610         | 8   | M8 Plastic Spacer 22.2mm                               |
| 1          | 1412BT10803DTB      | 0   | 1412BT 24" x 120" x 10" Body                           |
| 1          | 1412BT10803DTC      | 0   | 1412BT 24" x 120" Cover                                |
| Qty        | Part Number         | Rev | Description                                            |
| Parts List |                     |     |                                                        |

This drawing is confidential and must not be reproduced or used without the consent of EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT10803DT\1412BT10803DT.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP



BACK



LEFT



FRONT




RIGHT




BOTTOM

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



Isometric View



|                                                                                                                                                                                                     |  |                                                                                                                                 |                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------------|--------------------------|
|  <div>Tél: (450) 979-4373<br/>Fax: (450) 979-4626<br/><a href="http://www.exmweb.com">www.exmweb.com</a></div> |  | Flatness<br>Aplatissement<br><br>Max 3.0mm |                          |
| Customer<br>Client                                                                                                                                                                                  |  | Projection<br>                             |                          |
| Date                                                                                                                                                                                                |  | Date                                                                                                                            |                          |
| Drawn By<br>Dessiné Par                                                                                                                                                                             |  | BoxCad: BoxCad                                                                                                                  |                          |
| Date                                                                                                                                                                                                |  | 2022-10-03                                                                                                                      |                          |
| Material<br>Matière                                                                                                                                                                                 |  | 14 Ga Cold Rolled A1008 CS Type B (1.7mm)                                                                                       |                          |
| Color<br>Couleur                                                                                                                                                                                    |  | Asa-61 Grey                                                                                                                     | Finish<br>Fini<br>Smooth |
| Description<br>1412BT 24" x 120" x 10" Body                                                                                                                                                         |  |                                                                                                                                 | Detail Rev.              |
| Part Number<br>Numéro Pièce<br>1412BT10803DTB                                                                                                                                                       |  |                                                                                                                                 | Rev.<br>4<br>0           |
|                                                                                                                                                                                                     |  |                                                                                                                                 | 16                       |

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT10803DT\1412BT10803DT.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |         |        |                             |
|-----------------------------------------------------|---------|--------|-----------------------------|
| HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)        |         |        |                             |
| CUT-OUT                                             | XDIM    | YDIM   | DESCRIPTION                 |
| 1                                                   | 116.000 | 22.000 | GND STUD M8 x 35mm (Inside) |
| 2                                                   | 116.000 | 20.000 | GND STUD M8 x 35mm (Inside) |
| 3                                                   | 9.375   | 21.500 | IP STUD M8 x 35mm (Inside)  |
| 4                                                   | 38.625  | 21.500 | IP STUD M8 x 35mm (Inside)  |
| 5                                                   | 9.375   | 5.125  | IP STUD M8 x 35mm (Inside)  |
| 6                                                   | 38.625  | 5.125  | IP STUD M8 x 35mm (Inside)  |
| 7                                                   | 61.375  | 21.500 | IP STUD M8 x 35mm (Inside)  |
| 8                                                   | 90.625  | 21.500 | IP STUD M8 x 35mm (Inside)  |
| 9                                                   | 61.375  | 5.125  | IP STUD M8 x 35mm (Inside)  |
| 10                                                  | 90.625  | 5.125  | IP STUD M8 x 35mm (Inside)  |



|  |                                                      |                  |         |
|--|------------------------------------------------------|------------------|---------|
|  | Description<br>1412BT 24" x 120" x 10" Body          | Status<br>(NULL) |         |
|  | Part Number<br>Numéro Pièce<br><b>1412BT10803DTB</b> | Rev.<br><b>0</b> | 5<br>16 |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT10803DT\1412BT10803DT.idw

Tolérance ±1/32" sauf spécification contraire

|     |           |      |        |
|-----|-----------|------|--------|
| No. | Revisions | Date | By/Par |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |





Isometric View





Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement  
  
Max 3.0mm

Projection  


Customer  
Client

Date

Drawn By  
Dessiné Par

BoxCad: BoxCad

Date 2022-10-03

Material  
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color  
Couleur

Asa-61 Grey

Finish  
Fini

Smooth

Description

1412BT 24" x 120" x 10" Body

Detail Rev.

Part Number  
Numéro Pièce

1412BT10803DTB

Rev.

6

16

|            |                  |     |                                         |
|------------|------------------|-----|-----------------------------------------|
| 1          | STK-P-02400S     | 0   | Powder Paint (Asa-61 Grey / Smooth)     |
| 1          | 1412BT10803DTB-P | 0   | 1412BT 24" x 120" x 10" Left Body Part  |
| 1          | 1412BT10803DTE-P | 0   | 1412BT 24" x 120" x 10" Right Body Part |
| 1          | STK-G-00701      | 0   | 1" x 1/4" Self-Adhesive Neoprene Gasket |
| 10         | STK-Q-00260      | 1   | M6 x 13mm Carriage Bolt                 |
| 10         | STK-Q-07220      | 1   | M6 Nylon Insert Lock Nut                |
| 10         | STK-Q-16005      | 1   | Stud M8 x 35 (No Paint Cap Required)    |
| 2          | STK-Q-16080      | 0   | Ground Stud M6 x 16mm                   |
| 1          | STK-S-00100      | 0   | 3.5" x 2" Silver Milar Flexcon Sticker  |
| Qty        | Part Number      | Rev | Description                             |
| Parts List |                  |     |                                         |


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT10803DT\1412BT10803DT.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |        |       |                              |
|-----------------------------------------------------|--------|-------|------------------------------|
| HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)       |        |       |                              |
| CUT-OUT                                             | XDIM   | YDIM  | DESCRIPTION                  |
| 1                                                   | 87.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 2                                                   | 81.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 3                                                   | 75.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 4                                                   | 69.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 5                                                   | 63.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 6                                                   | 57.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 7                                                   | 51.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 8                                                   | 45.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 9                                                   | 39.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 10                                                  | 33.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 11                                                  | 27.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 12                                                  | 21.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 13                                                  | 15.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 14                                                  | 9.000  | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 15                                                  | 3.000  | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |



|                     |                                     |        |    |
|---------------------|-------------------------------------|--------|----|
|                     | Description                         | Status |    |
|                     | Rounded Edge Aluminum Bar 1/2" x 3" | (NULL) |    |
|                     | Part Number                         | Rev.   | 7  |
|                     | Numéro Pièce                        | 0      |    |
| 1412BT10803DTBAR1-P |                                     |        | 16 |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT10803DT\1412BT10803DT.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |        |       |                              |
|-----------------------------------------------------|--------|-------|------------------------------|
| HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)       |        |       |                              |
| CUT-OUT                                             | XDIM   | YDIM  | DESCRIPTION                  |
| 1                                                   | 87.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 2                                                   | 81.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 3                                                   | 75.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 4                                                   | 69.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 5                                                   | 63.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 6                                                   | 57.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 7                                                   | 51.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 8                                                   | 45.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 9                                                   | 39.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 10                                                  | 33.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 11                                                  | 27.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 12                                                  | 21.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 13                                                  | 15.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 14                                                  | 9.000  | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 15                                                  | 3.000  | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |



|  |                                                           |  |                  |         |
|--|-----------------------------------------------------------|--|------------------|---------|
|  | Description                                               |  | Status           |         |
|  | Rounded Edge Aluminum Bar 1/2" x 3"                       |  | (NULL)           |         |
|  | Part Number<br>Numéro Pièce<br><b>1412BT10803DTBAR2-P</b> |  | Rev.<br><b>0</b> | 8<br>16 |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT10803DT\1412BT10803DT.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |        |       |                              |
|-----------------------------------------------------|--------|-------|------------------------------|
| HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)       |        |       |                              |
| CUT-OUT                                             | XDIM   | YDIM  | DESCRIPTION                  |
| 1                                                   | 87.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 2                                                   | 81.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 3                                                   | 75.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 4                                                   | 69.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 5                                                   | 63.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 6                                                   | 57.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 7                                                   | 51.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 8                                                   | 45.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 9                                                   | 39.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 10                                                  | 33.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 11                                                  | 27.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 12                                                  | 21.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 13                                                  | 15.000 | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 14                                                  | 9.000  | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |
| 15                                                  | 3.000  | 1.500 | RND Ø0.201 THREAD 1/4-20 UNC |



|                                                                                       |                                                           |                  |                    |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------|------------------|--------------------|
|  | Description                                               | Status           |                    |
|                                                                                       | Rounded Edge Aluminum Bar 1/2" x 3"                       | (NULL)           |                    |
|                                                                                       | Part Number<br>Numéro Pièce<br><b>1412BT10803DTBAR3-P</b> | Rev.<br><b>0</b> | 9<br><div>16</div> |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

LEFT



0.000

0.934

**0.000**


The diagram consists of two adjacent rectangular panels. Each panel has three black dots at the top edge, positioned at approximately one-quarter, one-half, and three-quarters of the panel's width. A small white rectangle is located at the bottom center of each panel. The panels are separated by a vertical line.

**119.803**

Diagram of a vertical rod with a coordinate system. The rod is vertical, with a horizontal line extending to the right from its base. The base is labeled "RIGHT". The top of the rod is labeled "23.918" and the bottom is labeled "0.000".

— 0.000

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



### Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

|               |  |
|---------------|--|
| Flatness      |  |
| Aplatissement |  |

Max 3.0mm

|            |
|------------|
| Projection |
|------------|



|                    |  |
|--------------------|--|
| Customer<br>Client |  |
|--------------------|--|

Date

|             |  |
|-------------|--|
| Client      |  |
| Drawn By    |  |
| Dessiné Par |  |

BoxCad: BoxCad

Date 2022-10-03

|          |
|----------|
| Dessine  |
| Material |
| Matière  |

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

|         |  |
|---------|--|
| Color   |  |
| Couleur |  |

Asa-61 Grey

|        |
|--------|
| Finish |
| Fini   |

Smooth

| Description |
|-------------|
|-------------|

1412BT 24" x 120" Cover

Detail Rev.

|                             |  |
|-----------------------------|--|
| Part Number<br>Numéro Pièce |  |
|-----------------------------|--|

**1412BT10803DTC**

Rev.

10

**SEE BILL OF MATERIAL ON LAST PAGE**


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT10803DT\1412BT10803DT.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |         |        |                             |
|-----------------------------------------------------|---------|--------|-----------------------------|
| HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)       |         |        |                             |
| CUT-OUT                                             | XDIM    | YDIM   | DESCRIPTION                 |
| 1                                                   | 1.500   | 1.486  | GND STUD M6 x 16mm (Inside) |
| 2                                                   | 118.303 | 1.486  | GND STUD M6 x 16mm (Inside) |
| 3                                                   | 115.553 | 22.494 | LOCK 880 SCQ4-SL @ 90.0°    |
| 4                                                   | 89.902  | 22.494 | LOCK 880 SCQ4-SL @ 90.0°    |
| 5                                                   | 64.250  | 22.494 | LOCK 880 SCQ4-SL @ 90.0°    |
| 6                                                   | 55.553  | 22.494 | LOCK 880 SCQ4-SL @ 90.0°    |
| 7                                                   | 29.902  | 22.494 | LOCK 880 SCQ4-SL @ 90.0°    |
| 8                                                   | 4.250   | 22.494 | LOCK 880 SCQ4-SL @ 90.0°    |



|  |                                                      |                  |          |
|--|------------------------------------------------------|------------------|----------|
|  | Description<br>1412BT 24" x 120" Cover               | Status<br>(NULL) |          |
|  | Part Number<br>Numéro Pièce<br><b>1412BT10803DTC</b> | Rev.<br><b>0</b> | 11<br>16 |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT10803DT\1412BT10803DT.idw

Tolérance ±1/32" sauf spécification contraire

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |





Isometric View





Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement  
  
Max 3.0mm

Projection  


Customer  
Client

Date

Drawn By  
Dessiné Par

BoxCad: BoxCad

Date 2022-10-03

Material  
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color  
Couleur

Asa-61 Grey

Finish  
Fin

Smooth

Description

1412BT 24" x 120" Cover

Detail Rev.

Part Number  
Numéro Pièce

1412BT10803DTC

Rev.

12

16


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance  $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT10803DT\1412BT10803DT.idw


Tolérance  $\pm 1/32$ " sauf spécification contraire





TOP




FRONT



RIGHT




Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |

|                                                                                                                                                                                                     |  |                                                                                                     |                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------|-----------------------|
|  <div>Tél: (450) 979-4373<br/>Fax: (450) 979-4626<br/><a href="http://www.exmweb.com">www.exmweb.com</a></div> |  | Flatness<br>Aplatissement<br>Max 3.0mm                                                              |                       |
|                                                                                                                                                                                                     |  | Projection<br> |                       |
| Customer<br>Client                                                                                                                                                                                  |  | Date                                                                                                |                       |
| Drawn By<br>Dessiné Par                                                                                                                                                                             |  | Date 2022-10-03                                                                                     |                       |
| Material<br>Matière                                                                                                                                                                                 |  | 14 Ga Cold Rolled A1008 CS Type B (1.7mm)                                                           |                       |
| Color<br>Couleur                                                                                                                                                                                    |  | White RAL9003                                                                                       | Finish<br>Fini Smooth |
| Description<br>1412BT 18.125" x 31" Left Inner Panel                                                                                                                                                |  |                                                                                                     | Detail Rev.           |
| Part Number<br>Numéro Pièce                                                                                                                                                                         |  | Rev.                                                                                                | 13                    |
| 1412BT10803DTIP1                                                                                                                                                                                    |  | 0                                                                                                   | 16                    |

SEE BILL OF MATERIAL ON LAST PAGE

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT10803DT\1412BT10803DT.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions

Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626

[www.exmweb.com](http://www.exmweb.com)


Flatness

Aplatissement



Max 3.0mm

Projection



Customer

Client

Date

Drawn By

Dessiné Par

BoxCad: BoxCad

Date 2022-10-03

Material

Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color

Couleur

White RAL9003

Finish

Fini

Smooth

Description

1412BT 18.125" x 31" Left Inner Panel

Detail Rev.

Part Number

Numéro Pièce

1412BT10803DTIP1

Rev.

14

0

16

1

STK-P-02401S

0

Powder Paint (White / Smooth)

1

1412BT10803DTIP1-P

0

1412BT 18.125" x 120" Left Inner Panel Part

Qty

Part Number

Rev

Description

Parts List

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT10803DT\1412BT10803DT.idw


Tolérance ±1/32" sauf spécification contraire




TOP




FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer  
Client

Date

Drawn By  
Dessiné Par BoxCad: BoxCad

Date 2022-10-03

Material  
Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color  
Couleur White RAL9003

Finish  
Fin Smooth

Description  
1412BT 18.125" x 31" Right Inner Panel

Detail Rev.

Part Number  
Numéro Pièce  
**1412BT10803DTIP2**

Rev.

15  
**0**  
16

SEE BILL OF MATERIAL ON LAST PAGE

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BT10803DT\1412BT10803DT.idw

Tolérance ±1/32" sauf spécification contraire

No.

Revisions

Date

By/Par

Isometric View

<