

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTCU05405\1412BTCU05405.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



LEFT



FRONT




RIGHT





BOTTOM

No.	Revisions	Date	By/Par



Isometric View



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
				Projection 	
Customer Client				Date	
Drawn By Dessiné Par BoxCad: BoxCad				Date 2022-09-07	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)					
Color Couleur Asa-61 Grey		Finish Fini Smooth			
Description 1412BTCU 400A - 5Wires x 60" Assembly				Detail Rev.	
Part Number Numéro Pièce 1412BTCU05405				Rev. 0	1 11

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTCU05405\1412BTCU05405.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



	Description		Status	
	1412BTCU 400A - 5Wires x 60" Assembly		(NULL)	
	Part Number Numéro Pièce 1412BTCU05405		Rev. 0	2 11

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTCU05405\1412BTCU05405.idw

Tolérance ±1/32" sauf spécification contraire

NOTE

ITEM	DESCRIPTION
1	NEMA 4/12 Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Special inner panel (Sold separately)
5	C/W Standard inner panel mounting studs

No.	Revisions	Date	By/Par




Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date
Drawn By Dessiné Par BoxCad: BoxCad		Date 2022-09-07
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)		
Color Couleur Asa-61 Grey		Finish Fini Smooth
Description 1412BTCU 400A - 5Wires x 60" Assembly		Detail Rev.
Part Number Numéro Pièce 1412BTCU05405		Rev. 0

ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	885 ESMF1	0	885 ESMF1 Mounting Feet Kit
1	1412BTCU05405BAR4-P	0	Rounded Edge Copper Bar 3/16" x 1 1/2"
1	1412BTCU05405BAR1-P	0	Rounded Edge Copper Bar 3/16" x 1 1/2"
1	1412BTCU05405BAR2-P	0	Rounded Edge Copper Bar 3/16" x 1 1/2"
1	1412BTCU05405BAR3-P	0	Rounded Edge Copper Bar 3/16" x 1 1/2"
1	1412BTCU05405BAR5-P	0	Rounded Edge Copper Bar 3/16" x 1 1/2"
1	1412BTCU05405IP1	0	1412BTCU 24.625" x 38" Inner Panel
15	STK-A-67400	0	Buss Bar Insulator Kit
1	STK-K-01800	5	5412 ES Accessory Kit
4	STK-Q-04050-07	7	M6 x 7mm Hexagon Socket Head Machine Screw with Nyseal
21	STK-Q-07310	2	Flange Lock Nut M8
6	STK-Q-07610	8	M8 Plastic Spacer 22.2mm
1	1412BTCU05405B	0	1412BTCU 26" x 60" x 8" Body
1	1412BTCU05405C	0	1412BTCU 26" x 60" Cover
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTCU05405\1412BTCU05405.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP



BACK




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 2022-09-07

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

1412BTCU 26" x 60" x 8" Body

Detail Rev.

Part Number
Numéro Pièce

1412BTCU05405B

Rev.

4

11

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTCU05405\1412BTCU05405.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	56.000	24.000	GND STUD M8 x 35mm (Inside)
2	56.000	22.000	GND STUD M8 x 35mm (Inside)
3	5.875	24.563	IP STUD M8 x 35mm (Inside)
4	42.125	24.563	IP STUD M8 x 35mm (Inside)
5	5.875	1.688	IP STUD M8 x 35mm (Inside)
6	42.125	1.688	IP STUD M8 x 35mm (Inside)
7	25.625	24.563	IP STUD M8 x 35mm (Inside)
8	25.625	1.688	IP STUD M8 x 35mm (Inside)



	Description	Status	
	1412BTCU 26" x 60" x 8" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	5
	1412BTCU05405B	0	11

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTCU05405\1412BTCU05405.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 2022-09-07
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth
Description 1412BTCU 26" x 60" x 8" Body	Detail Rev.
Part Number Numéro Pièce 1412BTCU05405B	Rev. 6 0

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
8	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BTCU05405B-P	0	1412BTCU 26" x 60" x 8" Body Part
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTCU05405\1412BTCU05405.idw


Tolérance $\pm 1/32$ " sauf spécification contraire




TOP



BACK



LEFT



FRONT




RIGHT






BOTTOM

No.	Revisions	Date	By/Par



Isometric View



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
				Projection 	
Customer Client				Date	
Drawn By Dessiné Par BoxCad: BoxCad				Date 2022-09-07	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)					
Color Couleur Asa-61 Grey		Finish Fini Smooth			
Description 1412BTCU 26" x 60" Cover				Detail Rev.	
Part Number Numéro Pièce 1412BTCU05405C				Rev. 0	7 11


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTCU05405\1412BTCU05405.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.500	1.486	GND STUD M6 x 16mm (Inside)
2	55.553	24.494	LOCK 880 SCQ4-SL @ 90.0°
3	29.902	24.494	LOCK 880 SCQ4-SL @ 90.0°
4	4.250	24.494	LOCK 880 SCQ4-SL @ 90.0°



	Description		Status	
	1412BTCU 26" x 60" Cover		(NULL)	
	Part Number Numéro Pièce 1412BTCU05405C		Rev. 0	8 11

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTCU05405\1412BTCU05405.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com


Flatness
Aplatissement

Max 3.0mm
Projection


Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 2022-09-07	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur Asa-61 Grey		Finish Fini Smooth	
Description 1412BTCU 26" x 60" Cover			Detail Rev.
Part Number Numéro Pièce 1412BTCU05405C			
Rev.	9		
0	11		


1	1412BTCU05405G	0	1412BTCU 26" x 60" Cover Gasket
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BTCU05405C-P	0	1412BTCU 26" x 60" Cover Part
3	880 SCQ4-SL	6	5412 ES 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			




TOP



FRONT



RIGHT



No.	Revisions	Date	By/Par

Isometric View

Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection

Customer Client	Date
Drawn By Dessiné Par	Date 2022-09-07
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur White RAL9003	Finish Fini Smooth
Description	Detail Rev.
1412BTCU 24.625" x 38" Inner Panel	
Part Number Numéro Pièce	Rev.
1412BTCU05405IP1	10
	11

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTCU05405\1412BTCU05405.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par




Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement



Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 2022-09-07

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BTCU 24.625" x 38" Inner Panel

Detail Rev.

Part Number
Numéro Pièce

1412BTCU05405IP1

Rev.

11

0

11

1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	1412BTCU05405IP1-P	0	1412BTCU 24.625" x 60" Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			