

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS061605\1412BTSS061605.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection




Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 2022-09-27
Material Matière 14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur Unpainted	Finish Fini Brushed
Description 1412BTSS 1600A - 5Wires x 72" Assembly	Detail Rev.
Part Number Numéro Pièce 1412BTSS061605	Rev. 0
	1
	11

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobex

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

	Description 1412BTSS 1600A - 5Wires x 72" Assembly		Status (NULL)	
	Part Number Numéro Pièce 1412BTSS061605		Rev. 0	2 11

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS061605\1412BTSS061605.idw

Tolérance ±1/32" sauf spécification contraire

NOTE


ITEM	DESCRIPTION
1	NEMA 4X Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Special inner panel (Sold separately)
5	C/W Standard inner panel mounting studs

4	STK-Q-04051-07	8	M6 x 7mm Stainless Steel Hexagon Socket Head Machine Screw with Nyseal
1	885 ESMF2	0	885 ESMF2 Stainless Steel Mounting Feet Kit
1	1412BTSS061605BAR4-P	0	Rounded Edge Aluminum Bar 1/2" x 6"
1	1412BTSS061605BAR1-P	0	Rounded Edge Aluminum Bar 1/2" x 6"
1	1412BTSS061605BAR2-P	0	Rounded Edge Aluminum Bar 1/2" x 6"
1	1412BTSS061605BAR3-P	0	Rounded Edge Aluminum Bar 1/2" x 6"
1	1412BTSS061605BAR5-P	0	Rounded Edge Aluminum Bar 1/2" x 6"
1	1412BTSS061605IP1	0	1412BTSS 33.293" x 47" Inner Panel
15	STK-A-67400	0	Buss Bar Insulator Kit
1	STK-K-01800	5	5412 ES Accessory Kit
21	STK-Q-07310	2	Flange Lock Nut M8
6	STK-Q-07610	8	M8 Plastic Spacer 22.2mm
1	1412BTSS061605B	0	1412BTSS 39" x 72" x 12" Body
1	1412BTSS061605C	0	1412BTSS 39" x 72" Cover
Qty	Part Number	Rev	Description
Parts List			

 < |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Isometric View



SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS061605\1412BTSS061605.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	68.000	37.000	GND STUD M8 x 35mm (Inside)
2	68.000	35.000	GND STUD M8 x 35mm (Inside)
3	5.875	35.500	IP STUD M8 x 35mm (Inside)
4	51.125	35.500	IP STUD M8 x 35mm (Inside)
5	5.875	3.957	IP STUD M8 x 35mm (Inside)
6	51.125	3.957	IP STUD M8 x 35mm (Inside)
7	30.125	35.500	IP STUD M8 x 35mm (Inside)
8	30.125	3.957	IP STUD M8 x 35mm (Inside)



	Description 1412BTSS 39" x 72" x 12" Body	Status (NULL)	
	Part Number Numéro Pièce 1412BTSS061605B	Rev. 0	5 11

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS061605\1412BTSS061605.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 2022-09-27
Material Matière 14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur Unpainted	Finish Fini Brushed

8	STK-Q-16020	1	Stud M8 x 35mm Stainless Steel
1	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BTSS061605B-P	0	1412BTSS 39" x 72" x 12" Body Part
Qty	Part Number	Rev	Description
Parts List			

Description	Detail Rev.
1412BTSS 39" x 72" x 12" Body	
Part Number Numéro Pièce 1412BTSS061605B	Rev. 0
	6 11

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS061605\1412BTSS061605.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



LEFT



FRONT





RIGHT



BOTTOM

No.	Revisions	Date	By/Par


Isometric View

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 2022-09-27	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 1412BTSS 39" x 72" Cover			Detail Rev.
Part Number Numéro Pièce		Rev.	7
SEE BILL OF MATERIAL ON LAST PAGE		0	11

1412BTSS061605C

This drawing is confidential and must not be reproduced or used without the consent of Eurobox

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.500	1.486	GND STUD M6 x 16mm (Inside)
2	70.379	19.459	LOCK 880 SCQ4-SLSS6 @ 0.0°
3	1.424	19.459	LOCK 880 SCQ4-SLSS6 @ 180.0°
4	67.553	37.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
5	35.902	37.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
6	4.250	37.494	LOCK 880 SCQ4-SLSS6 @ 90.0°



	Description 1412BTSS 39" x 72" Cover		Status (NULL)	
	Part Number Numéro Pièce 1412BTSS061605C		Rev. 0	8 11

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS061605\1412BTSS061605.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm
Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 2022-09-27

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

1412BTSS 39" x 72" Cover

Detail Rev.

Part Number
Numéro Pièce

1412BTSS061605C

Rev.

0

9

11

1	1412BTSS061605G	0	1412BTSS 39" x 72" Cover Gasket
4	STK-K-09850	6	5412 ESS Hinge with 2 Captive Hinge Pins
1	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BTSS061605C-P	0	1412BTSS 39" x 72" Cover Part
5	880 SCQ4-SLSS6	7	5412 ESS 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS061605\1412BTSS061605.idw


Tolérance ±1/32" sauf spécification contraire




TOP




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par BoxCad: BoxCad

Date 2022-09-27

Material
Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur White RAL9003

Finish
Fin Smooth

Description
1412BTSS 33.293" x 47" Inner Panel

Detail Rev.

Part Number
Numéro Pièce
1412BTSS061605IP1

Rev. 10
0

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSS061605\1412BTSS061605.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm
Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 2022-09-27

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BTSS 33.293" x 47" Inner Panel

Detail Rev.

Part Number
Numéro Pièce

1412BTSS061605IP1

Rev.

11

0

11

1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	1412BTSS061605IP1-P	0	1412BTSS 33.293" x 72" Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM