


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU03205\1412BTSSCU03205.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 8/30/2022	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 1412BTSSCU 225A - 5Wires x 36" Assembly			Detail Rev.
Part Number Numéro Pièce			Rev.
1412BTSSCU03205			1
			0
			11

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

	Description 1412BTSSCU 225A - 5Wires x 36" Assembly		Status (NULL)	
	Part Number Numéro Pièce 1412BTSSCU03205		Rev. 0	2 11

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU03205\1412BTSSCU03205.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 4X Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Special inner panel (Sold separately)
5	C/W Standard inner panel mounting studs

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 8/30/2022	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 1412BTSSCU 225A - 5Wires x 36" Assembly			Detail Rev.
Part Number Numéro Pièce		Rev.	3
1412BTSSCU03205		0	11

3	STK-Q-04051-07	8	M6 x 7mm Stainless Steel Hexagon Socket Head Machine Screw with Nyseal
1	885 ESMF2	0	885 ESMF2 Stainless Steel Mounting Feet Kit
1	1412BTSSCU03205BAR4-P	0	Rounded Edge Copper Bar 1/8" x 1"
1	1412BTSSCU03205BAR1-P	0	Rounded Edge Copper Bar 1/8" x 1"
1	1412BTSSCU03205BAR2-P	0	Rounded Edge Copper Bar 1/8" x 1"
1	1412BTSSCU03205BAR3-P	0	Rounded Edge Copper Bar 1/8" x 1"
1	1412BTSSCU03205BAR5-P	0	Rounded Edge Copper Bar 1/8" x 1"
1	1412BTSSCU03205IP1	0	1412BTSSCU 24.625" x 20" Inner Panel
10	STK-A-67400	0	Buss Bar Insulator Kit
1	STK-K-01800	5	5412 ES Accessory Kit
14	STK-Q-07310	2	Flange Lock Nut M8
4	STK-Q-07610	8	M8 Plastic Spacer 22.2mm
1	1412BTSSCU03205B	0	1412BTSSCU 26" x 36" x 8" Body
1	1412BTSSCU03205C	0	1412BTSSCU 26" x 36" Cover
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU03205\1412BTSSCU03205.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK




LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 8/30/2022	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 1412BTSSCU 26" x 36" x 8" Body			Detail Rev.
Part Number Numéro Pièce		Rev.	4
SEE BILL OF MATERIAL ON LAST PAGE		0	11
1412BTSSCU03205B			


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU03205\1412BTSSCU03205.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	32.000	24.000	GND STUD M8 x 35mm (Inside)
2	32.000	22.000	GND STUD M8 x 35mm (Inside)
3	5.875	24.563	IP STUD M8 x 35mm (Inside)
4	24.125	24.563	IP STUD M8 x 35mm (Inside)
5	5.875	1.688	IP STUD M8 x 35mm (Inside)
6	24.125	1.688	IP STUD M8 x 35mm (Inside)



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

	Description 1412BTSSCU 26" x 36" x 8" Body	Status (NULL)	
	Part Number Numéro Pièce 1412BTSSCU03205B	Rev. 0	5 11


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU03205\1412BTSSCU03205.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par




Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 8/30/2022

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fini

Brushed

Description

1412BTSSCU 26" x 36" x 8" Body

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU03205B

Rev. 0

6
11

Qty	Part Number	Rev	Description
6	STK-Q-16020	1	Stud M8 x 35mm Stainless Steel
1	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BTSSCU03205B-P	0	1412BTSSCU 26" x 36" x 8" Body Part
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU03205\1412BTSSCU03205.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 8/30/2022

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fini

Brushed

Description

1412BTSSCU 26" x 36" Cover

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU03205C

Rev.

7

0

11

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU03205\1412BTSSCU03205.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.500	1.486	GND STUD M6 x 16mm (Inside)
2	31.553	24.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
3	4.250	24.494	LOCK 880 SCQ4-SLSS6 @ 90.0°



	Description	Status	
	1412BTSSCU 26" x 36" Cover	(NULL)	
	Part Number Numéro Pièce	Rev.	8
	1412BTSSCU03205C	0	11

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU03205\1412BTSSCU03205.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm
Projection


Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 8/30/2022	
Material Matière 14 Ga Stainless Steel 304 (1.7mm)			
Color Couleur Unpainted		Finish Fini Brushed	
Description 1412BTSSCU 26" x 36" Cover			Detail Rev.
Part Number Numéro Pièce 1412BTSSCU03205C			Rev. 0
			9 11

1	1412BTSSCU03205G	0	1412BTSSCU 26" x 36" Cover Gasket
3	STK-K-09850	6	5412 ESS Hinge with 2 Captive Hinge Pins
1	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BTSSCU03205C-P	0	1412BTSSCU 26" x 36" Cover Part
2	880 SCQ4-SLSS6	7	5412 ESS 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU03205\1412BTSSCU03205.idw

Tolérance $\pm 1/32$ " sauf spécification contraire



SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par
			
			
			Flatness Aplatissement Max 3.0mm Projection 
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com			
Customer Client			Date
Drawn By Dessiné Par BoxCad: BoxCad			Date 8/30/2022
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur White RAL9003		Finish Fini Smooth	
Description 1412BTSSCU 24.625" x 20" Inner Panel			Detail Rev.
Part Number Numéro Pièce 1412BTSSCU03205IP1		Rev. 0	10 11

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU03205\1412BTSSCU03205.idw



Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 8/30/2022	
Material Matière		BoxCad: BoxCad 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		White RAL9003	Finish Fini Smooth
Description 1412BTSSCU 24.625" x 20" Inner Panel			Detail Rev.
Part Number Numéro Pièce 1412BTSSCU03205IP1		Rev. 0	11 11

1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	1412BTSSCU03205IP1-P	0	1412BTSSCU 24.625" x 36" Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM