

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082005\1412BTSSCU082005.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




LEFT



LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection




Customer Client		Date	
Drawn By Dessiné Par		Date 9/21/2022	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 1412BTSSCU 2000A - 5Wires x 96" Assembly			Detail Rev.
Part Number Numéro Pièce			Rev.
1412BTSSCU082005			0
			1
			13

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobex

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

	Description 1412BTSSCU 2000A - 5Wires x 96" Assembly		Status (NULL)	
	Part Number Numéro Pièce 1412BTSSCU082005		Rev. 0	2
			13	

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082005\1412BTSSCU082005.idw


Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 4X Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Special inner panel (Sold separately)
5	C/W Standard inner panel mounting studs

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm
Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

1412BTSSCU 2000A - 5Wires x 96"
Assembly

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU082005

Rev.

3

13

8	STK-Q-04051-07	8	M6 x 7mm Stainless Steel Hexagon Socket Head Machine Screw with Nyseal
1	885 ESMF2	0	885 ESMF2 Stainless Steel Mounting Feet Kit
1	1412BTSSCU082005IP2	0	1412BTSSCU 38.425" x 28" Right Inner Panel
1	1412BTSSCU082005BAR 1-P	0	Rounded Edge Copper Bar 1/2" x 5"
1	1412BTSSCU082005BAR 2-P	0	Rounded Edge Copper Bar 1/2" x 5"
1	1412BTSSCU082005BAR 3-P	0	Rounded Edge Copper Bar 1/2" x 5"
1	1412BTSSCU082005BAR 4-P	0	Rounded Edge Copper Bar 1/2" x 5"
1	1412BTSSCU082005BAR 5-P	0	Rounded Edge Copper Bar 1/2" x 5"
1	1412BTSSCU082005IP1	0	1412BTSSCU 38.425" x 65" Inner Panel
20	STK-A-67400	0	Buss Bar Insulator Kit
1	STK-K-01800	5	5412 ES Accessory Kit
32	STK-Q-07310	2	Flange Lock Nut M8
12	STK-Q-07610	8	M8 Plastic Spacer 22.2mm
1	1412BTSSCU082005B	0	1412BTSSCU 44" x 96" x 12" Body
1	1412BTSSCU082005C	0	1412BTSSCU 44" x 96" Cover
Qty	Part Number	Rev	Description
Parts List			


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082005\1412BTSSCU082005.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP



BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material Matière 14 Ga Stainless Steel 304 (1.7mm)

Color Couleur Unpainted

Finish Fini Brushed

Description
1412BTSSCU 44" x 96" x 12" Body

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU082005B

Rev.

4

0

13

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

BACK




	Description		Status	
	1412BTSSCU 44" x 96" x 12" Body		(NULL)	
	Part Number Numéro Pièce 1412BTSSCU082005B		Rev. 0	5 13

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082005\1412BTSSCU082005.idw

Tolérance ±1/32" sauf spécification contraire


No.	Revisions	Date	By/Par
			
Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com			Flatness Aplatissement Max 3.0mm Projection 
Customer Client			Date
Drawn By Dessiné Par BoxCad: BoxCad			Date 9/21/2022
Material Matière 14 Ga Stainless Steel 304 (1.7mm)			
Color Couleur Unpainted		Finish Fini Brushed	
Description 1412BTSSCU 44" x 96" x 12" Body			Detail Rev.
Part Number Numéro Pièce 1412BTSSCU082005B			Rev. 0
			6
			13

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

1	1412BTSSCU082005B-P	0	1412BTSSCU 44" x 96" x 12" Body Part
1	1412BTSSCU082005E-P	0	1412BTSSCU 44" x 96" x 12" Right Body Part
1	STK-G-00701	0	1" x 1/4" Self-Adhesive Neoprene Gasket
10	STK-Q-00260	1	M6 x 13mm Carriage Bolt
10	STK-Q-07220	1	M6 Nylon Insert Lock Nut
14	STK-Q-16020	1	Stud M8 x 35mm Stainless Steel
2	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
Qty	Part Number	Rev	Description
Parts List			




TOP




BACK



LEFT



FRONT



RIGHT






BOTTOM

No.	Revisions	Date	By/Par



Isometric View



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
				Projection 	
Customer Client				Date	
Drawn By Dessiné Par		BoxCad: BoxCad		Date 9/21/2022	
Material Matière		14 Ga Stainless Steel 304 (1.7mm)			
Color Couleur		Unpainted		Finish Fini Brushed	
Description 1412BTSSCU 44" x 96" Cover				Detail Rev.	
Part Number Numéro Pièce 1412BTSSCU082005C				Rev. 0	7 13

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082005\1412BTSSCU082005.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.500	1.486	GND STUD M6 x 16mm (Inside)
2	94.303	1.486	GND STUD M6 x 16mm (Inside)
3	94.379	21.959	LOCK 880 SCQ4-SLSS6 @ 0.0°
4	49.424	21.959	LOCK 880 SCQ4-SLSS6 @ 180.0°
5	46.379	21.959	LOCK 880 SCQ4-SLSS6 @ 0.0°
6	1.424	21.959	LOCK 880 SCQ4-SLSS6 @ 180.0°
7	91.553	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
8	71.902	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
9	52.250	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
10	43.553	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
11	23.902	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
12	4.250	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

	Description	Status	
	1412BTSSCU 44" x 96" Cover	(NULL)	
	Part Number Numéro Pièce	Rev.	8
	1412BTSSCU082005C	0	13

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082005\1412BTSSCU082005.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par




Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement



Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

1412BTSSCU 44" x 96" Cover

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU082005C

Rev. 0

9

13



2	1412BTSSCU082005G	0	1412BTSSCU 44" x 96" Cover Gasket
8	STK-K-09850	6	5412 ESS Hinge with 2 Captive Hinge Pins
2	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1412BTSSCU082005C-P	0	1412BTSSCU 44" x 96" Cover Part
1	1412BTSSCU082005F-P	0	1412BTSSCU 44" x 96" Right Cover Part
10	880 SCQ4-SLSS6	7	5412 ESS 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082005\1412BTSSCU082005.idw

Tolérance ±1/32" sauf spécification contraire



FRONT




RIGHT



No.	Revisions	Date	By/Par

Isometric View

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 9/21/2022	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		White RAL9003	Finish Fini Smooth
Description 1412BTSSCU 38.425" x 65" Inner Panel			Detail Rev.
Part Number Numéro Pièce		Rev.	10
1412BTSSCU082005IP1		0	13

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082005\1412BTSSCU082005.idw


Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View



		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 9/21/2022	
Material Matière		BoxCad: BoxCad	
		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		White RAL9003	Finish Fini Smooth
Description		Detail Rev.	
		1412BTSSCU 38.425" x 65" Inner Panel	
Part Number Numéro Pièce		Rev.	11
1412BTSSCU082005IP1		0	13





1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	1412BTSSCU082005IP1-P	0	1412BTSSCU 38.425" x 96" Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082005\1412BTSSCU082005.idw

Tolérance $\pm 1/32$ " sauf spécification contraire



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description
1412BTSSCU 38.425" x 28" Right Inner
Panel

Detail Rev.

Part Number
Numéro Pièce
1412BTSSCU082005IP2

Rev. 12
0

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU082005\1412BTSSCU082005.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par




Isometric View



Flatness
Aplatissement


Max 3.0mm

Projection



Customer Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BTSSCU 38.425" x 28" Right Inner Panel

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU082005IP2

Rev. 0

13