

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU092005\1412BTSSCU092005.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP




LEFT




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fini

Brushed

Description
1412BTSSCU 2000A - 5Wires x 108"
Assembly

Detail Rev.

Part Number
Numéro Pièce


1412BTSSCU092005

Rev. 1
0

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of Eurobex

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobex

	Description 1412BTSSCU 2000A - 5Wires x 108" Assembly		Status (NULL)	
	Part Number Numéro Pièce 1412BTSSCU092005		Rev. 0	2 13

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU092005\1412BTSSCU092005.idw


Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 4X Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Special inner panel (Sold separately)
5	C/W Standard inner panel mounting studs

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm
Projection


Customer Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

1412BTSSCU 2000A - 5Wires x 108" Assembly

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU092005

Rev.

0

3

13

8	STK-Q-04051-07	8	M6 x 7mm Stainless Steel Hexagon Socket Head Machine Screw with Nyseal
1	885 ESMF2	0	885 ESMF2 Stainless Steel Mounting Feet Kit
1	1412BTSSCU092005IP2	0	1412BTSSCU 38.425" x 28" Right Inner Panel
1	1412BTSSCU092005BAR 1-P	0	Rounded Edge Copper Bar 1/2" x 5"
1	1412BTSSCU092005BAR 2-P	0	Rounded Edge Copper Bar 1/2" x 5"
1	1412BTSSCU092005BAR 3-P	0	Rounded Edge Copper Bar 1/2" x 5"
1	1412BTSSCU092005BAR 4-P	0	Rounded Edge Copper Bar 1/2" x 5"
1	1412BTSSCU092005BAR 5-P	0	Rounded Edge Copper Bar 1/2" x 5"
1	1412BTSSCU092005IP1	0	1412BTSSCU 38.425" x 28" Left Inner Panel
20	STK-A-67400	0	Buss Bar Insulator Kit
1	STK-K-01800	5	5412 ES Accessory Kit
32	STK-Q-07310	2	Flange Lock Nut M8
12	STK-Q-07610	8	M8 Plastic Spacer 22.2mm
1	1412BTSSCU092005B	0	1412BTSSCU 44" x 108" x 12" Body
1	1412BTSSCU092005C	0	1412BTSSCU 44" x 108" Cover
Qty	Part Number	Rev	Description
Parts List			

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU092005\1412BTSSCU092005.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP



BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fini

Brushed

Description

1412BTSSCU 44" x 108" x 12" Body

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU092005B

Rev.

4

0

13

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU092005\1412BTSSCU092005.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	104.000	42.000	GND STUD M8 x 35mm (Inside)
2	104.000	40.000	GND STUD M8 x 35mm (Inside)
3	9.375	40.350	IP STUD M8 x 35mm (Inside)
4	35.625	40.350	IP STUD M8 x 35mm (Inside)
5	9.375	3.675	IP STUD M8 x 35mm (Inside)
6	35.625	3.675	IP STUD M8 x 35mm (Inside)
7	9.375	22.013	IP STUD M8 x 35mm (Inside)
8	35.625	22.013	IP STUD M8 x 35mm (Inside)
9	55.375	40.350	IP STUD M8 x 35mm (Inside)
10	81.625	40.350	IP STUD M8 x 35mm (Inside)
11	55.375	3.675	IP STUD M8 x 35mm (Inside)
12	81.625	3.675	IP STUD M8 x 35mm (Inside)
13	55.375	22.013	IP STUD M8 x 35mm (Inside)
14	81.625	22.013	IP STUD M8 x 35mm (Inside)



	Description		Status	
	1412BTSSCU 44" x 108" x 12" Body		(NULL)	
	Part Number Numéro Pièce 1412BTSSCU092005B		Rev. 0	5 13




Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU092005\1412BTSSCU092005.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par	
				
Isometric View				
		Flatness Aplatissement Max 3.0mm		
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 		
Customer Client		Date		
Drawn By Dessiné Par BoxCad: BoxCad		Date 9/21/2022		
Material Matière		14 Ga Stainless Steel 304 (1.7mm)		
Color Couleur Unpainted		Finish Fini Brushed		
Description			Detail Rev.	
1412BTSSCU 44" x 108" x 12" Body				
Part Number Numéro Pièce			Rev.	6
1412BTSSCU092005B			0	13

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

1	1412BTSSCU092005B-P	0	1412BTSSCU 44" x 108" x 12" Left Body Part
1	1412BTSSCU092005E-P	0	1412BTSSCU 44" x 108" x 12" Right Body Part
1	STK-G-00701	0	1" x 1/4" Self-Adhesive Neoprene Gasket
10	STK-Q-00260	1	M6 x 13mm Carriage Bolt
10	STK-Q-07220	1	M6 Nylon Insert Lock Nut
14	STK-Q-16020	1	Stud M8 x 35mm Stainless Steel
2	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU092005\1412BTSSCU092005.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP




BACK



LEFT



FRONT




RIGHT





BOTTOM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com	Flatness Aplatissement  Max 3.0mm	
	Projection 	
Customer Client	Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 9/21/2022
Material Matière	14 Ga Stainless Steel 304 (1.7mm)	
Color Couleur	Unpainted	Finish Fini Brushed
Description 1412BTSSCU 44" x 108" Cover		Detail Rev.
Part Number Numéro Pièce 1412BTSSCU092005C		Rev. 0
		7 13


This drawing is confidential and must not be reproduced or used without the consent of Eurobox

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU092005\1412BTSSCU092005.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.500	1.486	GND STUD M6 x 16mm (Inside)
2	106.303	1.486	GND STUD M6 x 16mm (Inside)
3	49.553	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
4	26.902	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
5	4.250	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
6	106.379	21.959	LOCK 880 SCQ4-SLSS6 @ 0.0°
7	55.424	21.959	LOCK 880 SCQ4-SLSS6 @ 180.0°
8	52.379	21.959	LOCK 880 SCQ4-SLSS6 @ 0.0°
9	1.424	21.959	LOCK 880 SCQ4-SLSS6 @ 180.0°
10	103.553	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
11	80.902	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°
12	58.250	42.494	LOCK 880 SCQ4-SLSS6 @ 90.0°



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de Eurobox

	Description	Status	
	1412BTSSCU 44" x 108" Cover	(NULL)	
	Part Number Numéro Pièce	Rev.	8
	1412BTSSCU092005C	0	13


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU092005\1412BTSSCU092005.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Stainless Steel 304 (1.7mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

1412BTSSCU 44" x 108" Cover

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU092005C

Rev. 0

9


13

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU092005\1412BTSSCU092005.idw

Tolérance $\pm 1/32"$ sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par




Isometric View

Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness	
Aplatissement	

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color	Couleur
Black	Noir
Blue	Bleu
Brown	Marron
Green	Vert
Grey	Gris
Orange	Orange
Pink	Rose
Purple	Violet
Red	Rouge
White	Blanc
Yellow	Jaune

White RAL9003

Finish
Fini

Smooth

Description

1412BTSSCU 38.425" x 28" Left Inner
Panel

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU092005IP1


Rev.

10

0

13

SEE BILL OF MATERIAL ON LAST PAGE



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU092005\1412BTSSCU092005.idw


Tolérance ±1/32" sauf spécification contraire

No.

Revisions

Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com


Flatness

Aplatissement



Max 3.0mm

Projection



Customer Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 9/21/2022

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

White RAL9003

Finish
Fini

Smooth

Description

1412BTSSCU 38.425" x 28" Left Inner Panel

Detail Rev.

Part Number
Numéro Pièce

1412BTSSCU092005IP1

Rev. 0

11

13

1

STK-P-02401S

0

Powder Paint (White / Smooth)

1

1412BTSSCU092005IP1-P

0

1412BTSSCU 38.425" x 108" Left Inner Panel Part

Qty

Part Number


Rev

Description

Parts List

Number of Children	Percentage of Families
0	0.000
1	0.418
2	27.582
3	28.000

TOP




FRONT




0.418
0.000

RIGHT

No.	Revisions	Date	By/Par



Isometric View

		Flatness Aplatissement	
		Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 9/21/2022	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur	White RAL9003	Finish Fini	Smooth
Description 1412BTSSCU 38.425" x 28" Right Inner Panel		Detail Rev.	
Part Number Numéro Pièce 1412BTSSCU092005IP2		Rev. 0	12 13

SEE BILL OF MATERIAL ON LAST PAGE




This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\1412BTSSCU092005\1412BTSSCU092005.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par
			
Isometric View			
		Flatness Aplatissement Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 9/21/2022	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur White RAL9003		Finish Fini Smooth	
Description 1412BTSSCU 38.425" x 28" Right Inner Panel		Detail Rev.	
Part Number Numéro Pièce 1412BTSSCU092005IP2		Rev. 0	13 13

1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	1412BTSSCU092005IP2-P	0	1412BTSSCU 38.425" x 108" Right Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			