










SEE BILL OF MATERIAL ON LAST PAGE

		Flatness Aplatissement	
			
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		BoxCad: BoxCad Date 15-May-13	
Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)			
Color Couleur		Finish Fini	
Asa-61 Grey		Smooth	
Description		Detail Rev.	
5300ES 24" x 24" x 12" Assembly			
Part Number Numéro Pièce		Rev.	1
5300ES242412		0	9

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified				C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES242412\5300ES242412.idw				Tolérance ±1/32" sauf spécification contraire																																																																																																	
<div>NOTE</div> <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 3, 3R Enclosure (IP64)</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>W/O Standard door stiffener</td></tr><tr><td>4</td><td>C/W Standard inner panel (Included)</td></tr><tr><td>5</td><td>C/W Standard inner panel mounting studs</td></tr><tr><td>6</td><td>C/W 880 PP included (Not installed)</td></tr></table>								ITEM	DESCRIPTION	1	NEMA 3, 3R Enclosure (IP64)	2	C/W Standard ground studs on box and cover	3	W/O Standard door stiffener	4	C/W Standard inner panel (Included)	5	C/W Standard inner panel mounting studs	6	C/W 880 PP included (Not installed)	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>		No.	Revisions	Date	By/Par																									<div><p>Isometric View</p></div> <div></div>		<div><div>Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com</div></div> <div><div>Flatness Aplatissement</div><div>Max 3.0mm</div><div>Projection</div></div>		<table><tr><td colspan="2">Customer Client</td><td colspan="2">Date</td></tr><tr><td colspan="2">Drawn By Dessiné Par</td><td colspan="2">Date 15-May-13</td></tr><tr><td colspan="2">BoxCad: BoxCad</td><td colspan="2"> </td></tr><tr><td colspan="2">Material Matière</td><td colspan="2">16 Ga Cold Rolled A1008 CS Type B (1.4mm)</td></tr><tr><td colspan="2">Color Couleur</td><td colspan="2">Asa-61 Grey</td></tr><tr><td colspan="2">Finish Fin</td><td colspan="2">Smooth</td></tr><tr><td colspan="2">Description</td><td colspan="2">Detail Rev.</td></tr><tr><td colspan="2">5300ES 24" x 24" x 12" Assembly</td><td colspan="2"> </td></tr><tr><td colspan="2">Part Number Numéro Pièce</td><td colspan="2">Rev.</td></tr><tr><td colspan="2">5300ES242412</td><td colspan="2">0</td></tr><tr><td colspan="2"> </td><td colspan="2">2</td></tr><tr><td colspan="2"> </td><td colspan="2">9</td></tr></table>		Customer Client		Date		Drawn By Dessiné Par		Date 15-May-13		BoxCad: BoxCad				Material Matière		16 Ga Cold Rolled A1008 CS Type B (1.4mm)		Color Couleur		Asa-61 Grey		Finish Fin		Smooth		Description		Detail Rev.		5300ES 24" x 24" x 12" Assembly				Part Number Numéro Pièce		Rev.		5300ES242412		0				2				9	
ITEM	DESCRIPTION																																																																																																								
1	NEMA 3, 3R Enclosure (IP64)																																																																																																								
2	C/W Standard ground studs on box and cover																																																																																																								
3	W/O Standard door stiffener																																																																																																								
4	C/W Standard inner panel (Included)																																																																																																								
5	C/W Standard inner panel mounting studs																																																																																																								
6	C/W 880 PP included (Not installed)																																																																																																								
No.	Revisions	Date	By/Par																																																																																																						
Customer Client		Date																																																																																																							
Drawn By Dessiné Par		Date 15-May-13																																																																																																							
BoxCad: BoxCad																																																																																																									
Material Matière		16 Ga Cold Rolled A1008 CS Type B (1.4mm)																																																																																																							
Color Couleur		Asa-61 Grey																																																																																																							
Finish Fin		Smooth																																																																																																							
Description		Detail Rev.																																																																																																							
5300ES 24" x 24" x 12" Assembly																																																																																																									
Part Number Numéro Pièce		Rev.																																																																																																							
5300ES242412		0																																																																																																							
		2																																																																																																							
		9																																																																																																							
<div>PACKING</div> <table><tr><th>ITEM</th><th>QTY</th><th>DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td>Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td>Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td>To protect cover surface and inside gasket</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td>To Squeeze the 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>1</td><td>White label with product number</td></tr></table>								ITEM	QTY	DESCRIPTION	Cardboard sleeve	2	Top and Bottom	Cardboard strip	2	Between back of enclosure and inner panel	Plastic bag	1	To protect cover surface and inside gasket	Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together	Packaging label	1	White label with product number	<table><tr><td>1</td><td>881 SP2424G</td><td>0</td><td>881 SP - Inner Panel</td></tr><tr><td>2</td><td>STK-K-01320</td><td>0</td><td>5412 ES Inner Panel Accessory Kit</td></tr><tr><td>1</td><td>880 PP</td><td>6</td><td>Self Adhesive Print Pocket</td></tr><tr><td>1</td><td>STK-K-03000</td><td>1</td><td>5100 ES Accessory Kit</td></tr><tr><td>1</td><td>5300ES242412C</td><td>0</td><td>5300ES 24" x 24" Cover</td></tr><tr><td>1</td><td>5300ES242412B</td><td>0</td><td>5300ES 24" x 24" x 12" Body</td></tr><tr><td>2</td><td>STK-K-11910</td><td>3</td><td>Stainless Steel Draw Pull Latch (Long)</td></tr><tr><td>2</td><td>STK-Q-04050-08</td><td>0</td><td>M6 x 8mm Hexagon Socket Head Machine Screw</td></tr><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr></table> <div>Parts List</div>		1	881 SP2424G	0	881 SP - Inner Panel	2	STK-K-01320	0	5412 ES Inner Panel Accessory Kit	1	880 PP	6	Self Adhesive Print Pocket	1	STK-K-03000	1	5100 ES Accessory Kit	1	5300ES242412C	0	5300ES 24" x 24" Cover	1	5300ES242412B	0	5300ES 24" x 24" x 12" Body	2	STK-K-11910	3	Stainless Steel Draw Pull Latch (Long)	2	STK-Q-04050-08	0	M6 x 8mm Hexagon Socket Head Machine Screw	Qty	Part Number	Rev	Description																																										
ITEM	QTY	DESCRIPTION																																																																																																							
Cardboard sleeve	2	Top and Bottom																																																																																																							
Cardboard strip	2	Between back of enclosure and inner panel																																																																																																							
Plastic bag	1	To protect cover surface and inside gasket																																																																																																							
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together																																																																																																							
Packaging label	1	White label with product number																																																																																																							
1	881 SP2424G	0	881 SP - Inner Panel																																																																																																						
2	STK-K-01320	0	5412 ES Inner Panel Accessory Kit																																																																																																						
1	880 PP	6	Self Adhesive Print Pocket																																																																																																						
1	STK-K-03000	1	5100 ES Accessory Kit																																																																																																						
1	5300ES242412C	0	5300ES 24" x 24" Cover																																																																																																						
1	5300ES242412B	0	5300ES 24" x 24" x 12" Body																																																																																																						
2	STK-K-11910	3	Stainless Steel Draw Pull Latch (Long)																																																																																																						
2	STK-Q-04050-08	0	M6 x 8mm Hexagon Socket Head Machine Screw																																																																																																						
Qty	Part Number	Rev	Description																																																																																																						


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES242412\5300ES242412.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT







BOTTOM

No.	Revisions	Date	By/Par



Isometric View



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
				Projection 	
Customer Client				Date	
Drawn By Dessiné Par				BoxCad: BoxCad	
Material Matière				16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur		Asa-61 Grey		Finish Fini Smooth	
Description 5300ES 24" x 24" x 12" Body				Detail Rev.	
Part Number Numéro Pièce				Rev.	
5300ES242412B				0	
				3 9	


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES242412\5300ES242412.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	10.500	2.000	GND STUD M6 x 16mm (Inside)



	Description 5300ES 24" x 24" x 12" Body	Status (NULL)	
	Part Number Numéro Pièce 5300ES242412B	Rev. 0	4 9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES242412\5300ES242412.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	22.125	IP STUD M8 x 35mm (Inside)
3	22.125	22.125	IP STUD M8 x 35mm (Inside)
4	22.125	1.875	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
5	0.750	0.750	RND Ø0.390
6	23.250	0.750	RND Ø0.390
7	23.250	23.250	RND Ø0.390
8	0.750	23.250	RND Ø0.390



	Description	Status	
	5300ES 24" x 24" x 12" Body	(NULL)	
	Part Number	Rev.	5
	Numéro Pièce	0	9
5300ES242412B			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES242412\5300ES242412.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.


Revisions


Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com


Flatness

Aplatissement



Max 3.0mm

Projection



Customer Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 15-May-13

Material
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5300ES 24" x 24" x 12" Body

Detail Rev.

Part Number
Numéro Pièce

5300ES242412B

Rev.

6

9

1

STK-Q-16080

0

Ground Stud M6 x 16mm Steel

1

STK-P-02400S

0

Powder Paint (Asa-61 Grey / Smooth)

4

STK-Q-16005

1

Stud M8 x 35 (No Paint Cap Required)

1

5300ES242412B-P

0

5300ES 24" x 24" x 12" Body Part

Qty

Part Number

Rev

Description


Parts List

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

A square plot with axes labeled 0.000 and 23.918. The plot contains two points labeled 1 and 2. Point 1 is at the top-left corner, and point 2 is at the bottom-left corner. The plot is enclosed in a square frame with tick marks on all four sides.

FRONT



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES242412\5300ES242412.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.


Revisions


Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com


Flatness

Aplatissement



Max 3.0mm

Projection



Customer Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 15-May-13

Material
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5300ES 24" x 24" Cover

Detail Rev.

Part Number
Numéro Pièce

5300ES242412C

Rev.

0

9

9

1	STK-Q-16080	0	Ground Stud M6 x 16mm Steel
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	5300ES242412G	0	5300ES 24" x 24" Cover Gasket Part
1	5300ES242412C-P	0	5300ES 24" x 24" Cover Part
2	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
QTY	Part Number	Rev	Description
Parts List			

The diagram shows a horizontal pipe with a central section of insulation. The pipe has an outer diameter of 0.512 and an inner diameter of 0.000. The insulation layer has a thickness of 0.418. The pipe is labeled 'TOP' at the center. The insulation is labeled with values 0.000, 0.418, 21.582, and 22.000.

FRONT

22.000

21.582

0.418

0.000


RIGHT

No.	Revisions	Date	By/Par

Isometric View

<div style="margin-left: 20px;"> Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com </div>		Flatness Aplatissement
		Max 3.0mm Projection
Customer Client		Date
Drawn By Dessiné Par BoxCad		Date 23-Jan-07
Material Matière See Part List		
Color Couleur See Part List	Finish Fin See Part List	
Description 881 SP - Inner Panel		Detail Rev.
Part Number Numéro Pièce 881 SP2424G		Rev. 0
		<div style="border: 1px solid black; padding: 5px; text-align: center;"> 1 ----- 2 </div>

No.	Revisions	Date	By/Par



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM