

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES603620\5300ES603620.idw

Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer  
Client

Date

Drawn By  
Dessiné Par

BoxCad: BoxCad

Date 08-May-13

Material  
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color  
Couleur

Asa-61 Grey

Finish  
Fini

Smooth

Description

5300ES 60" x 36" x 20" Assembly

Detail Rev.

Part Number  
Numéro Pièce

5300ES603620

Rev.






1

0

9

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES603620\5300ES603620.idw		Tolérance ±1/32" sauf spécification contraire																																																																				
<div>NOTE</div> <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 3, 3R Enclosure (IP64)</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>W/O Standard door stiffener</td></tr><tr><td>4</td><td>C/W Standard inner panel (Included)</td></tr><tr><td>5</td><td>C/W Standard inner panel mounting studs</td></tr><tr><td>6</td><td>C/W 880 PP included (Not installed)</td></tr></table>				ITEM	DESCRIPTION	1	NEMA 3, 3R Enclosure (IP64)	2	C/W Standard ground studs on box and cover	3	W/O Standard door stiffener	4	C/W Standard inner panel (Included)	5	C/W Standard inner panel mounting studs	6	C/W 880 PP included (Not installed)	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table> <div><p>Isometric View</p></div> <div></div>		No.	Revisions	Date	By/Par																																																	
ITEM	DESCRIPTION																																																																							
1	NEMA 3, 3R Enclosure (IP64)																																																																							
2	C/W Standard ground studs on box and cover																																																																							
3	W/O Standard door stiffener																																																																							
4	C/W Standard inner panel (Included)																																																																							
5	C/W Standard inner panel mounting studs																																																																							
6	C/W 880 PP included (Not installed)																																																																							
No.	Revisions	Date	By/Par																																																																					
<div>PACKING</div> <table><tr><th>ITEM</th><th>QTY</th><th>DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td>Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td>Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td>To protect cover surface and inside gasket</td></tr><tr><td>Cardboard corner</td><td>4</td><td>To reinforced for the plastic strap tightening</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td>To Squeeze the 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>3</td><td>White label with PN</td></tr><tr><td>Plastic strap- Green</td><td>2</td><td>To secure the enclosure to the wood pallet</td></tr><tr><td>Wood Pallet</td><td>1</td><td>2" deeper and 3" larger than enclosure size</td></tr></table>				ITEM	QTY	DESCRIPTION	Cardboard sleeve	2	Top and Bottom	Cardboard strip	2	Between back of enclosure and inner panel	Plastic bag	1	To protect cover surface and inside gasket	Cardboard corner	4	To reinforced for the plastic strap tightening	Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together	Packaging label	3	White label with PN	Plastic strap- Green	2	To secure the enclosure to the wood pallet	Wood Pallet	1	2" deeper and 3" larger than enclosure size	<table><tr><td>1</td><td>881 SP6036G</td><td>0</td><td>881 SP - Inner Panel</td></tr><tr><td>4</td><td>STK-K-01320</td><td>0</td><td>5412 ES Inner Panel Accessory Kit</td></tr><tr><td>1</td><td>880 PP</td><td>6</td><td>Self Adhesive Print Pocket</td></tr><tr><td>1</td><td>STK-K-03000</td><td>1</td><td>5100 ES Accessory Kit</td></tr><tr><td>1</td><td>5300ES603620C</td><td>0</td><td>5300ES 60" x 36" Cover</td></tr><tr><td>1</td><td>5300ES603620B</td><td>0</td><td>5300ES 60" x 36" x 20" Body</td></tr><tr><td>3</td><td>STK-K-11910</td><td>3</td><td>Stainless Steel Draw Pull Latch (Long)</td></tr><tr><td>4</td><td>STK-Q-04050-08</td><td>0</td><td>M6 x 8mm Hexagon Socket Head Machine Screw</td></tr><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr><tr><td colspan="4">Parts List</td></tr></table>		1	881 SP6036G	0	881 SP - Inner Panel	4	STK-K-01320	0	5412 ES Inner Panel Accessory Kit	1	880 PP	6	Self Adhesive Print Pocket	1	STK-K-03000	1	5100 ES Accessory Kit	1	5300ES603620C	0	5300ES 60" x 36" Cover	1	5300ES603620B	0	5300ES 60" x 36" x 20" Body	3	STK-K-11910	3	Stainless Steel Draw Pull Latch (Long)	4	STK-Q-04050-08	0	M6 x 8mm Hexagon Socket Head Machine Screw	Qty	Part Number	Rev	Description	Parts List			
ITEM	QTY	DESCRIPTION																																																																						
Cardboard sleeve	2	Top and Bottom																																																																						
Cardboard strip	2	Between back of enclosure and inner panel																																																																						
Plastic bag	1	To protect cover surface and inside gasket																																																																						
Cardboard corner	4	To reinforced for the plastic strap tightening																																																																						
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together																																																																						
Packaging label	3	White label with PN																																																																						
Plastic strap- Green	2	To secure the enclosure to the wood pallet																																																																						
Wood Pallet	1	2" deeper and 3" larger than enclosure size																																																																						
1	881 SP6036G	0	881 SP - Inner Panel																																																																					
4	STK-K-01320	0	5412 ES Inner Panel Accessory Kit																																																																					
1	880 PP	6	Self Adhesive Print Pocket																																																																					
1	STK-K-03000	1	5100 ES Accessory Kit																																																																					
1	5300ES603620C	0	5300ES 60" x 36" Cover																																																																					
1	5300ES603620B	0	5300ES 60" x 36" x 20" Body																																																																					
3	STK-K-11910	3	Stainless Steel Draw Pull Latch (Long)																																																																					
4	STK-Q-04050-08	0	M6 x 8mm Hexagon Socket Head Machine Screw																																																																					
Qty	Part Number	Rev	Description																																																																					
Parts List																																																																								
<div><div><div>Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a></div></div><div><div>Flatness Aplatissement</div><div><div>Max 3.0mm</div></div><div><div>Projection</div><div></div></div></div><table><tr><td colspan="2">Customer Client</td><td colspan="2">Date</td></tr><tr><td colspan="2">Drawn By Dessiné Par BoxCad: BoxCad</td><td colspan="2">Date 08-May-13</td></tr><tr><td colspan="4">Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)</td></tr><tr><td colspan="2">Color Couleur Asa-61 Grey</td><td colspan="2">Finish Fini Smooth</td></tr><tr><td colspan="3">Description 5300ES 60" x 36" x 20" Assembly</td><td>Detail Rev.</td></tr><tr><td colspan="3">Part Number Numéro Pièce 5300ES603620</td><td>Rev. 0</td></tr><tr><td colspan="3"></td><td>29</td></tr></table></div>				Customer Client		Date		Drawn By Dessiné Par BoxCad: BoxCad		Date 08-May-13		Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)				Color Couleur Asa-61 Grey		Finish Fini Smooth		Description 5300ES 60" x 36" x 20" Assembly			Detail Rev.	Part Number Numéro Pièce 5300ES603620			Rev. 0				29																																									
Customer Client		Date																																																																						
Drawn By Dessiné Par BoxCad: BoxCad		Date 08-May-13																																																																						
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)																																																																								
Color Couleur Asa-61 Grey		Finish Fini Smooth																																																																						
Description 5300ES 60" x 36" x 20" Assembly			Detail Rev.																																																																					
Part Number Numéro Pièce 5300ES603620			Rev. 0																																																																					
			29																																																																					

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES603620\5300ES603620.idw

Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer  
Client

Date

Drawn By  
Dessiné Par

BoxCad: BoxCad

Date 08-May-13

Material  
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color  
Couleur

Asa-61 Grey

Finish  
Fini

Smooth

Description

5300ES 60" x 36" x 20" Body

Detail Rev.

Part Number  
Numéro Pièce

5300ES603620B

Rev.

3

0

9

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES603620\5300ES603620.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	18.500	2.000	GND STUD M6 x 16mm (Inside)



	Description 5300ES 60" x 36" x 20" Body	Status (NULL)	
	Part Number Numéro Pièce <b>5300ES603620B</b>	Rev. <b>0</b>	4 9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES603620\5300ES603620.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	58.125	IP STUD M8 x 35mm (Inside)
3	34.125	58.125	IP STUD M8 x 35mm (Inside)
4	34.125	1.875	IP STUD M8 x 35mm (Inside)
5	1.875	30.000	IP STUD M8 x 35mm (Inside)
6	34.125	30.000	IP STUD M8 x 35mm (Inside)
7	18.000	1.875	IP STUD M8 x 35mm (Inside)
8	18.000	58.125	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
9	35.250	0.750	RND Ø0.390
10	35.250	59.250	RND Ø0.390
11	0.750	59.250	RND Ø0.390
12	0.750	0.750	RND Ø0.390



BACK



Description		Status	
5300ES 60" x 36" x 20" Body		(NULL)	
Part Number		Rev.	5
Numéro Pièce		0	9
5300ES603620B			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES603620\5300ES603620.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.


Revisions


Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626

[www.exmweb.com](http://www.exmweb.com)


Flatness

Aplatissement



Max 3.0mm

Projection



Customer

Client

Date

Drawn By

Dessiné Par

BoxCad: BoxCad

Date 08-May-13

Material

Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color

Couleur

Asa-61 Grey

Finish

Finis

Smooth

Description

5300ES 60" x 36" x 20" Body

Detail Rev.

Part Number

Numéro Pièce

5300ES603620B

Rev.

0

6

9

1

STK-Q-16080

0

Ground Stud M6 x 16mm Steel

1

STK-P-02400S

0

Powder Paint (Asa-61 Grey / Smooth)

8

STK-Q-16005

0

Stud M8 x 35mm Steel

1

5300ES603620BT-P

0

5300ES 60" x 36" x 20" Body Part

1

5300ES603620T-P

0

5300ES 60" x 36" x 20" Body Part

1

5300ES603620B-P

0

5300ES 60" x 36" x 20" Body Part

Qty

Part Number

Rev

Description

Parts List


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES603620\5300ES603620.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM





No.	Revisions	Date	By/Par



Isometric View



 <div>Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a></div>		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 08-May-13	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Finis Smooth
Description 5300ES 60" x 36" Cover			Detail Rev.
Part Number Numéro Pièce		Rev.	7 9
SEE BILL OF MATERIAL ON LAST PAGE		5300ES603620C	


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES603620\5300ES603620.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	17.959	1.435	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
2	1.486	1.850	GND STUD M6 x 16mm (Inside)
3	3.750	56.053	LABEL_EXM (Inside)



	Description	Status	
	5300ES 60" x 36" Cover	(NULL)	
	Part Number	Rev.	8
	Numéro Pièce	0	9
5300ES603620C			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5300ES603620\5300ES603620.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions


Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626

[www.exmweb.com](http://www.exmweb.com)


Flatness

Aplatissement



Max 3.0mm

Projection



Customer Client

Date

Drawn By Dessiné Par

BoxCad: BoxCad

Date 08-May-13

Material Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color Couleur

Asa-61 Grey

Finish Fini

Smooth

Description

5300ES 60" x 36" Cover

Detail Rev.

Part Number

Numéro Pièce

5300ES603620C

Rev.

0

9

9

1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-Q-16080	0	Ground Stud M6 x 16mm Steel
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-Q-46515	3	5412 ES Door Support with Brass Insert
1	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	5300ES603620G	0	5300ES 60" x 36" Cover Gasket Part
1	5300ES603620C-P	0	5300ES 60" x 36" Cover Part
4	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
QTY	Part Number	Rev	Description
Parts List			

C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP6036G.idw


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

A large rectangular frame with a dashed border. At each of the four corners and at the midpoint of each of the four sides, there is a small circle. The circles are positioned such that they appear to be part of the frame's structure, possibly representing rivets or fasteners. The frame is oriented vertically and occupies most of the page area.


**58.000**  
**57.582**

**RIGHT**

No.	Revisions	Date	By/Par



### Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness	
Aplatissement	

Max 3.0mm

Max 5.0mm
Projection



Customer Client	Date
--------------------	------

Client	
Drawn By Dessiné Par	Date 23-Jan-07

Material	See Part List
Matière	

Color		Finish	
Couleur	See Part List	Finis	See Part List

Description	Detail Rev.
-------------	-------------

881 SP - Inner Panel	
----------------------	--

Part Number	Rev.	1
-------------	------	---


Numéro Pièce	881 SP6036G	0	1 2
--------------	-------------	---	--------




1	881 SP6036G-P	0	881 SP - Inner Panel Part	12 Ga Galvanized	Unpainted	Galvanized
Qty	Part Number	Rev	Description	Material	Color	Finish
Parts List						

## Parts List

**881 SP6036G**

No.	Revisions	Date	By/Par



 Tél: (450) 979-4373 Fax: (450) 979-4626 <a href="http://www.exmweb.com">www.exmweb.com</a>		Flatness Aplatissement	
		 Max 3.0mm	
Customer Client		Projection	
			
Drawn By Dessiné Par		Date 23-Jan-07	
Material Matière		See Part List	
Color Couleur		Finish Fini	
See Part List		See Part List	
Description		Detail Rev.	
881 SP - Inner Panel			
Part Number Numéro Pièce		Rev. <b>0</b>	2 <hr/> 2
<b>881 SP6036G</b>			