

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK



LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par	BoxCad: BoxCad
Date	19-Sep-19
Material Matière	12 Ga Cold Rolled A1008 CS Type B (2.5mm)
Color Couleur	Asa-61 Grey
Finish Fini	Smooth
Description	Detail Rev.
5412DDS 60" x 60" x 12" Assembly	
Part Number Numéro Pièce	Rev.
5412DDS606012NOIP	0
	1
	18

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

NOTE

ITEM	DESCRIPTION
1	NEMA 4/12 Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	W/O Inner panel
5	C/W Standard inner panel mounting studs
6	C/W Struts installed (Included)
7	C/W 880 PPL included (Not installed)
8	C/W Eyebolts
9	C/W Mounting feet sold separately (Installed)
10	C/W Interlock Kit (Installed by EXM)

PACKING

ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1

5412DDS606012NOIPMF

0

885 MFHD 12" x 12" Mounting Feet

1

880INTI

2

880 INTI - Interlock Post Kit

1

880EB14

2

Eye Bolt M14 (Pack of 2)

1

5412DDS606012NOIPFD

0

5412DDS 60" x 60" Master Door

1

5412DDS606012NOIPLD

0

5412DDS 60" x 60" Slave Door

1

5412DDS606012NOIPB

0

5412DDS 60" x 60" x 12" Body

2

5412DDS606012NOIPGP

0

5412DDS Gland Plate

8

STK-Q-04050-10

8

M6 x 10mm Hexagon Socket Head Machine Screw with Nyseal

Qty

Part Number

Rev

Description

Parts List

No.

Revisions

Date

By/Par

Isometric View

Flatness
Aplatissement

Max 3.0mm

Projection

Customer Client

Drawn By
Dessiné Par

Material
Matière

Color
Couleur

Description

Part Number
Numéro Pièce

BoxCad: BoxCad

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Asa-61 Grey

5412DDS 60" x 60" x 12" Assembly

Date

Date 19-Sep-19

Finish
Fini

Detail Rev.

Rev.

2

0

18

exm

Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance $\pm 1/32$ " sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK



LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 19-Sep-19
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth
Description 5412DDS 60" x 60" x 12" Body	Detail Rev.
Part Number Numéro Pièce 5412DDS606012NOIPB	Rev. 0
	3 18

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	14.911	7.911	Struts CR400 21.500" (Inside)
2	44.911	7.911	Struts CR400 21.500" (Inside)
3	14.911	7.911	STUDS M6 x 10mm (Inside)
4	7.161	7.911	STUDS M6 x 10mm (Inside)
5	22.661	7.911	STUDS M6 x 10mm (Inside)
6	44.911	7.911	STUDS M6 x 10mm (Inside)
7	37.161	7.911	STUDS M6 x 10mm (Inside)
8	52.661	7.911	STUDS M6 x 10mm (Inside)



	Description	Status	
	5412DDS 60" x 60" x 12" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	4
	5412DDS606012NOIPB	0	18

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - RIGHT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	10.411	3.286	GND STUD M6 x 16mm (Inside)



	Description	Status	
	5412DDS 60" x 60" x 12" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	5
	5412DDS606012NOIPB	0	18

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	7.286	3.411	GP STUD M6 x 16mm (Inside)
2	16.536	3.411	GP STUD M6 x 16mm (Inside)
3	43.286	3.411	GP STUD M6 x 16mm (Inside)
4	52.536	3.411	GP STUD M6 x 16mm (Inside)
-----	-----	-----	-----
5	3.911	0.911	RND Ø0.500
6	0.911	5.911	RND Ø0.500
7	3.911	10.911	RND Ø0.500
8	55.911	0.911	RND Ø0.500
9	58.911	5.911	RND Ø0.500
10	55.911	10.911	RND Ø0.500



	Description	Status	
	5412DDS 60" x 60" x 12" Body	(NULL)	
	Part Number Numéro Pièce 5412DDS606012NOIPB	Rev. 0	6 18

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	10.411	3.286	GND STUD M6 x 16mm (Inside)



	Description	Status	
	5412DDS 60" x 60" x 12" Body	(NULL)	
	Part Number	Rev.	7
	Numéro Pièce	0	18
5412DDS606012NOIPB			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.786	2.786	IP STUD M10 x 40mm (Inside)
2	57.036	2.786	IP STUD M10 x 40mm (Inside)
3	2.786	29.911	IP STUD M10 x 40mm (Inside)
4	57.036	29.911	IP STUD M10 x 40mm (Inside)
5	2.786	57.036	IP STUD M10 x 40mm (Inside)
6	57.036	57.036	IP STUD M10 x 40mm (Inside)
7	29.911	2.786	IP STUD M10 x 40mm (Inside)
8	29.911	57.036	IP STUD M10 x 40mm (Inside)



	Description	Status	
	5412DDS 60" x 60" x 12" Body	(NULL)	
	Part Number	Rev.	8
	Numéro Pièce 5412DDS606012NOIPB	0	18

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - CENTER VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.748	36.220	INTERLOCK STUD M6 x 16mm (Inside)
2	0.748	38.346	INTERLOCK STUD M6 x 16mm (Inside)
3	2.717	36.220	INTERLOCK STUD M6 x 16mm (Inside)
4	2.717	38.346	INTERLOCK STUD M6 x 16mm (Inside)



	Description 5412DDS 60" x 60" x 12" Body	Status (NULL)	
	Part Number Numéro Pièce 5412DDS606012NOIPB	Rev. 0	9 18

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par




Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

6	STK-Q-16030	0	Stud M6 x 10mm
6	STK-Q-07220	1	M6 Nylon Insert Lock Nut
2	STK-Q-74900	0	Eyebolt Lifting Angle (8.750")
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	STK-A-75454	3	Center Post - Sealing Block with Latch Assembly (Large)
1	5412DDS606012NOIPCP-P	0	5412DDS 60" Center Post Part
2	STK-Q-07320	0	Flange Lock Nut M10
2	STK-Q-07618	1	5500 Series Inner Panel Support Bracket
8	STK-Q-16100	0	Stud M10 x 40mm
1	5412DDS606012NOIPBT-P	0	5412DDS 60" x 12" Bottom Part
1	5412DDS606012NOIPT-P	0	5412DDS 60" x 12" Top Part
1	5412DDS606012NOIPRS-P	0	5412DDS 60" x 60" Right Part
1	5412DDS606012NOIPLS-P	0	5412DDS 60" x 60" Left Part
1	5412DDS606012NOIPB-P	0	5412DDS 60" x 60" Back Part
2	CR400MS_21.5	0	Commercial Roll Mild Steel (21.5in long)
6	STK-Q-16080	0	Ground Stud M6 x 16mm
Qty	Part Number	Rev	Description
Parts List			


 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 19-Sep-19	
Material Matière		BoxCad: BoxCad 12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5412DDS 60" x 60" x 12" Body			Detail Rev.
Part Number Numéro Pièce		Rev.	10
5412DDS606012NOIPB		0	18

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw


Tolérance $\pm 1/32$ " sauf spécification contraire




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 19-Sep-19

Material
Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description
885 MFHD 12" x 12" Mounting Feet

Detail Rev.

Part Number
Numéro Pièce

5412DDS606012NOIPMF

Rev. 11

0

18

SEE BILL OF MATERIAL ON LAST PAGE



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par
			
Isometric View			
		Flatness Aplatissement Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 19-Sep-19	
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)			
Color Couleur Asa-61 Grey		Finish Fini Smooth	
Description 885 MFHD 12" x 12" Mounting Feet			Detail Rev.
Part Number Numéro Pièce 5412DDS606012NOIPMF			Rev. 12 0 18

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
6	RIVET_NUT_M10_FH_CE	0	Rivet Nut M10 (Low Profile Close End)
1	5412DDS606012NOIPMF R-P	0	885 MFHD 12" x 12" Right Mounting Feet Part
1	5412DDS606012NOIPMF L-P	0	885 MFHD 12" x 12" Left Mounting Feet Part
1	STK-K-11600	2	885 MF Accessory Kit
Qty	Part Name	Rev	Description
Parts List			


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




0.000
0.835
LEFT

0.000
28.750
FRONT

59.549
0.000
RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 19-Sep-19	
Material Matière		12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5412DDS 60" x 60" Slave Door			Detail Rev.
Part Number Numéro Pièce		Rev. 0	13 18

SEE BILL OF MATERIAL ON LAST PAGE

5412DDS606012NOIPLD


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	2.118	GND STUD M6 x 16mm (Inside)
2	26.750	48.430	LOCK 889 SCQ4-SL @ 0.0°
3	26.750	29.774	LOCK 889 SCQ4-SL @ 0.0°
4	26.750	11.118	LOCK 889 SCQ4-SL @ 0.0°
5	14.375	57.180	LOCK 889 SCQ4-SL @ 90.0°
6	14.375	2.368	LOCK 889 SCQ4-SL @ 270.0°
7	27.489	37.445	STUDS M6 x 18mm (Inside)
8	27.489	40.123	STUDS M6 x 18mm (Inside)



	Description	Status	
	5412DDS 60" x 60" Slave Door	(NULL)	
	Part Number Numéro Pièce	Rev.	14 18
5412DDS606012NOIPLD		0	

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw


Tolérance ±1/32" sauf spécification contraire

No.

Revisions

Date

By/Par



Isometric View





Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com


Flatness

Aplatissement



Max 3.0mm

Projection



Customer Client

Date

Drawn By Dessiné Par

BoxCad: BoxCad

Date 19-Sep-19

Material Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color Couleur

Asa-61 Grey

Finish Fini

Smooth

Description

5412DDS 60" x 60" Slave Door

Detail Rev.

Part Number Numéro Pièce

5412DDS606012NOIPLD

Rev. 0

15

18






2	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	5412DDS606012NOIPDG	0	5412DDS 60" x 60" Door Gasket
1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	5412DDS606012NOIPLD-P	0	5412DDS 60" x 60" Slave Door Part
4	STK-K-09860	7	Cabinet Hinge with Captive Pins
5	STK-K-12580	0	9412 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance ±1/32" sauf spécification contraire



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client

Date

Drawn By
Dessiné Par BoxCad: BoxCad

Date 19-Sep-19

Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color Couleur Asa-61 Grey

Finish Fini Smooth

Description
5412DDS 60" x 60" Master Door

Detail Rev.

Part Number
Numéro Pièce

5412DDS606012NOIPFD

Rev. 16

0

18

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	2.118	GND STUD M6 x 16mm (Inside)
2	26.750	11.118	LOCK 889 SCQ4-SL @ 180.0°
3	14.375	57.180	LOCK 889 SCQ4-SL @ 90.0°
4	14.375	2.368	LOCK 889 SCQ4-SL @ 270.0°
5	26.750	48.430	LOCK 889 SCQ4-SL @ 180.0°
6	26.750	29.774	LOCK 889 SCQ4-SL @ 180.0°
7	27.489	37.445	STUDS M6 x 18mm (Inside)
8	27.489	40.123	STUDS M6 x 18mm (Inside)



	Description		Status	
	5412DDS 60" x 60" Master Door		(NULL)	
	Part Number Numéro Pièce		Rev.	17
5412DDS606012NOIPFD		0	18	



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412DDS606012NOIP\5412DDS606012NOIP.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
			
Isometric View			
		Flatness Aplatissement Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 19-Sep-19	
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)			
Color Couleur Asa-61 Grey		Finish Fini Smooth	
Description 5412DDS 60" x 60" Master Door		Detail Rev.	
Part Number Numéro Pièce 5412DDS606012NOIPFD		Rev. 0	18 18

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

2	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	5412DDS606012NOIPDG	0	5412DDS 60" x 60" Door Gasket
1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	5412DDS606012NOIPFD-P	0	5412DDS 60" x 60" Master Door Part
4	STK-K-09860	7	Cabinet Hinge with Captive Pins
5	STK-K-12580	0	9412 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			