

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT202008\5412EALQT202008.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK



LEFT



FRONT




RIGHT






BOTTOM

No.	Revisions	Date	By/Par





Isometric View



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
				Projection 	
Customer Client				Date	
Drawn By Dessiné Par BoxCad: BoxCad				Date 2014-12-22	
Material Matière					

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified			C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT202008\5412EALQT202008.idw			Tolérance ±1/32" sauf spécification contraire			
NOTE						No.	Revisions	Date	By/Par
ITEM	DESCRIPTION								
1	NEMA 4X Enclosure								
2	C/W Standard ground studs on box and cover								
3	C/W Standard door stiffener								
4	C/W Standard inner panel (Included)								
5	C/W Standard inner panel mounting studs								
6	C/W 880 PP included (Not installed)								
						 Isometric View 			
						Flatness Aplatissement			
						Max 3.0mm			
						Projection			
									
						Customer Client			
						Date			
						Drawn By Dessiné Par			
						BoxCad: BoxCad			
						Date 2014-12-22			
						Material Matière			
						Aluminum 5052-H32 (2.5mm)			
						Color Couleur			
						Asa-61 Grey			
						Finish Fin			
						Smooth			
						Description			
						5412EALQT 20" x 20" x 8" Assembly			
						Detail Rev.			
						Rev.			
						2			
						9			
						Part Number Numéro Pièce			
						5412EALQT202008			
						0			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT202008\5412EALQT202008.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 2014-12-22

Material
Matière

Aluminum 5052-H32 (2.5mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5412EALQT 20" x 20" x 8" Body

Detail Rev.

Part Number
Numéro Pièce

5412EALQT202008B

Rev.

3
9

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT202008\5412EALQT202008.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	6.500	2.000	GND STUD M6 x 16mm (Inside)



	Description 5412EALQT 20" x 20" x 8" Body	Status (NULL)	
	Part Number Numéro Pièce 5412EALQT202008B	Rev. 0	4 9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Technical drawing of the back of a rectangular object. The drawing shows a rectangle with dimensions 20.000 (width) and 20.000 (height). The corners are numbered 1 (bottom-left), 2 (top-left), 3 (top-right), and 4 (bottom-right). The center of the rectangle is marked with a crosshair. Dimensions are given in millimeters (mm). The width is 20.000 mm, and the height is 20.000 mm. The distance from the center to the top edge is 10.000 mm, and the distance from the center to the bottom edge is 10.000 mm. The distance from the center to the left edge is 10.000 mm, and the distance from the center to the right edge is 10.000 mm. The word "BACK" is written below the rectangle.

	Description		Status	
	5412EALQT 20" x 20" x 8" Body		(NULL)	
	Part Number Numéro Pièce 5412EALQT202008B		Rev.	5 9


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT202008\5412EALQT202008.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 2014-12-22
Material Matière Aluminum 5052-H32 (2.5mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth

1	STK-Q-16090	0	Ground Stud M6 x 16mm Aluminum
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-Q-16010	0	Stud M8 x 35mm Aluminum
1	5412EALQT202008B-P	0	5412EALQT 20" x 20" x 8" Body Part
Qty	Part Number	Rev	Description
Parts List			

Description	Detail Rev.
5412EALQT 20" x 20" x 8" Body	
Part Number Numéro Pièce 5412EALQT202008B	Rev. 6 0 9


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT202008\5412EALQT202008.idw

Tolérance $\pm 1/32$ " sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 2014-12-22
Material Matière Aluminum 5052-H32 (2.5mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth
Description 5412EALQT 20" x 20" Cover	Detail Rev.
Part Number Numéro Pièce 5412EALQT202008C	Rev. 7 0 9

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT202008\5412EALQT202008.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.401	1.535	STUD M6 x 18mm (Inside)
2	2.401	18.268	STUD M6 x 18mm (Inside)
3	17.517	18.268	STUD M6 x 18mm (Inside)
4	17.517	1.535	STUD M6 x 18mm (Inside)
5	1.550	1.500	STUD M6 x 18mm (Inside)
6	18.368	1.500	STUD M6 x 18mm (Inside)
7	1.550	18.303	STUD M6 x 18mm (Inside)
8	18.368	18.303	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
9	4.500	16.053	LABEL_EXM (Inside)
10	1.424	15.553	LOCK 880 SCQ4-SL @ 180.0°
11	1.424	4.250	LOCK 880 SCQ4-SL @ 180.0°
12	18.494	15.553	LOCK 880 SCQ4-SL @ 0.0°
13	18.494	4.250	LOCK 880 SCQ4-SL @ 0.0°



FRONT

	Description	Status	
	5412EALQT 20" x 20" Cover	(NULL)	
	Part Number Numéro Pièce	Rev.	8
	5412EALQT202008C	0	9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT202008\5412EALQT202008.idw


Tolérance ±1/32" sauf spécification contraire

No.

Revisions

Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com


Flatness

Aplatissement



Max 3.0mm

Projection



Customer Client

Date

Drawn By Dessiné Par

BoxCad: BoxCad

Date 2014-12-22

Material Matière

Aluminum 5052-H32 (2.5mm)

Color Couleur

Asa-61 Grey

Finish Fini

Smooth

Description

5412EALQT 20" x 20" Cover

Detail Rev.

Part Number

Numéro Pièce

5412EALQT202008C

Rev.

0

9

9

1

STK-S-00100

0

3.5" x 2" Silver Milar Flexcon Sticker

1

STK-P-02400S

0

Powder Paint (Asa-61 Grey / Smooth)

2

STK-Q-46020-20

5

5412 ES Vertical Door Stiffener 20"

8

STK-Q-16060

0

Stud M6 x 18mm Aluminum

1

5412EALQT202008G

0

5412EALQT 20" x 20" Cover Gasket Part

1

5412EALQT202008C-P

0

5412EALQT 20" x 20" Cover Part

4

880 SCQ4-SL

6

5412 ES 1/4 Turn Lock

4

STK-Q-07220

1

M6 Nylon Insert Lock Nut

4

STK-Q-46515

3

5412 ES Door Support with Brass Insert

Qty

Part Name

Rev

Description

Parts List


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32"$ unless otherwise specified


C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP2020G.idw

Tolérance $\pm 1/32''$ sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View

		Flatness Aplatissement  Max 3.0mm Projection 	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com			
Customer Client		Date	
Drawn By Dessiné Par		Date 23-Jan-07	
Material Matière		See Part List	
Color Couleur		Finish Fini	
See Part List		See Part List	
Description 881 SP - Inner Panel		Detail Rev.	
Part Number Numéro Pièce 881 SP2020G		Rev. 0	1 2

1	881 SP2020G-P	0	881 SP - Inner Panel Part	12 Ga Galvanized	Unpainted	Galvanized
Qty	Part Number	Rev	Description	Material	Color	Finish
Parts List						

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP2020G.idw

Tolérance ±1/32" sauf spécification contraire


Table 1			FRONT VIEW
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.875	1.875	GROUND HOLE (RND Ø0.290)
2	17.125	1.875	GROUND HOLE (RND Ø0.290)
3	0.875	16.125	GROUND HOLE (RND Ø0.290)
4	17.125	16.125	GROUND HOLE (RND Ø0.290)

All knockouts are actual size / Les disques défonçables sont grandeur réel

No.	Revisions	Date	By/Par



FRONT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par BoxCad

Date 23-Jan-07

Material
Matière

See Part List

Color
Couleur

See Part List

Finish
Fini

See Part List

Description

881 SP - Inner Panel

Detail Rev.

Part Number
Numéro Pièce

881 SP2020G

Rev.

2

0

2

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM