

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT482412\5412EALQT482412.idw

Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT




Isometric View





Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 18-Dec-14	
Material Matière		Aluminum 5052-H32 (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Finis Smooth
Description 5412EALQT 48" x 24" x 12" Assembly			Detail Rev.
Part Number Numéro Pièce		Rev.	1
SEE BILL OF MATERIAL ON LAST PAGE		0	9
5412EALQT482412			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified			C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT482412\5412EALQT482412.idw			Tolérance ±1/32" sauf spécification contraire																																												
NOTE <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 4X Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>C/W Standard door stiffener</td></tr><tr><td>4</td><td>C/W Standard inner panel (Included)</td></tr><tr><td>5</td><td>C/W Standard inner panel mounting studs</td></tr><tr><td>6</td><td>C/W 880 PP included (Not installed)</td></tr></table>						ITEM	DESCRIPTION	1	NEMA 4X Enclosure	2	C/W Standard ground studs on box and cover	3	C/W Standard door stiffener	4	C/W Standard inner panel (Included)	5	C/W Standard inner panel mounting studs	6	C/W 880 PP included (Not installed)	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>			No.	Revisions	Date	By/Par																								
ITEM	DESCRIPTION																																																	
1	NEMA 4X Enclosure																																																	
2	C/W Standard ground studs on box and cover																																																	
3	C/W Standard door stiffener																																																	
4	C/W Standard inner panel (Included)																																																	
5	C/W Standard inner panel mounting studs																																																	
6	C/W 880 PP included (Not installed)																																																	
No.	Revisions	Date	By/Par																																															
Isometric View 																																																		
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection 						Customer Client Date																																												
Drawn By Dessiné Par BoxCad: BoxCad						Date 18-Dec-14																																												
Material Matière Aluminum 5052-H32 (2.5mm)						Color Couleur Asa-61 Grey Finish Fini Smooth																																												
Description 5412EALQT 48" x 24" x 12" Assembly						Detail Rev.																																												
Part Number Numéro Pièce 5412EALQT482412						Rev. 0 2 9																																												
Qty Part Number Rev Description <table><tr><td>2</td><td>STK-Q-07310</td><td>2</td><td>Flange Lock Nut M8</td></tr><tr><td>1</td><td>881 SP4824G</td><td>0</td><td>881 SP - Inner Panel</td></tr><tr><td>2</td><td>STK-Q-07615</td><td>0</td><td>Inner Panel Support Bracket</td></tr><tr><td>1</td><td>STK-K-01800</td><td>5</td><td>5412 ES Accessory Kit</td></tr><tr><td>2</td><td>STK-K-01320</td><td>0</td><td>5412 ES Inner Panel Accessory Kit</td></tr><tr><td>1</td><td>880 PP</td><td>6</td><td>Self Adhesive Print Pocket</td></tr><tr><td>1</td><td>5412EALQT482412C</td><td>0</td><td>5412EALQT 48" x 24" Cover</td></tr><tr><td>1</td><td>5412EALQT482412B</td><td>0</td><td>5412EALQT 48" x 24" x 12" Body</td></tr></table> Parts List						2	STK-Q-07310	2	Flange Lock Nut M8	1	881 SP4824G	0	881 SP - Inner Panel	2	STK-Q-07615	0	Inner Panel Support Bracket	1	STK-K-01800	5	5412 ES Accessory Kit	2	STK-K-01320	0	5412 ES Inner Panel Accessory Kit	1	880 PP	6	Self Adhesive Print Pocket	1	5412EALQT482412C	0	5412EALQT 48" x 24" Cover	1	5412EALQT482412B	0	5412EALQT 48" x 24" x 12" Body													
2	STK-Q-07310	2	Flange Lock Nut M8																																															
1	881 SP4824G	0	881 SP - Inner Panel																																															
2	STK-Q-07615	0	Inner Panel Support Bracket																																															
1	STK-K-01800	5	5412 ES Accessory Kit																																															
2	STK-K-01320	0	5412 ES Inner Panel Accessory Kit																																															
1	880 PP	6	Self Adhesive Print Pocket																																															
1	5412EALQT482412C	0	5412EALQT 48" x 24" Cover																																															
1	5412EALQT482412B	0	5412EALQT 48" x 24" x 12" Body																																															
PACKING <table><tr><th>ITEM</th><th>QTY</th><th>DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td>Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td>Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td>To protect cover surface and inside gasket</td></tr><tr><td>Cardboard corner</td><td>4</td><td>To reinforced for the plastic strap tightening</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td>To Squeeze the 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>3</td><td>White label with PN</td></tr><tr><td>Plastic strap- Green</td><td>2</td><td>To secure the enclosure to the wood pallet</td></tr><tr><td>Wood Pallet</td><td>1</td><td>2" deeper and 3" larger than enclosure size</td></tr></table>						ITEM	QTY	DESCRIPTION	Cardboard sleeve	2	Top and Bottom	Cardboard strip	2	Between back of enclosure and inner panel	Plastic bag	1	To protect cover surface and inside gasket	Cardboard corner	4	To reinforced for the plastic strap tightening	Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together	Packaging label	3	White label with PN	Plastic strap- Green	2	To secure the enclosure to the wood pallet	Wood Pallet	1	2" deeper and 3" larger than enclosure size																		
ITEM	QTY	DESCRIPTION																																																
Cardboard sleeve	2	Top and Bottom																																																
Cardboard strip	2	Between back of enclosure and inner panel																																																
Plastic bag	1	To protect cover surface and inside gasket																																																
Cardboard corner	4	To reinforced for the plastic strap tightening																																																
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together																																																
Packaging label	3	White label with PN																																																
Plastic strap- Green	2	To secure the enclosure to the wood pallet																																																
Wood Pallet	1	2" deeper and 3" larger than enclosure size																																																

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT482412\5412EALQT482412.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 18-Dec-14	
Material Matière		Aluminum 5052-H32 (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5412EALQT 48" x 24" x 12" Body			Detail Rev.
Part Number Numéro Pièce		Rev. 0	3 9

SEE BILL OF MATERIAL ON LAST PAGE

5412EALQT482412B


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT482412\5412EALQT482412.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	10.500	2.000	GND STUD M6 x 16mm (Inside)



	Description 5412EALQT 48" x 24" x 12" Body	Status (NULL)	
	Part Number Numéro Pièce 5412EALQT482412B	Rev. 0	4 9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT482412\5412EALQT482412.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	46.125	IP STUD M8 x 35mm (Inside)
3	22.125	46.125	IP STUD M8 x 35mm (Inside)
4	22.125	1.875	IP STUD M8 x 35mm (Inside)
5	1.875	24.000	IP STUD M8 x 35mm (Inside)
6	22.125	24.000	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
7	23.250	0.750	RND Ø0.390
8	23.250	47.250	RND Ø0.390
9	0.750	47.250	RND Ø0.390
10	0.750	0.750	RND Ø0.390



	Description		Status	
	5412EALQT 48" x 24" x 12" Body		(NULL)	
	Part Number Numéro Pièce 5412EALQT482412B		Rev. 0	5 9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT482412\5412EALQT482412.idw


Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 18-Dec-14
Material Matière Aluminum 5052-H32 (2.5mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth

1	STK-Q-16090	0	Ground Stud M6 x 16mm Aluminum
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
6	STK-Q-16010	0	Stud M8 x 35mm Aluminum
1	5412EALQT482412B-P	0	5412EALQT 48" x 24" x 12" Body Part
Qty	Part Number	Rev	Description
Parts List			







Description	Detail Rev.
5412EALQT 48" x 24" x 12" Body	
Part Number Numéro Pièce 5412EALQT482412B	Rev. 6 0 9

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT482412\5412EALQT482412.idw

Tolérance ±1/32" sauf spécification contraire






Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 18-Dec-14	
Material Matière		Aluminum 5052-H32 (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5412EALQT 48" x 24" Cover			Detail Rev.
Part Number Numéro Pièce		Rev.	7
SEE BILL OF MATERIAL ON LAST PAGE		0	9
5412EALQT482412C			


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412EALQT482412\5412EALQT482412.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.401	1.756	STUD M6 x 18mm (Inside)
2	2.401	46.047	STUD M6 x 18mm (Inside)
3	21.517	46.047	STUD M6 x 18mm (Inside)
4	21.517	1.756	STUD M6 x 18mm (Inside)
5	2.401	23.902	STUD M6 x 18mm (Inside)
6	21.517	23.902	STUD M6 x 18mm (Inside)
7	1.550	1.500	STUD M6 x 18mm (Inside)
8	22.368	1.500	STUD M6 x 18mm (Inside)
9	1.550	46.303	STUD M6 x 18mm (Inside)
10	22.368	46.303	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
11	4.500	44.053	LABEL_EXM (Inside)
12	1.424	43.553	LOCK 880 SCQ4-SL @ 180.0°
13	1.424	23.902	LOCK 880 SCQ4-SL @ 180.0°
14	1.424	4.250	LOCK 880 SCQ4-SL @ 180.0°
15	22.494	43.553	LOCK 880 SCQ4-SL @ 0.0°
16	22.494	23.902	LOCK 880 SCQ4-SL @ 0.0°
17	22.494	4.250	LOCK 880 SCQ4-SL @ 0.0°



	Description	Status	
	5412EALQT 48" x 24" Cover	(NULL)	
	Part Number Numéro Pièce	Rev.	8
	5412EALQT482412C	0	9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Date	
------	--

BoxCad: BoxCad

Date	18-Dec-14
------	-----------

Aluminum 5052-H32 (2.5mm)

Asa-61 Grey

Smooth

5412EALQT 48" x 24" Cover

Detail Rev.

5412EALQT482412C

0

0



1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
2	STK-Q-46020-48	5	5412 ES Vertical Door Stiffener 48"
10	STK-Q-16060	0	Stud M6 x 18mm Aluminum
1	5412EALQT482412G	0	5412EALQT 48" x 24" Cover Gasket Part
1	5412EALQT482412C-P	0	5412EALQT 48" x 24" Cover Part
6	880 SCQ4-SL	6	5412 ES 1/4 Turn Lock
6	STK-Q-07220	1	M6 Nylon Insert Lock Nut
4	STK-Q-46515	3	5412 ES Door Support with Brass Insert
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP4824G.idw

Tolérance $\pm 1/32$ " sauf spécification contraire




FRONT



RIGHT




Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

1	881 SP4824G-P	0	881 SP - Inner Panel Part	12 Ga Galvanized	Unpainted	Galvanized
Qty	Part Number	Rev	Description	Material	Color	Finish
Parts List						

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad		Date 23-Jan-07	
Material Matière		See Part List	
Color Couleur		See Part List	Finish Fini See Part List
Description 881 SP - Inner Panel			Detail Rev.
Part Number Numéro Pièce 881 SP4824G			Rev. 0
			1 2

