


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESBU162008\5412ESBU162008.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par

Isometric View

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 05-Mar-14	
Material Matière		16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur		Asa-61 Grey	Finish Finis Smooth
Description 5412ESBU 16" x 20" x 8" Assembly			Detail Rev.
Part Number Numéro Pièce		Rev.	1 9
SEE BILL OF MATERIAL ON LAST PAGE		5412ESBU162008	

NOTE	
ITEM	DESCRIPTION
1	NEMA 4/12 Enclosure
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting studs



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness	
Aplatissement	

Max 3.0mm

Projection

Customer
Client

Date _____

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 05-Mar-14

Material
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color

Asa-61 Grey

Finish

mouth

Description

5412ESBU 16" x 20" x 8" Assembly

Detail Rev.

Part Number	
Numéro Pièce	

5412ESBU162008


Rev.

D

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together
Packaging label	1	White label with product number

1	881 SP2016G	0	881 SP - Inner Panel
2	STK-K-01320	0	5412 ES Inner Panel Accessory Kit
1	STK-K-01800	5	5412 ES Accessory Kit
1	5412ESBU162008C	0	5412ESBU 16" x 20" Cover
1	5412ESBU162008B	0	5412ESBU 16" x 20" x 8" Body
4	STK-Q-04050-08	0	M6 x 8mm Hexagon Socket Head Machine Screw
Qty	Part Number	Rev	Description
Parts List			


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Isometric View



SEE BILL OF MATERIAL ON LAST PAGE

		Flatness Aplatissement	
		Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 05-Mar-14	
Material Matière		16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur		Finish Fini	
Description 5412ESBU 16" x 20" x 8" Body		Detail Rev.	
Part Number Numéro Pièce 5412ESBU162008B		Rev. 0	3 9


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESBU162008\5412ESBU162008.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	6.500	2.000	GND STUD M6 x 16mm (Inside)



	Description	Status	
	5412ESBU 16" x 20" x 8" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	
5412ESBU162008B		0	4 9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESBU162008\5412ESBU162008.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	14.125	IP STUD M8 x 35mm (Inside)
3	18.125	14.125	IP STUD M8 x 35mm (Inside)
4	18.125	1.875	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
5	19.250	0.750	RND Ø0.390
6	19.250	15.250	RND Ø0.390
7	0.750	15.250	RND Ø0.390
8	0.750	0.750	RND Ø0.390



	Description	Status	
	5412ESBU 16" x 20" x 8" Body	(NULL)	
	Part Number	Rev.	5
	Numéro Pièce	0	9
5412ESBU162008B			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESBU162008\5412ESBU162008.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par




Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection


Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 05-Mar-14	
Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)			
Color Couleur Asa-61 Grey		Finish Fini Smooth	
Description 5412ESBU 16" x 20" x 8" Body			Detail Rev.
Part Number Numéro Pièce 5412ESBU162008B			Rev. 6 0 9

1	STK-Q-16080	0	Ground Stud M6 x 16mm Steel
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	5412ESBU162008B-P	0	5412ESBU 16" x 20" x 8" Body Part
Qty	Part Number	Rev	Description
Parts List			


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESBU162008\5412ESBU162008.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK




LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 05-Mar-14	
Material Matière		16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur		Asa-61 Grey	Finish Finis Smooth
Description 5412ESBU 16" x 20" Cover			Detail Rev.
Part Number Numéro Pièce		Rev.	7
SEE BILL OF MATERIAL ON LAST PAGE		0	9
5412ESBU162008C			


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESBU162008\5412ESBU162008.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.486	1.504	STUD M6 x 18mm (Inside)
2	1.486	14.299	STUD M6 x 18mm (Inside)
3	17.517	14.299	STUD M6 x 18mm (Inside)
4	17.517	1.504	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
5	1.486	1.504	GND STUD M6 x 16mm (Inside)
6	3.750	12.803	LABEL_EXM (Inside)
7	18.354	7.902	880 SCQ4-SL



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

	Description	Status	
	5412ESBU 16" x 20" Cover	(NULL)	
	Part Number	Rev.	8
	Numéro Pièce	0	9
5412ESBU162008C			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESBU162008\5412ESBU162008.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.

Revisions

Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com


Flatness

Aplatissement



Max 3.0mm

Projection



Customer Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

05-Mar-14

Material
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5412ESBU 16" x 20" Cover

Detail Rev.

Part Number
Numéro Pièce

5412ESBU162008C

Rev.

0

9

9

1	STK-K-12500	16	5412 ES 1/4 Turn Lock
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-Q-16080	0	Ground Stud M6 x 16mm Steel
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
2	STK-Q-46020-16	5	5412 ES Vertical Door Stiffener 16"
4	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
2	STK-A-33005	4	5412 ESBU Hinge 180° (Body Part)
1	5412ESBU162008G	0	5412ESBU 16" x 20" Cover Gasket Part
1	5412ESBU162008C-P	0	5412ESBU 16" x 20" Cover Part
4	STK-Q-07220	1	M6 Nylon Insert Lock Nut
QTY	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

All knockouts are actual size / Les disques défonçables sont grandeur réel

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXIM

All knockouts are actual size / Les disques défonçables sont grandeur réel

The drawing shows a rectangular structure with four knockouts labeled 1, 2, 3, and 4. The dimensions are as follows:

- Top left corner: 0.000
- Top right corner: 14.000
- Right side: 18.000
- Bottom right corner: 0.000

The word "FRONT" is centered below the structure. A north arrow is located at the bottom left corner.

A technical drawing of a rectangular sheet, likely a template for a book cover or endpaper. The sheet is oriented vertically. It features four tabs, one on each side, designed for binding. Each tab is a small rectangular extension with a semi-circular notch on its outer edge. Additionally, there are four small circles, one in each corner of the sheet, possibly representing holes for binding or decorative elements. The drawing is a simple line outline on a white background.