


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5412ESBU603610\5412ESBU603610.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 11-Mar-14

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish

Smooth

Description

5412ESBU 60" x 36" x 10" Assembly

Detail Rev.

Part Number
Numéro Pièce






5412ESBU603610

Rev.

1
9

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESBU603610\5412ESBU603610.idw		Tolérance ±1/32" sauf spécification contraire																																																														
NOTE <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 4/12 Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>C/W Standard door stiffener</td></tr><tr><td>4</td><td>C/W Standard inner panel (Included)</td></tr><tr><td>5</td><td>C/W Standard inner panel mounting studs</td></tr></table>				ITEM	DESCRIPTION	1	NEMA 4/12 Enclosure	2	C/W Standard ground studs on box and cover	3	C/W Standard door stiffener	4	C/W Standard inner panel (Included)	5	C/W Standard inner panel mounting studs	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>  Isometric View 		No.	Revisions	Date	By/Par																																													
ITEM	DESCRIPTION																																																																	
1	NEMA 4/12 Enclosure																																																																	
2	C/W Standard ground studs on box and cover																																																																	
3	C/W Standard door stiffener																																																																	
4	C/W Standard inner panel (Included)																																																																	
5	C/W Standard inner panel mounting studs																																																																	
No.	Revisions	Date	By/Par																																																															
PACKING <table><tr><th>ITEM</th><th>QTY</th><th>DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td>Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td>Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td>To protect cover surface and inside gasket</td></tr><tr><td>Cardboard corner</td><td>4</td><td>To reinforced for the plastic strap tightening</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td>To Squeeze the 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>3</td><td>White label with PN</td></tr><tr><td>Plastic strap- Green</td><td>2</td><td>To secure the enclosure to the wood pallet</td></tr><tr><td>Wood Pallet</td><td>1</td><td>2" deeper and 3" larger than enclosure size</td></tr></table>				ITEM	QTY	DESCRIPTION	Cardboard sleeve	2	Top and Bottom	Cardboard strip	2	Between back of enclosure and inner panel	Plastic bag	1	To protect cover surface and inside gasket	Cardboard corner	4	To reinforced for the plastic strap tightening	Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together	Packaging label	3	White label with PN	Plastic strap- Green	2	To secure the enclosure to the wood pallet	Wood Pallet	1	2" deeper and 3" larger than enclosure size	<table><tr><td>Flatness Aplatissement</td><td>Max 3.0mm</td></tr><tr><td>Projection</td><td></td></tr></table> <table><tr><td colspan="2">Customer Client</td><td>Date</td></tr><tr><td colspan="2">Drawn By Dessiné Par</td><td>Date 11-Mar-14</td></tr><tr><td colspan="2">BoxCad: BoxCad</td><td> </td></tr><tr><td colspan="2">Material Matière</td><td>14 Ga Cold Rolled A1008 CS Type B (1.7mm)</td></tr><tr><td colspan="2">Color Couleur</td><td>Asa-61 Grey</td></tr><tr><td colspan="2">Finish Fini</td><td>Smooth</td></tr><tr><td colspan="2">Description</td><td>Detail Rev.</td></tr><tr><td colspan="2">5412ESBU 60" x 36" x 10" Assembly</td><td> </td></tr><tr><td colspan="2">Part Number Numéro Pièce</td><td>Rev. 2</td></tr><tr><td colspan="2">5412ESBU603610</td><td>0 9</td></tr></table>		Flatness Aplatissement	Max 3.0mm	Projection		Customer Client		Date	Drawn By Dessiné Par		Date 11-Mar-14	BoxCad: BoxCad			Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	Color Couleur		Asa-61 Grey	Finish Fini		Smooth	Description		Detail Rev.	5412ESBU 60" x 36" x 10" Assembly			Part Number Numéro Pièce		Rev. 2	5412ESBU603610		0 9
				ITEM	QTY	DESCRIPTION																																																												
				Cardboard sleeve	2	Top and Bottom																																																												
				Cardboard strip	2	Between back of enclosure and inner panel																																																												
				Plastic bag	1	To protect cover surface and inside gasket																																																												
Cardboard corner	4	To reinforced for the plastic strap tightening																																																																
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together																																																																
Packaging label	3	White label with PN																																																																
Plastic strap- Green	2	To secure the enclosure to the wood pallet																																																																
Wood Pallet	1	2" deeper and 3" larger than enclosure size																																																																
Flatness Aplatissement	Max 3.0mm																																																																	
Projection																																																																		
Customer Client		Date																																																																
Drawn By Dessiné Par		Date 11-Mar-14																																																																
BoxCad: BoxCad																																																																		
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)																																																																
Color Couleur		Asa-61 Grey																																																																
Finish Fini		Smooth																																																																
Description		Detail Rev.																																																																
5412ESBU 60" x 36" x 10" Assembly																																																																		
Part Number Numéro Pièce		Rev. 2																																																																
5412ESBU603610		0 9																																																																
<table><tr><td>1</td><td>881 SP6036G</td><td>0</td><td>881 SP - Inner Panel</td></tr><tr><td>4</td><td>STK-K-01320</td><td>0</td><td>5412 ES Inner Panel Accessory Kit</td></tr><tr><td>1</td><td>STK-K-01800</td><td>5</td><td>5412 ES Accessory Kit</td></tr><tr><td>1</td><td>5412ESBU603610C</td><td>0</td><td>5412ESBU 60" x 36" Cover</td></tr><tr><td>1</td><td>5412ESBU603610B</td><td>0</td><td>5412ESBU 60" x 36" x 10" Body</td></tr><tr><td>8</td><td>STK-Q-04050-08</td><td>0</td><td>M6 x 8mm Hexagon Socket Head Machine Screw</td></tr><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr><tr><td colspan="4">Parts List</td></tr></table>				1	881 SP6036G	0	881 SP - Inner Panel	4	STK-K-01320	0	5412 ES Inner Panel Accessory Kit	1	STK-K-01800	5	5412 ES Accessory Kit	1	5412ESBU603610C	0	5412ESBU 60" x 36" Cover	1	5412ESBU603610B	0	5412ESBU 60" x 36" x 10" Body	8	STK-Q-04050-08	0	M6 x 8mm Hexagon Socket Head Machine Screw	Qty	Part Number	Rev	Description	Parts List																																		
1	881 SP6036G	0	881 SP - Inner Panel																																																															
4	STK-K-01320	0	5412 ES Inner Panel Accessory Kit																																																															
1	STK-K-01800	5	5412 ES Accessory Kit																																																															
1	5412ESBU603610C	0	5412ESBU 60" x 36" Cover																																																															
1	5412ESBU603610B	0	5412ESBU 60" x 36" x 10" Body																																																															
8	STK-Q-04050-08	0	M6 x 8mm Hexagon Socket Head Machine Screw																																																															
Qty	Part Number	Rev	Description																																																															
Parts List																																																																		

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5412ESBU603610\5412ESBU603610.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 11-Mar-14

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description
5412ESBU 60" x 36" x 10" Body

Detail Rev.

Part Number
Numéro Pièce
5412ESBU603610B


Rev.
0

3
9

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Figure 1 is a 3D plot showing the left half of a unit cube. The vertical axis is labeled "LEFT" and ranges from 0.000 to 60.000. The horizontal axis is labeled "1" and ranges from 0.000 to 10.000. The plot shows a rectangular prism with a circular cutout at the bottom left corner.




This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESBU603610\5412ESBU603610.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	58.125	IP STUD M8 x 35mm (Inside)
3	34.125	58.125	IP STUD M8 x 35mm (Inside)
4	34.125	1.875	IP STUD M8 x 35mm (Inside)
5	1.875	30.000	IP STUD M8 x 35mm (Inside)
6	34.125	30.000	IP STUD M8 x 35mm (Inside)
7	18.000	1.875	IP STUD M8 x 35mm (Inside)
8	18.000	58.125	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
9	35.250	0.750	RND Ø0.390
10	35.250	59.250	RND Ø0.390
11	0.750	59.250	RND Ø0.390
12	0.750	0.750	RND Ø0.390



	Description		Status	
	5412ESBU 60" x 36" x 10" Body		(NULL)	
	Part Number Numéro Pièce 5412ESBU603610B		Rev. 0	5 9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5412ESBU603610\5412ESBU603610.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 11-Mar-14
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth

1	STK-Q-16080	0	Ground Stud M6 x 16mm Steel
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
8	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	5412ESBU603610B-P	0	5412ESBU 60" x 36" x 10" Body Part
Qty	Part Number	Rev	Description
Parts List			


Description	Detail Rev.
5412ESBU 60" x 36" x 10" Body	
Part Number Numéro Pièce 5412ESBU603610B	Rev. 6 0 9

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESBU603610\5412ESBU603610.idw

Tolérance ±1/32" sauf spécification contraire



TOP




BACK




BOTTOM

0.000
0.800




LEFT

0.000



FRONT

35.778




RIGHT


59.803

0.000

No.	Revisions	Date	By/Par



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 11-Mar-14	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	

Color Couleur	Asa-61 Grey	Finish Fin	Smooth
------------------	-------------	---------------	--------

Description	Detail Rev.
5412ESBU 60" x 36" Cover	

Part Number Numéro Pièce	Rev.	7
	0	9

SEE BILL OF MATERIAL ON LAST PAGE

5412ESBU603610C


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESBU603610\5412ESBU603610.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.486	1.850	STUD M6 x 18mm (Inside)
2	1.486	57.953	STUD M6 x 18mm (Inside)
3	32.423	57.953	STUD M6 x 18mm (Inside)
4	32.423	1.850	STUD M6 x 18mm (Inside)
5	1.486	29.902	STUD M6 x 18mm (Inside)
6	32.423	29.902	STUD M6 x 18mm (Inside)
7	2.191	2.350	STUD M6 x 18mm (Inside)
8	2.191	57.619	STUD M6 x 18mm (Inside)
9	31.718	57.619	STUD M6 x 18mm (Inside)
10	31.718	2.350	STUD M6 x 18mm (Inside)
11	33.663	54.896	CLOSING BAR STUD (Inside)
12	33.663	4.907	CLOSING BAR STUD (Inside)
13	17.889	1.435	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
14	3.750	56.053	LABEL_EXM (Inside)
15	33.663	29.902	885 ESL2A



	Description		Status	
	5412ESBU 60" x 36" Cover		(NULL)	
	Part Number Numéro Pièce 5412ESBU603610C		Rev. 0	8 9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



2	STK-Q-90042	4	5412 ES - Cabinet Closing Bar End (Small)
2	STK-Q-45655-60	0	5412 ES - Closing Bar
1	STK-Q-50536	13	5412 ES - Handle Cam Clockwise (Grip 32mm)
1	STK-Q-90051	3	5412 ES - Handle Cam Spacer
1	885 ESL2A	4	5412 ES Key Lock L-Handle (3 Pts)
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-Q-46515	3	5412 ES Door Support with Brass Insert
2	STK-Q-46025-36-3	0.1 1	5412 ES Horizontal Door Stiffener 36" (3 Pts)
2	STK-Q-46020-60	5	5412 ES Vertical Door Stiffener 60"
2	STK-Q-16405	6	Guide Stud - Small (No Paint Cap Required)
11	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
4	STK-A-33005	4	5412 ESBU Hinge 180° (Body Part)
1	5412ESBU603610G	0	5412ESBU 60" x 36" Cover Gasket Part
1	5412ESBU603610C-P	0	5412ESBU 60" x 36" Cover Part
10	STK-Q-07220	1	M6 Nylon Insert Lock Nut
QTY	Part Number	Rev	Description
Parts List			

Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Projection

14 Ga Cold Rolled A1008 CS Type B (1.7mm)


9

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32"$ unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP6036G.idw



Tolérance $\pm 1/32"$ sauf spécification contraire



TOP




FRONT





RIGHT

No.	Revisions	Date	By/Par



Isometric View



		Flatness Aplatissement	
		 Max 3.0mm	
Tél: (505) 979-4373 Fax: (505) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 23-Jan-07	
Material Matière		See Part List	
Color Couleur		Finish Fini	See Part List
Description		Detail Rev.	
881 SP - Inner Panel			
Part Number Numéro Pièce 881 SP6036G		Rev. 0	1 2

