


This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESLC141208\5412ESLC141208.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




LEFT




FRONT




RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



BOTTOM




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer  
Client

Date

Drawn By  
Dessiné Par

BoxCad: BoxCad

Date

23-Oct-13

Material  
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color  
Couleur

Asa-61 Grey

Finish  
Fini

Smooth

Description

5412ESLC 14" x 12" x 8" Assembly

Detail Rev.

Part Number  
Numéro Pièce

5412ESLC141208

Rev.

1


0

2

SEE BILL OF MATERIAL ON LAST PAGE



| NOTE |                                                |
|------|------------------------------------------------|
| ITEM | DESCRIPTION                                    |
| 1    | NEMA 4/12 Enclosure                            |
| 2    | C/W Standard ground standoffs on box and cover |
| 3    | W/O Standard door stiffener                    |
| 4    | C/W Standard inner panel (Included)            |
| 5    | C/W Standard inner panel mounting standoffs    |
| 6    | C/W 885 ESCHMF1 Mounting Feet (Kit)            |

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



### Isometric View




|                                                                                                  |  |                                                                                                    |        |
|--------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------|--------|
|             |  | Flatness<br>Aplatissement                                                                          |        |
|                                                                                                  |  | <br>Max 3.0mm |        |
| Tél: (450) 979-4373<br>Fax: (450) 979-4626<br><a href="http://www.exmweb.com">www.exmweb.com</a> |  | Projection                                                                                         |        |
|                                                                                                  |  |               |        |
| Customer Client                                                                                  |  | Date                                                                                               |        |
| Drawn By<br>Dessiné Par                                                                          |  | Date 23-Oct-13                                                                                     |        |
| Material<br>Matière                                                                              |  | 16 Ga Cold Rolled A1008 CS Type B (1.4mm)                                                          |        |
| Color<br>Couleur                                                                                 |  | Asa-61 Grey<br>Finish Fini Smooth                                                                  |        |
| Description<br>5412ESLC 14" x 12" x 8" Assembly                                                  |  | Detail Rev.                                                                                        |        |
| Part Number<br>Numéro Pièce<br><b>5412ESLC141208</b>                                             |  | Rev.<br><b>0</b>                                                                                   | 2<br>2 |

| PACKING         |     |                                            |
|-----------------|-----|--------------------------------------------|
| ITEM            | QTY | DESCRIPTION                                |
| STK-E-04323     | 1   | CARTON 5412 ESCH141208                     |
| Plastic bag     | 1   | To protect cover surface and inside gasket |
| Packaging label | 1   | White label with product number            |
| STK-S-01100     | 1   | ESCH EXM SQUARE STICKER                    |

| 1          | 5412ESLC141208C | 0   | 5412ESLC 14" x 12" Cover     |
|------------|-----------------|-----|------------------------------|
| 1          | 880 SP1412G     | 0   | 880 SP1412G - Inner Panel    |
| 1          | STK-K-02930     | 0   | 5412 ESLC Accessory Kit      |
| 1          | 5412ESLC141208B | 0   | 5412ESLC 14" x 12" x 8" Body |
| Qty        | Part Number     | Rev | Description                  |
| Parts List |                 |     |                              |






This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESLC141208\5412ESLC141208B6.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |        |        |                                |
|-----------------------------------------------------|--------|--------|--------------------------------|
| HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)        |        |        |                                |
| CUT-OUT                                             | XDIM   | YDIM   | DESCRIPTION                    |
| 1                                                   | 0.875  | 0.875  | IP STANDOFF M6 x 10mm (Inside) |
| 2                                                   | 0.875  | 13.125 | IP STANDOFF M6 x 10mm (Inside) |
| 3                                                   | 11.125 | 13.125 | IP STANDOFF M6 x 10mm (Inside) |
| 4                                                   | 11.125 | 0.875  | IP STANDOFF M6 x 10mm (Inside) |
| -----                                               | -----  | -----  | -----                          |
| 5                                                   | 11.000 | 0.000  | FOOT 885 ESCHMF1               |
| 6                                                   | 1.000  | 0.000  | FOOT 885 ESCHMF1               |
| 7                                                   | 11.000 | 14.000 | FOOT 885 ESCHMF1               |
| 8                                                   | 1.000  | 14.000 | FOOT 885 ESCHMF1               |




|  |                              |        |        |
|--|------------------------------|--------|--------|
|  | Description                  | Status |        |
|  | 5412ESLC 14" x 12" x 8" Body | (NULL) |        |
|  | Part Number<br>Numéro Pièce  | Rev.   | 6<br>7 |
|  | 5412ESLC141208B              | 0      |        |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |




**Isometric View**




|                                                                                                                                                                                                                                                                                   |  |                                                                                                                                                                                                |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <div style="display: inline-block; vertical-align: middle; margin-left: 10px;"> Tél: (450) 979-4373<br/> Fax: (450) 979-4626<br/> <a href="http://www.exmweb.com">www.exmweb.com</a> </div> |  | Flatness<br>Aplatissement                                                                                                                                                                      |
|                                                                                                                                                                                                                                                                                   |  | <div style="text-align: center;"> <br/> Max 3.0mm </div>                                                  |
| Customer<br>Client                                                                                                                                                                                                                                                                |  | Date                                                                                                                                                                                           |
| Drawn By<br>Dessiné Par      BoxCad: BoxCad                                                                                                                                                                                                                                       |  | Date    23-Oct-13                                                                                                                                                                              |
| Material<br>Matière      16 Ga Cold Rolled A1008 CS Type B (1.4mm)                                                                                                                                                                                                                |  |                                                                                                                                                                                                |
| Color<br>Couleur      Asa-61 Grey                                                                                                                                                                                                                                                 |  | Finish<br>Fini      Smooth                                                                                                                                                                     |
| Description<br><br>5412ESLC 14" x 12" x 8" Body                                                                                                                                                                                                                                   |  | Detail Rev.                                                                                                                                                                                    |
|                                                                                                                                                                                                                                                                                   |  | <div style="display: flex; justify-content: space-between;"> <div> Part Number<br/> Numéro Pièce<br/> <b>5412ESLC141208B</b> </div> <div> Rev.    7<br/> <b>0</b> </div> <div> 7 </div> </div> |

|            |                   |     |                                                       |
|------------|-------------------|-----|-------------------------------------------------------|
| 1          | STK-P-02400S      | 0   | Powder Paint (Asa-61 Grey / Smooth)                   |
| 1          | 5412ESLC141208B-P | 0   | 5412ESLC 14" x 12" x 8" Body Part                     |
| 2          | STK-A-70469       | 6   | 5412 ESSMCH - Stainless Steel 316 Body Catch Assembly |
| 4          | STK-Q-08100       | 1   | M5 Nylon Insert Lock Nut                              |
| 5          | STK-Q-08350       | 5   | Standoff M6 x 10mm                                    |
| 2          | STK-Q-70476       | 0   | 5412ESMLC - Zinc Casting Body Catch                   |
| Qty        | Part Number       | Rev | Description                                           |
| Parts List |                   |     |                                                       |


0.000  
0.656




**LEFT**



0.000




12.000



— 14.080

— 0.000



A technical line drawing of a rectangular panel, likely a door or a large window. The panel is shown in a perspective view, tilted slightly to the right. It has a thin, uniform border. Along the top edge, there are two small, rectangular mounting brackets or handles, one near each corner. Along the bottom edge, there are two larger, oval-shaped mounting brackets or handles, also one near each corner. The drawing is composed of simple black lines on a white background.

### Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

|               |  |
|---------------|--|
| Flatness      |  |
| Aplatissement |  |

Max 3.0mm

|            |  |
|------------|--|
| Projection |  |
|------------|--|



|      |           |
|------|-----------|
| Date | 23-Oct-13 |
|------|-----------|

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

smooth

Detail Rev.

5412ESLC 14" x 12" Cover

L

**5412ESLC141208C**

0

31

**SEE BILL OF MATERIAL ON LAST PAGE**


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESLC141208\5412ESLC141208C.idw

Tolérance ±1/32" sauf spécification contraire


| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |       |        |                             |
|-----------------------------------------------------|-------|--------|-----------------------------|
| HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)       |       |        |                             |
| CUT-OUT                                             | XDIM  | YDIM   | DESCRIPTION                 |
| 1                                                   | 1.125 | 12.935 | STANDOFF M6 x 10mm (Inside) |
| 2                                                   | 3.500 | 12.000 | LABEL_EXM                   |
| 3                                                   | 3.000 | 0.000  | LOCK 880 SCQ2MS @ 270.0°    |
| 4                                                   | 9.000 | 0.000  | LOCK 880 SCQ2MS @ 270.0°    |



|                 |                             |   |        |   |
|-----------------|-----------------------------|---|--------|---|
|                 | Description                 |   | Status |   |
|                 | 5412ESLC 14" x 12" Cover    |   | (NULL) |   |
|                 | Part Number<br>Numéro Pièce |   | Rev.   | 2 |
| 5412ESLC141208C |                             | 0 | 3      |   |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |




### Isometric View

Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

|           |
|-----------|
| Max 3.0mm |
|-----------|

|            |
|------------|
| Projection |
|------------|



|          |                                           |
|----------|-------------------------------------------|
| Material | 16 Ga Cold Rolled A1008 CS Type B (1.4mm) |
|----------|-------------------------------------------|


|                          |             |
|--------------------------|-------------|
| Description              | Detail Rev. |
| 5412ESLC 14" x 12" Cover |             |

|                             |          |   |
|-----------------------------|----------|---|
| Part Number<br>Numéro Pièce | Rev.     | 3 |
| <b>5412ESLC141208C</b>      | <b>0</b> | 3 |

|            |                   |     |                                             |
|------------|-------------------|-----|---------------------------------------------|
| 1          | STK-Q-08350       | 5   | Standoff M6 x 10mm                          |
| 1          | STK-P-02400S      | 0   | Powder Paint (Asa-61 Grey / Smooth)         |
| 1          | 5412ESLC141208G   | 0   | 5412ESLC 14" x 12" Gasket                   |
| 1          | STK-S-00100       | 0   | 3.5" x 2" Silver Milar Flexcon Sticker      |
| 1          | 5412ESLC141208C-P | 0   | 5412ESLC 14" x 12" Cover Part               |
| 2          | 880SCQ2S          | 3   | 5412 ESMCH - External Lock Assy - Slot Lock |
| Qty        | Part Number       | Rev | Description                                 |
| Parts List |                   |     |                                             |

C:\Vault Workspace\Inventor Dwg\Inv-8\880SP\880SP1412G.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



**Isometric View**

This drawing is confidential and must not be reproduced or used without the consent of EXM




This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\Inv-8\880SP\880SP1412G.idw


Tolérance ±1/32" sauf spécification contraire

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



Isometric View



|                                                                                                                                                                 |  |                                                                                       |   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|---|
|  <div>Tél: (450) 979-4373<br/>Fax: (450) 979-4626<br/>www.exmweb.com</div> |  | Flatness<br>Aplatissement                                                             |   |
|                                                                                                                                                                 |  | Max 3.0mm                                                                             |   |
| Projection                                                                                                                                                      |  |  |   |
| Customer Client                                                                                                                                                 |  | Date                                                                                  |   |
| Drawn By<br>Dessiné Par BoxCad                                                                                                                                  |  | Date 23-Jan-07                                                                        |   |
| Material<br>Matière 14 Ga Galvanized (1.7mm)                                                                                                                    |  |                                                                                       |   |
| Color<br>Couleur Unpainted                                                                                                                                      |  | Finish<br>Fini Galvanized                                                             |   |
| Description                                                                                                                                                     |  | Detail Rev.                                                                           |   |
| 880 SP1412G - Inner Panel                                                                                                                                       |  |                                                                                       |   |
| Part Number<br>Numéro Pièce                                                                                                                                     |  | Rev.                                                                                  | 2 |
| 880 SP1412G                                                                                                                                                     |  | 0                                                                                     | 2 |

|            |               |     |                                |
|------------|---------------|-----|--------------------------------|
| 1          | 880 SP1412G-P | 0   | 880 SP1412G - Inner Panel Part |
| Qty        | Part Number   | Rev | Description                    |
| Parts List |               |     |                                |