


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESM121008NOIP\5412ESM121008NOIP.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT



RIGHT



Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer  
Client

Date

Drawn By  
Dessiné Par

BoxCad: BoxCad

Date 06-Dec-21

Material  
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color  
Couleur

Asa-61 Grey

Finish  
Fini

Smooth

Description

5412ESM 12" x 10" x 8" Assembly

Detail Rev.

Part Number  
Numéro Pièce

5412ESM121008NOIP

Rev.

1

0

2

SEE BILL OF MATERIAL ON LAST PAGE




Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Max 3.0mm

Projection



Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

|                    |  |
|--------------------|--|
| Customer<br>Client |  |
|--------------------|--|

Date \_\_\_\_\_

|           |  |
|-----------|--|
| Client    |  |
| Drawn By  |  |
| Dessiné P |  |

BoxCad: BoxCad

Date 06-Dec-21

|          |  |
|----------|--|
| Material |  |
| Matière  |  |

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

|         |  |
|---------|--|
| Color   |  |
| Couleur |  |

Asa-61 Grey

Finish  
Fini

smooth

| Description |
|-------------|
|-------------|

Detail Rev.

5412ESM 12" x 10" x 8" Body

|                             |  |
|-----------------------------|--|
| Part Number<br>Numéro Pièce |  |
|-----------------------------|--|

Rev.


1

**5412ESM121008NOIPB**

1

1

**SEE BILL OF MATERIAL ON LAST PAGE**



This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESM121008NOIP\5412ESM121008NOIPB6.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |       |        |                                |
|-----------------------------------------------------|-------|--------|--------------------------------|
| HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)        |       |        |                                |
| CUT-OUT                                             | XDIM  | YDIM   | DESCRIPTION                    |
| 1                                                   | 0.875 | 0.875  | IP STANDOFF M6 x 10mm (Inside) |
| 2                                                   | 0.875 | 11.125 | IP STANDOFF M6 x 10mm (Inside) |
| 3                                                   | 9.125 | 11.125 | IP STANDOFF M6 x 10mm (Inside) |
| 4                                                   | 9.125 | 0.875  | IP STANDOFF M6 x 10mm (Inside) |
| -----                                               | ----- | -----  | -----                          |
| 5                                                   | 1.000 | 12.000 | FOOT 885 ESCHMF1               |
| 6                                                   | 9.000 | 0.000  | FOOT 885 ESCHMF1               |
| 7                                                   | 1.000 | 0.000  | FOOT 885 ESCHMF1               |
| 8                                                   | 9.000 | 12.000 | FOOT 885 ESCHMF1               |



|                                                                                       |                                                          |  |                  |                    |
|---------------------------------------------------------------------------------------|----------------------------------------------------------|--|------------------|--------------------|
|  | Description                                              |  | Status           |                    |
|                                                                                       | 5412ESM 12" x 10" x 8" Body                              |  | (NULL)           |                    |
|                                                                                       | Part Number<br>Numéro Pièce<br><b>5412ESM121008NOIPB</b> |  | Rev.<br><b>0</b> | <div>6<br/>7</div> |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


**This drawing is confidential and must not be reproduced or used without the consent of EXM**


Tolerance  $\pm 1/32"$  unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESM121008NOIP\5412ESM121008NOIPB.idw

Tolérance  $\pm 1/32''$  sauf spécification contraire

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



|                                                                                                  |  |                                                                                                     |        |
|--------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------|--------|
|             |  | Flatness<br>Aplatissement                                                                           |        |
|                                                                                                  |  | Max 3.0mm                                                                                           |        |
| Tél: (450) 979-4373<br>Fax: (450) 979-4626<br><a href="http://www.exmweb.com">www.exmweb.com</a> |  | Projection<br> |        |
| Customer Client                                                                                  |  | Date                                                                                                |        |
| Drawn By<br>Dessiné Par                                                                          |  | Date 06-Dec-21                                                                                      |        |
| Material<br>Matière                                                                              |  | 16 Ga Cold Rolled A1008 CS Type B (1.4mm)                                                           |        |
| Color<br>Couleur                                                                                 |  | Finish<br>Fini                                                                                      |        |
| Asa-61 Grey                                                                                      |  | Smooth                                                                                              |        |
| Description                                                                                      |  | Detail Rev.                                                                                         |        |
| 5412ESM 12" x 10" x 8" Body                                                                      |  |                                                                                                     |        |
| Part Number<br>Numéro Pièce                                                                      |  | Rev.<br>0                                                                                           | 7<br>7 |
| 5412ESM121008NOIPB                                                                               |  |                                                                                                     |        |

|            |                      |     |                                                        |
|------------|----------------------|-----|--------------------------------------------------------|
| 2          | STK-Q-08112          | 3   | M5 Stainless Steel 304 Nylon Insert Dome Nut           |
| 4          | STK-Q-71305          | 3   | 5412 ESMCH Stamped Mounting Foot                       |
| 2          | STK-Q-00200          | 0   | M5 x 8mm Stainless Steel 316 Carriage Bolt with Nyseal |
| 1          | STK-P-02400S         | 0   | Powder Paint (Asa-61 Grey / Smooth)                    |
| 1          | 5412ESM121008NOIPB-P | 0   | 5412ESM 12" x 10" x 8" Body Part                       |
| 5          | STK-Q-08350          | 5   | Standoff M6 x 10mm                                     |
| Qty        | Part Number          | Rev | Description                                            |
| Parts List |                      |     |                                                        |

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESM121008NOIP\5412ESM121008NOIPC.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer  
Client

Date

Drawn By  
Dessiné Par BoxCad: BoxCad

Date 06-Dec-21

Material  
Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color  
Couleur Asa-61 Grey

Finish  
Fini Smooth

Description  
5412ESM 12" x 10" Cover

Detail Rev.

Part Number  
Numéro Pièce  
**5412ESM121008NOIPC**

Rev.  
**0**

1  
3

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESM121008NOIP\5412ESM121008NOIPC.idw

Tolérance ±1/32" sauf spécification contraire

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |       |        |                             |
|-----------------------------------------------------|-------|--------|-----------------------------|
| HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)       |       |        |                             |
| CUT-OUT                                             | XDIM  | YDIM   | DESCRIPTION                 |
| 1                                                   | 1.145 | 1.125  | STANDOFF M6 x 10mm (Inside) |
| 2                                                   | 2.750 | 10.000 | LABEL_EXM                   |
| 3                                                   | 8.705 | 9.000  | LOCK 880 SCQ4-SL @ 0.0°     |
| 4                                                   | 8.705 | 3.000  | LOCK 880 SCQ4-SL @ 0.0°     |




Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

|  |                             |        |   |
|--|-----------------------------|--------|---|
|  | Description                 | Status |   |
|  | 5412ESM 12" x 10" Cover     | (NULL) |   |
|  | Part Number<br>Numéro Pièce | Rev.   | 2 |
|  | 5412ESM121008NOIPC          | 0      | 3 |


This drawing is confidential and must not be reproduced or used without the consent of EXM

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



**Isometric View**



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|  <div style="display: flex; justify-content: space-between; align-items: center;"> <div> <p>Tél: (450) 979-4373</p> <p>Fax: (450) 979-4626</p> <p><a href="http://www.exmweb.com">www.exmweb.com</a></p> </div> <div> <p>Flatness<br/>Aplatissement</p> <p>Max 3.0mm</p> <p>Projection</p>  </div> </div> | <p>Customer<br/>Client</p>  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <p>Material<br/>Matière</p> |
| <p>Color<br/>Couleur</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <p>Detail Rev.</p>          |
| <p>Description</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <p>Rev.</p>                 |
| <p>Part Number<br/>Numéro Pièce</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <p>3</p>                    |
| <p>5412ESM 12" x 10" Cover</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <p>0</p>                    |
| <p>Asa-61 Grey</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <p>3</p>                    |
| <p>BoxCad: BoxCad</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <p>3</p>                    |
| <p>16 Ga Cold Rolled A1008 CS Type B (1.4mm)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                    | <p>3</p>                    |
| <p>Smooth</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <p>3</p>                    |
| <p>5412ESM121008NOIPC</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <p>3</p>                    |