


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESPH241608\5412ESPH241608.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



BOTTOM




LEFT



FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client Date

Drawn By Dessiné Par BoxCad: BoxCad Date 24-Jul-23

Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)






Color Couleur Asa-61 Grey Finish Fini Smooth

Description 5412ESPH 24" x 16" x 8" Assembly Detail Rev.

Part Number Numéro Pièce 5412ESPH241608 Rev. 0 1 9

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESPH241608\5412ESPH241608.idw		Tolérance ±1/32" sauf spécification contraire																																									
<div><div>NOTE</div><table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 4/12 Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>C/W Standard door stiffener</td></tr><tr><td>4</td><td>C/W Standard inner panel (Included)</td></tr><tr><td>5</td><td>C/W Standard inner panel mounting studs</td></tr></table></div>				ITEM	DESCRIPTION	1	NEMA 4/12 Enclosure	2	C/W Standard ground studs on box and cover	3	C/W Standard door stiffener	4	C/W Standard inner panel (Included)	5	C/W Standard inner panel mounting studs	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>		No.	Revisions	Date	By/Par																								
ITEM	DESCRIPTION																																												
1	NEMA 4/12 Enclosure																																												
2	C/W Standard ground studs on box and cover																																												
3	C/W Standard door stiffener																																												
4	C/W Standard inner panel (Included)																																												
5	C/W Standard inner panel mounting studs																																												
No.	Revisions	Date	By/Par																																										
				<div><p>Isometric View</p></div>																																									
																																													
				<div><div><div>Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com</div></div><div><div>Flatness Aplatissement</div><div><div>Max 3.0mm</div></div><div><div>Projection</div><div></div></div></div></div>																																									
				Customer Client		Date																																							
Drawn By Dessiné Par				BoxCad: BoxCad																																									
Material Matière				16 Ga Cold Rolled A1008 CS Type B (1.4mm)																																									
Color Couleur				Asa-61 Grey																																									
Finish Fini				Smooth																																									
Description				Detail Rev.																																									
5412ESPH 24" x 16" x 8" Assembly																																													
Part Number Numéro Pièce				Rev.	2																																								
5412ESPH241608				0	9																																								

1	881 SP2416G	0	881 SP - Inner Panel
2	STK-K-01320	0	5412 ES Inner Panel Accessory Kit
1	STK-K-01800	5	5412 ES Accessory Kit
4	STK-Q-04050-14	5	M6 x 14mm Hexagon Socket Head Machine Screw with Nyseal
4	RIVET_NUT_M6_FH_CE	0	Rivet Nut M6 (Low Profile Close End)
1	5412ESPH241608C	0	5412ESPH 24" x 16" Cover
1	5412ESPH241608B	0	5412ESPH 24" x 16" x 8" Body
Qty	Part Number	Rev	Description
Parts List			

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together
Packaging label	1	White label with product number


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESPH241608\5412ESPH241608.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 24-Jul-23

Material
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

5412ESPH 24" x 16" x 8" Body

Detail Rev.


Part Number
Numéro Pièce

5412ESPH241608B

Rev.

3
9

SEE BILL OF MATERIAL ON LAST PAGE




This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESPH241608\5412ESPH241608.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	22.125	IP STUD M8 x 35mm (Inside)
3	14.125	22.125	IP STUD M8 x 35mm (Inside)
4	14.125	1.875	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
5	15.250	0.750	RND Ø0.390
6	15.250	23.250	RND Ø0.390
7	0.750	23.250	RND Ø0.390
8	0.750	0.750	RND Ø0.390



	Description		Status	
	5412ESPH 24" x 16" x 8" Body		(NULL)	
	Part Number Numéro Pièce		Rev.	5
	5412ESPH241608B		0	9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESPH241608\5412ESPH241608.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 24-Jul-23
Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth

1	STK-Q-16080	0	Ground Stud M6 x 16mm Steel
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	5412ESPH241608B-P	0	5412ESPH 24" x 16" x 8" Body Part
Qty	Part Number	Rev	Description
Parts List			

Description	Detail Rev.	
5412ESPH 24" x 16" x 8" Body		
Part Number Numéro Pièce	Rev.	6
5412ESPH241608B	0	9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESPH241608\5412ESPH241608.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par BoxCad: BoxCad

Date 24-Jul-23

Material
Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color
Couleur Asa-61 Grey

Finish
Fini Smooth

Description
5412ESPH 24" x 16" Cover

Detail Rev.

Part Number
Numéro Pièce
5412ESPH241608C

Rev.

7
9

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESPH241608\5412ESPH241608.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.486	1.567	STUD M6 x 18mm (Inside)
2	1.486	22.236	STUD M6 x 18mm (Inside)
3	13.081	22.236	STUD M6 x 18mm (Inside)
4	13.081	1.567	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
5	3.750	20.803	LABEL_EXM (Inside)
6	14.058	19.553	880 SCQ4-SL
7	14.058	4.250	880 SCQ4-SL



	Description		Status	
	5412ESPH 24" x 16" Cover		(NULL)	
	Part Number Numéro Pièce		Rev.	8
	5412ESPH241608C		0	9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESPH241608\5412ESPH241608.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.


Revisions


Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com


Flatness

Aplatissement



Max 3.0mm

Projection



Customer Client

Date

Drawn By Dessiné Par

BoxCad: BoxCad

Date 24-Jul-23

Material Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color Couleur

Asa-61 Grey

Finish Fini

Smooth

Description

Detail Rev.

Part Number Numéro Pièce

Rev.

9

5412ESPH241608C

0

9






1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
2	STK-Q-46020-24	5	5412 ES Vertical Door Stiffener 24"
4	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
4	STK-Q-07225	0	M6 Stainless Steel Nylon Insert Lock Nut
4	STK-Q-00260	1	M6 x 13mm Carriage Bolt
1	5412ESPH241608HP-P	0	Piano Hinge Pin (Length= 23.183")
1	5412ESPH241608H1-P	0	5412ESPH 24" x 16" Piano Hinge Part
1	5412ESPH241608H2-P	0	5412ESPH 24" x 16" Piano Hinge Part
1	5412ESPH241608G	0	5412ESPH 24" x 16" Cover Gasket Part
1	5412ESPH241608C-P	0	5412ESPH 24" x 16" Cover Part
2	STK-K-12500	16	5412 ES 1/4 Turn Lock
4	STK-Q-07220	1	M6 Nylon Insert Lock Nut
QTY	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance $\pm 1/32"$ unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP2416G.idw



Tolérance $\pm 1/32''$ sauf spécification contraire




No.	Revisions	Date	By/Par

Isometric View

 <div style="margin-left: 20px;"> Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com </div>	Flatness Aplatissement
	Max 3.0mm Projection 
Customer Client	Date
Drawn By Dessiné Par BoxCad	Date 23-Jan-07
Material Matière See Part List	
Color Couleur See Part List	Finish Fini See Part List
Description	Detail Rev.
881 SP - Inner Panel	
Part Number Numéro Pièce 881 SP2416G	Rev. 0
<div style="float: right; margin-right: 20px;">1</div> <div style="float: right;">2</div>	

No.	Revisions	Date	By/Par



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM