


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT363016NOIP\5412ESQT363016NOIP.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT




FRONT




RIGHT



BOTTOM



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client Date

Drawn By Dessiné Par BoxCad: BoxCad Date 12-Jul-23

Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color Couleur Asa-61 Grey Finish Fini Smooth

Description 5412ESQT 36" x 30" x 16" Assembly Detail Rev.

Part Number Numéro Pièce Rev. 1

5412ESQT363016NOIP 0

9


SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXIM

No.	Revisions	Date	By/Par

NOTE	
ITEM	DESCRIPTION
1	NEMA 4/12 Enclosure
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	W/O Inner panel
5	C/W Standard inner panel mounting studs



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness	
Aplatissement	

Max 3.0mm

Projection



Customer Client	
--------------------	--

Date

Drawn By
Dessiné P

BoxCad: BoxCad

Date	12-Jul-23
------	-----------

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color	
Couleur	

Asa-61 Grev

Finish	
Fin	

Smooth

ID	Description	Status	Priority	Due Date	Assigned To	Created By	Last Modified
1	Task 1 Description	In Progress	High	2024-10-25	John Doe	John Doe	2024-10-24 10:30
2	Task 2 Description	Not Started	Medium	2024-11-05	Jane Smith	Jane Smith	2024-10-24 11:15
3	Task 3 Description	Completed	Low	2024-10-20	John Doe	John Doe	2024-10-23 14:45
4	Task 4 Description	In Progress	Medium	2024-11-10	Jane Smith	Jane Smith	2024-10-24 09:00
5	Task 5 Description	Not Started	High	2024-11-01	John Doe	John Doe	2024-10-24 13:20

5412ESQT 36" x 30" x 16" Assembly

Detail Rev.

Part Number	
Numéro Pièce	

5412ESQT363016NOIP

Rev.

1.	2
----	---

9

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together
Packaging label	1	White label with product number

1	STK-K-01800	5	5412 ES Accessory Kit
1	5412ESQT363016NOIPC	0	5412ESQT 36" x 30" Cover
1	5412ESQT363016NOIPB	0	5412ESQT 36" x 30" x 16" Body
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT363016NOIP\5412ESQT363016NOIP.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 12-Jul-23	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5412ESQT 36" x 30" x 16" Body			Detail Rev.
Part Number Numéro Pièce		Rev. 0	3 9

SEE BILL OF MATERIAL ON LAST PAGE

5412ESQT363016NOIPB


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT363016NOIP\5412ESQT363016NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	14.500	2.000	GND STUD M6 x 16mm (Inside)



	Description	Status	
	5412ESQT 36" x 30" x 16" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	4
	5412ESQT363016NOIPB	0	9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT363016NOIP\5412ESQT363016NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	34.125	IP STUD M8 x 35mm (Inside)
3	28.125	34.125	IP STUD M8 x 35mm (Inside)
4	28.125	1.875	IP STUD M8 x 35mm (Inside)
5	1.875	18.000	IP STUD M8 x 35mm (Inside)
6	28.125	18.000	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
7	29.250	0.750	RND Ø0.390
8	29.250	35.250	RND Ø0.390
9	0.750	35.250	RND Ø0.390
10	0.750	0.750	RND Ø0.390



BACK

	Description	Status	
	5412ESQT 36" x 30" x 16" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	5
	5412ESQT363016NOIPB	0	9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM





This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT363016NOIP\5412ESQT363016NOIP.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par
			
<p>Isometric View</p>			
		<p>Flatness Aplatissement Max 3.0mm</p>	
<p>Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com</p>		<p>Projection </p>	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 12-Jul-23	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur Asa-61 Grey		Finish Fini Smooth	
Description 5412ESQT 36" x 30" x 16" Body			Detail Rev.
Part Number Numéro Pièce 5412ESQT363016NOIPB			Rev. 6 0 9

1	STK-Q-16080	0	Ground Stud M6 x 16mm Steel
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
6	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	5412ESQT363016NOIPB-P	0	5412ESQT 36" x 30" x 16" Body Part
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT363016NOIP\5412ESQT363016NOIP.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT





Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par

 <div>Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com</div>		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Asa-61 Grey	
		Finish Fin	
		Smooth	
Description		Detail Rev.	
5412ESQT 36" x 30" Cover			
Part Number Numéro Pièce		Rev.	
		0	7
			9

SEE BILL OF MATERIAL ON LAST PAGE

5412ESQT363016NOIPC


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT363016NOIP\5412ESQT363016NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.401	1.661	STUD M6 x 18mm (Inside)
2	2.401	34.142	STUD M6 x 18mm (Inside)
3	27.517	34.142	STUD M6 x 18mm (Inside)
4	27.517	1.661	STUD M6 x 18mm (Inside)
5	1.550	1.500	STUD M6 x 18mm (Inside)
6	28.368	1.500	STUD M6 x 18mm (Inside)
7	1.550	34.303	STUD M6 x 18mm (Inside)
8	28.368	34.303	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
9	4.500	32.053	LABEL_EXM (Inside)
10	1.424	31.553	880 SCQ4-SL
11	1.424	4.250	880 SCQ4-SL
12	28.494	31.553	880 SCQ4-SL
13	28.494	4.250	880 SCQ4-SL
14	14.959	34.379	880 SCQ4-SL
15	14.959	1.424	880 SCQ4-SL



	Description	Status	
	5412ESQT 36" x 30" Cover	(NULL)	
	Part Number Numéro Pièce	Rev.	8
	5412ESQT363016NOIPC	0	9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESQT363016NOIP\5412ESQT363016NOIP.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions


Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com


Flatness

Aplatissement



Max 3.0mm

Projection



Customer Client

Date

Drawn By Dessiné Par

BoxCad: BoxCad

Date

12-Jul-23

Material Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color Couleur

Asa-61 Grey

Finish Fini

Smooth

Description

5412ESQT 36" x 30" Cover

Detail Rev.

Part Number

Numéro Pièce

5412ESQT363016NOIPC

Rev.

0

9

9

1

STK-S-00100

0

3.5" x 2" Silver Milar Flexcon Sticker

1

STK-P-02400S

0

Powder Paint (Asa-61 Grey / Smooth)

2

STK-Q-46020-36

5

5412 ES Vertical Door Stiffener 36"

8

STK-Q-16055

1

M6 x 18mm Stud (No Paint Cap Required)

1

5412ESQT363016NOIPG

0

5412ESQT 36" x 30" Cover Gasket Part

1

5412ESQT363016NOIPC-P

0

5412ESQT 36" x 30" Cover Part

6

STK-K-12500

16

5412 ES 1/4 Turn Lock

4

STK-Q-07220

1

M6 Nylon Insert Lock Nut

4

STK-Q-46515

3

5412 ES Door Support with Brass Insert

QTY

Part Number

Rev

Description

Parts List