


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\5412ESSCH100806\5412ESSCH100806.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT



RIGHT




BOTTOM


GRAIN DIRECTION:
TOP/BOTTOM: HORIZONTAL
LEFT/RIGHT/BACK/FRONT: VERTICAL

SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 07-Jan-14	
Material Matière		16 Ga Stainless Steel 304 (1.4mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 5412ESSCH 10" x 8" x 6" Assembly			Detail Rev.
Part Number Numéro Pièce		Rev.	1 2
5412ESSCH100806		0	

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\5412ESSCH100806\5412ESSCH100806.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 4X Enclosure
2	C/W Standard ground standoffs on box and cover
3	W/O Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting standoffs
6	C/W 885 ESCHMF2 Mounting Feet (Installed)

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 07-Jan-14	
Material Matière		16 Ga Stainless Steel 304 (1.4mm)	

Color Couleur		Unpainted	Finish Fin		Brushed
------------------	--	-----------	---------------	--	---------

Description	Detail Rev.
5412ESSCH 10" x 8" x 6" Assembly	

Part Number Numéro Pièce			Rev.		2
5412ESSCH100806			0		2

1	5412ESSCH100806C	0	5412ESSCH 10" x 8" Cover
1	885 ESSCHMFQ	0	5412 ESSCH Mounting Feet Accessory Kit
1	880 SP1008G	0	880 SP1008G - Inner Panel
1	STK-K-02910	3	5412 ESCH Accessory Kit
1	5412ESSCH100806B	0	5412ESSCH 10" x 8" x 6" Body
2	STK-Q-08100	1	M5 Nylon Insert Lock Nut
Qty	Part Number	Rev	Description
Parts List			

PACKING		
ITEM	QTY	DESCRIPTION
STK-E-04311	1	CARTON 5412 ESCH100806
Plastic bag	1	To protect cover surface and inside gasket
Packaging label	1	White label with product number
STK-S-01100	1	ESCH EXM SQUARE STICKER


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\5412ESSCH100806\5412ESSCH100806B.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




LEFT




FRONT




RIGHT



BOTTOM



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 07-Jan-14

Material
Matière

16 Ga Stainless Steel 304 (1.4mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

5412ESSCH 10" x 8" x 6" Body

Detail Rev.

Part Number
Numéro Pièce

5412ESSCH100806B


Rev.

0

1

7

SEE BILL OF MATERIAL ON LAST PAGE



Description		Status	
5412ESSCH 10" x 8" x 6" Body		(NULL)	
Part Number Numéro Pièce		Rev.	5
5412ESSCH100806B		0	7

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\5412ESSCH100806\5412ESSCH100806B6.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.875	0.875	IP STANDOFF M6 x 10mm (Inside)
2	0.875	9.125	IP STANDOFF M6 x 10mm (Inside)
3	7.125	9.125	IP STANDOFF M6 x 10mm (Inside)
4	7.125	0.875	IP STANDOFF M6 x 10mm (Inside)
-----	-----	-----	-----
5	7.000	0.000	FOOT 885 ESCHMF2
6	1.000	0.000	FOOT 885 ESCHMF2
7	7.000	10.000	FOOT 885 ESCHMF2
8	1.000	10.000	FOOT 885 ESCHMF2
9	7.000	0.344	RIVET NUT M6_FH_CE (Inside)
10	1.000	0.344	RIVET NUT M6_FH_CE (Inside)
11	7.000	9.656	RIVET NUT M6_FH_CE (Inside)
12	1.000	9.656	RIVET NUT M6_FH_CE (Inside)






	Description		Status	
	5412ESSCH 10" x 8" x 6" Body		(NULL)	
	Part Number Numéro Pièce		Rev.	6
	5412ESSCH100806B		0	7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View

		Flatness Aplatissement  Max 3.0mm Projection 	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com			
Customer Client		Date	
Drawn By Dessiné Par		Date 07-Jan-14 BoxCad: BoxCad	
Material Matière 16 Ga Stainless Steel 304 (1.4mm)			
Color Couleur		Finish Fini	
Unpainted		Brushed	
Description		Detail Rev.	
5412ESSCH 10" x 8" x 6" Body			
Part Number Numéro Pièce 5412ESSCH100806B		Rev. 0	7 7


4	RIVET_NUT_SS_M6_FH_CE	0	Stainless Steel Rivet Nut M6 (Low Profile Close End)
1	STK-Q-08100	1	M5 Nylon Insert Lock Nut
1	5412ESSCH100806B-P	0	5412ESSCH 10" x 8" x 6" Body Part
1	STK-A-70469	6	5412 ESSMCH - Stainless Steel 316 Body Catch Assembly
5	STK-Q-08500	4	Stainless Steel Standoff M6 x 10mm
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\5412ESSCH100806\5412ESSCH100806C.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT




Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Tél: (450) 979-4373

Fax: (450) 979-4626


www.exmweb.com

Flatness

Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 07-Jan-14	
Material Matière 16 Ga Stainless Steel 304 (1.4mm)			
Color Couleur Unpainted		Finish Fini Brushed	
Description 5412ESSCH 10" x 8" Cover			Detail Rev.
Part Number Numéro Pièce 5412ESSCH100806C		Rev. 0	1 / 3

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\5412ESSCH100806\5412ESSCH100806C.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.145	1.125	STANDOFF M6 x 10mm (Inside)
2	2.750	8.000	LABEL_EXM
3	8.080	5.000	LOCK 880 SCQ3MS @ 0.0°



	Description	Status	
	5412ESSCH 10" x 8" Cover	(NULL)	
	Part Number Numéro Pièce	Rev.	2
	5412ESSCH100806C	0	3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\5412ESSCH100806\5412ESSCH100806C.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection

Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

07-Jan-14

Material
Matière

16 Ga Stainless Steel 304 (1.4mm)

Color
Couleur

Unpainted

Finish
Fini

Brushed

Description

5412ESSCH 10" x 8" Cover

Detail Rev.

Part Number
Numéro Pièce

5412ESSCH100806C

Rev.


3

3



1	5412ESSCH100806G	0	5412ESSCH 10" x 8" Gasket
1	880SCQ3S	4	5412 ESSMCH - Stainless Steel External Lock Assy - Slot Lock
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-Q-08500	4	Stainless Steel Standoff M6 x 10mm
1	5412ESSCH100806C-P	0	5412ESSCH 10" x 8" Cover Part
2	STK-A-33038	3	5412 ESSMCH - Stainless Steel Hinge
Qty	Part Number	Rev	Description
Parts List			

C:\Vault_Workspace\Inventor_Dwg\Inv-8\880SP\880SP1008G.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Isometric View

		Flatness Aplatissement	
		Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection	
			
Customer Client		Date	
Drawn By Dessiné Par BoxCad		Date 23-Jan-07	
Material Matière 14 Ga Galvanized (1.7mm)			
Color Couleur Unpainted		Finish Fini Galvanized	
Description 880 SP1008G - Inner Panel		Detail Rev.	
Part Number Numéro Pièce 880 SP1008G		Rev. 0	1 2

Technical drawing of a rectangular plate with four holes, showing three views: TOP, FRONT, and RIGHT.

TOP View: Shows the rectangular plate with four holes. The top edge is dimensioned as 0.000 to 6.880. The right edge is dimensioned as 8.880. The bottom-left corner is dimensioned as 0.315. The bottom-right corner is dimensioned as 0.315. The top-right corner is dimensioned as R0.125.

FRONT View: Shows the rectangular plate with four holes. The bottom edge is dimensioned as 0.315. The bottom-right corner is dimensioned as 0.315. The bottom-left corner is dimensioned as 0.315. The bottom-right corner is dimensioned as 0.315. The bottom-left corner is dimensioned as 0.315. The bottom-right corner is dimensioned as 0.315.

RIGHT View: Shows the rectangular plate with four holes. The right edge is dimensioned as 0.000 to 8.880.




Dimensions:

- Top edge: 0.000 to 6.880
- Right edge: 8.880
- Bottom-left corner: 0.315
- Bottom-right corner: 0.315
- Top-right corner: R0.125
- Bottom edge: 0.315
- Bottom-right corner: 0.315
- Bottom-left corner: 0.315
- Bottom-right corner: 0.315
- Bottom-left corner: 0.315
- Bottom-right corner: 0.315

SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm Projection 	
Customer Client				Date	
Drawn By Dessiné Par BoxCad				Date 23-Jan-07	
Material Matière 14 Ga Galvanized (1.7mm)					
Color Couleur			Unpainted Finish Fini Galvanized		
Description				Detail Rev.	
880 SP1008G - Inner Panel					

Part Number Numéro Pièce	Rev.	2
880 SP1008G	0	2