


This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


No.	Revisions	Date	By/Par




Isometric View




		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
Customer Client		Date		Projection 	
Drawn By Dessiné Par		BoxCad: BoxCad		Date 10-Nov-21	
Material Matière		16 Ga Stainless Steel 316 (1.4mm)			
Color Couleur		Unpainted		Finish Fin Brushed	
Description 5412ESSM 8" x 6" x 6" Assembly				Detail Rev.	
Part Number Numéro Pièce 5412ESSM0806066NOIP				Rev. 0	1 2




TOP




BACK




LEFT



FRONT





RIGHT



BOTTOM

GRAIN DIRECTION:
TOP/BOTTOM: HORIZONTAL
LEFT/RIGHT/BACK/FRONT: VERTICAL

SEE BILL OF MATERIAL ON LAST PAGE

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSM0806066NOIP\5412ESSM0806066NOIP.idw		Tolérance ±1/32" sauf spécification contraire																																											
NOTE <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 4X Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground standoffs on box and cover</td></tr><tr><td>3</td><td>W/O Standard door stiffener</td></tr><tr><td>4</td><td>W/O Inner panel</td></tr><tr><td>5</td><td>C/W Standard inner panel mounting standoffs</td></tr><tr><td>6</td><td>C/W 885 ESCHMF2 Mounting Feet (Installed)</td></tr></table>				ITEM	DESCRIPTION	1	NEMA 4X Enclosure	2	C/W Standard ground standoffs on box and cover	3	W/O Standard door stiffener	4	W/O Inner panel	5	C/W Standard inner panel mounting standoffs	6	C/W 885 ESCHMF2 Mounting Feet (Installed)	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table>		No.	Revisions	Date	By/Par																								
ITEM	DESCRIPTION																																														
1	NEMA 4X Enclosure																																														
2	C/W Standard ground standoffs on box and cover																																														
3	W/O Standard door stiffener																																														
4	W/O Inner panel																																														
5	C/W Standard inner panel mounting standoffs																																														
6	C/W 885 ESCHMF2 Mounting Feet (Installed)																																														
No.	Revisions	Date	By/Par																																												
				 Isometric View																																											
				Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection 																																											
				<table><tr><td>Customer Client</td><td>Date</td></tr><tr><td>Drawn By Dessiné Par</td><td>Date 10-Nov-21</td></tr><tr><td>BoxCad: BoxCad</td><td></td></tr><tr><td>Material Matière</td><td>16 Ga Stainless Steel 316 (1.4mm)</td></tr><tr><td>Color Couleur</td><td>Unpainted</td></tr><tr><td>Finish Fini</td><td>Brushed</td></tr></table>		Customer Client	Date	Drawn By Dessiné Par	Date 10-Nov-21	BoxCad: BoxCad		Material Matière	16 Ga Stainless Steel 316 (1.4mm)	Color Couleur	Unpainted	Finish Fini	Brushed																														
				Customer Client	Date																																										
				Drawn By Dessiné Par	Date 10-Nov-21																																										
BoxCad: BoxCad																																															
Material Matière	16 Ga Stainless Steel 316 (1.4mm)																																														
Color Couleur	Unpainted																																														
Finish Fini	Brushed																																														
<table><tr><td>Description</td><td>Detail Rev.</td></tr><tr><td>5412ESSM 8" x 6" x 6" Assembly</td><td></td></tr><tr><td>Part Number Numéro Pièce</td><td>Rev. 2</td></tr><tr><td>5412ESSM0806066NOIP</td><td>0</td></tr></table>		Description	Detail Rev.	5412ESSM 8" x 6" x 6" Assembly		Part Number Numéro Pièce	Rev. 2	5412ESSM0806066NOIP	0																																						
Description	Detail Rev.																																														
5412ESSM 8" x 6" x 6" Assembly																																															
Part Number Numéro Pièce	Rev. 2																																														
5412ESSM0806066NOIP	0																																														

PACKING			
ITEM	QTY	DESCRIPTION	
STK-E-04307	1	CARTON 5412 ESCH080606	
Plastic bag	1	To protect cover surface and inside gasket	
Packaging label	1	White label with product number	
STK-S-01100	1	ESCH EXM SQUARE STICKER	


1	5412ESSM0806066NOIP C	0	5412ESSM 8" x 6" Cover
1	STK-K-02910	3	5412 ESCH Accessory Kit
1	885 ESSCHMFQ	0	5412 ESSCH Mounting Feet Accessory Kit
1	5412ESSM0806066NOIP B	0	5412ESSM 8" x 6" x 6" Body
2	STK-Q-08100	1	M5 Nylon Insert Lock Nut
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Max 3.0mm

Projection



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Customer Client	
--------------------	--

Date _____

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 10-Nov-21

Material	
Matière	

16 Ga Stainless Steel 316 (1.4mm)

Color	
Couleur	

Unpainted

Finish
Finis

crushed

Description

Detail Rev.

5412ESSM 8" x 6" x 6" Body

Part Number Numéro Pièce	
-----------------------------	--


Rev.

1.

7 |

SEE BILL OF MATERIAL ON LAST PAGE

5412ESSM0806066NOIPB



This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSM0806066NOIP\5412ESSM0806066NOIPB6.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.875	0.875	IP STANDOFF M6 x 10mm (Inside)
2	0.875	7.125	IP STANDOFF M6 x 10mm (Inside)
3	5.125	7.125	IP STANDOFF M6 x 10mm (Inside)
4	5.125	0.875	IP STANDOFF M6 x 10mm (Inside)
-----	-----	-----	-----
5	5.000	0.000	FOOT 885 ESCHMF2
6	1.000	0.000	FOOT 885 ESCHMF2
7	5.000	8.000	FOOT 885 ESCHMF2
8	1.000	8.000	FOOT 885 ESCHMF2
9	5.000	0.344	RIVET NUT M6_FH_CE (Inside)
10	1.000	0.344	RIVET NUT M6_FH_CE (Inside)
11	5.000	7.656	RIVET NUT M6_FH_CE (Inside)
12	1.000	7.656	RIVET NUT M6_FH_CE (Inside)



	Description	Status	
	5412ESSM 8" x 6" x 6" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	6
	5412ESSM0806066NOIPB	0	7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSM0806066NOIP\5412ESSM0806066NOIPB.idw


Tolérance ±1/32" sauf spécification contraire

No.

Revisions

Date

By/Par




Isometric View

Flatness
Aplatissement



Max 3.0mm

Projection



Customer Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

10-Nov-21

Material
Matière

16 Ga Stainless Steel 316 (1.4mm)

Color
Couleur

Unpainted

Finish
Fini

Brushed

Description

5412ESSM 8" x 6" x 6" Body

Detail Rev.

Part Number
Numéro Pièce

5412ESSM0806066NOIPB

Rev.

0

7

7

4

RIVET_NUT_SS_M6_FH_CE

0

Stainless Steel Rivet Nut M6 (Low Profile Close End)

1

STK-Q-08112

3

M5 Stainless Steel 304 Nylon Insert Dome Nut

1

5412ESSM0806066NOIP B-P

0

5412ESSM 8" x 6" x 6" Body Part

1

STK-Q-00200

0

M5 x 8mm Stainless Steel 316 Carriage Bolt with Nyseal

5

STK-Q-08500

4

Stainless Steel Standoff M6 x 10mm


Qty

Part Number


Rev

Description


Parts List




TOP




BACK




BOTTOM




LEFT




FRONT




RIGHT



Isometric View



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com



Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 10-Nov-21	
Material Matière 16 Ga Stainless Steel 316 (1.4mm)			
Color Couleur Unpainted		Finish Fini Brushed	
Description 5412ESSM 8" x 6" Cover		Detail Rev.	
Part Number Numéro Pièce 5412ESSM0806066NOIPC		Rev. 0	1 3

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSM0806066NOIP\5412ESSM0806066NOIPC.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	4.705	4.000	LOCK 880 SCQ4-SLSS6 @ 0.0°
2	1.145	1.125	STANDOFF M6 x 10mm (Inside)
3	2.750	6.000	LABEL_EXM



	Description	Status	
	5412ESSM 8" x 6" Cover	(NULL)	
	Part Number Numéro Pièce	Rev.	2 3
	5412ESSM0806066NOIPC	0	

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32"$ unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSM0806066NOIP\5412ESSM0806066NOIPC.idw

Tolérance $\pm 1/32''$ sauf spécification contraire

[illegible]

1	5412ESSM0806066NOIP G	0	5412ESSM 8" x 6" Gasket
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-Q-08500	4	Stainless Steel Standoff M6 x 10mm
1	880 SCQ4-SLSS6	7	5412 ESS 1/4 Turn Lock
1	5412ESSM0806066NOIP C-P	0	5412ESSM 8" x 6" Cover Part
2	STK-A-33038	3	5412 ESSMCH - Stainless Steel Hinge
Qty	Part Number	Rev	Description
Parts List			