



This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



**GRAIN DIRECTION:  
TOP/BOTTOM: HORIZONTAL  
LEFT/RIGHT/BACK/Front: VERTICAL**

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |




|  |                                   |                           |
|--|-----------------------------------|---------------------------|
| Tél: (450) 979-4373<br>Fax: (450) 979-4626<br><a href="http://www.exmweb.com">www.exmweb.com</a> |                                   | Flatness<br>Aplatissement |
|  |                                   | Max 3.0mm<br>Projection   |
| Customer<br>Client   | Date                              |                           |
| Drawn By<br>Dessiné Par BoxCad: BoxCad   | Date 13-Mar-23                    |                           |
| Material<br>Matière  | 16 Ga Stainless Steel 316 (1.4mm) |                           |
| Color<br>Couleur   | Unpainted                         | Finish<br>Fini Brushed    |
| Description  | Detail Rev.                       |                           |
| 5412ESSMCH 12" x 6" x 4" Assembly  |                                   |                           |
| Part Number<br>Numéro Pièce  | Rev. 1                            | 9                         |
| SEE BILL OF MATERIAL ON LAST PAGE 5412ESSMCH1206046NOIP  | 0                                 |                           |

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

| NOTE |  |
|------|--|
| ITEM | DESCRIPTION                                    |
| 1    | NEMA 4X Enclosure                              |
| 2    | C/W Standard ground standoffs on box and cover |
| 3    | W/O Standard door stiffener                    |
| 4    | W/O Inner panel                                |
| 5    | C/W Standard inner panel mounting standoffs    |
| 6    | C/W 885 ESCHMF2 Mounting Feet (Kit)            |

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement  
Max 3.0mm  
Projection

|   |                 |
|---|-----------------|
| Customer Client                                       | Date            |
| Drawn By / Dessiné Par: BoxCad: BoxCad                | Date: 13-Mar-23 |
| Material / Matière: 16 Ga Stainless Steel 316 (1.4mm) |                 |

| PACKING         |     |  |
|-----------------|-----|--|
| ITEM            | QTY | DESCRIPTION                                |
| STK-E-04315     | 1   | CARTON 5412 ESCH120604                     |
| Plastic bag     | 1   | To protect cover surface and inside gasket |
| Packaging label | 1   | White label with product number            |
| STK-S-01100     | 1   | ESCH EXM SQUARE STICKER                    |


|     |                            |     |                               |
|-----|----------------------------|-----|-------------------------------|
| 1   | STK-K-02945                | 0   | 5412 ESSMCH Accessory Kit     |
| 1   | 5412ESSMCH1206046NO<br>IPC | 0   | 5412ESSMCH 12" x 6" Cover     |
| 1   | 5412ESSMCH1206046NO<br>IPB | 0   | 5412ESSMCH 12" x 6" x 4" Body |
| 2   | STK-Q-08100                | 1   | M5 Nylon Insert Lock Nut      |
| 2   | STK-Q-10249                | 0   | M5 Sealing Washer             |
| Qty | Part Number                | Rev | Description                   |

Parts List


|  |                        |
|--|------------------------|
| Color / Couleur: Unpainted                               | Finish / Fini: Brushed |
| Description: 5412ESSMCH 12" x 6" x 4" Assembly           |                        |
| Part Number / Numéro Pièce: <b>5412ESSMCH1206046NOIP</b> | Rev. 0                 |

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



Tél: (450) 979-4373  
 Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement  
Max 5.0mm  
Projection


|   |                        |
|---|------------------------|
| Customer Client                                       | Date                   |
| Drawn By / Dessiné Par: BoxCad: BoxCad                | Date: 13-Mar-23        |
| Material / Matière: 16 Ga Stainless Steel 316 (1.4mm) |                        |
| Color / Couleur: Unpainted                            | Finish / Fini: Brushed |
| Description: 5412ESSMCH 12" x 6" x 4" Body            |                        |
| Part Number / Numéro Pièce                            | Rev. 3                 |

SEE BILL OF MATERIAL ON LAST PAGE 5412ESSMCH1206046NOIPB 0 9

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |       |       |                             |
|---|-------|-------|-----------------------------|
| HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)        |       |       |                             |
| CUT-OUT   | XDIM  | YDIM  | DESCRIPTION                 |
| 1   | 2.625 | 0.875 | STANDOFF M6 x 10mm (Inside) |



|  |                                 |        |
|--|---------------------------------|--------|
|  | Description                     | Status |
|  | 5412ESSMCH 12" x 6" x 4" Body   | (NULL) |
|  | Part Number<br>Numéro Pièce     | Rev.   |
|  | <b>5412ESSMCH1206046NOIPB 0</b> | 4<br>9 |


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

**STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE**

**HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)**

| CUT-OUT | XDIM  | YDIM   | DESCRIPTION                    |
|---------|-------|--------|--------------------------------|
| 1       | 0.875 | 0.875  | IP STANDOFF M6 x 10mm (Inside) |
| 2       | 0.875 | 11.125 | IP STANDOFF M6 x 10mm (Inside) |
| 3       | 5.125 | 11.125 | IP STANDOFF M6 x 10mm (Inside) |
| 4       | 5.125 | 0.875  | IP STANDOFF M6 x 10mm (Inside) |
| -----   |       |        |                                |
| 5       | 5.000 | 0.000  | FOOT 885 ESCHMF2               |
| 6       | 1.000 | 0.000  | FOOT 885 ESCHMF2               |
| 7       | 5.000 | 12.000 | FOOT 885 ESCHMF2               |
| 8       | 1.000 | 12.000 | FOOT 885 ESCHMF2               |




|  |                                 |        |
|--|---------------------------------|--------|
|  | Description                     | Status |
|  | 5412ESSMCH 12" x 6" x 4" Body   | (NULL) |
|  | Part Number<br>Numéro Pièce     | Rev. 5 |
|  | <b>5412ESSMCH1206046NOIPB 0</b> | 9      |


This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



Isometric View



Tél: (450) 979-4373  
 Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement  
Max 3.0mm  
Projection

|   |                 |
|---|-----------------|
| Customer Client                                       | Date            |
| Drawn By / Dessiné Par: BoxCad: BoxCad                | Date: 13-Mar-23 |
| Material / Matière: 16 Ga Stainless Steel 316 (1.4mm) |                 |

|                            |                        |
|----------------------------|------------------------|
| Color / Couleur: Unpainted | Finish / Fini: Brushed |
|----------------------------|------------------------|

|  |             |
|--|-------------|
| Description: 5412ESSMCH 12" x 6" x 4" Body | Detail Rev. |
|--|-------------|

|  |        |
|--|--------|
| Part Number / Numéro Pièce: 5412ESSMCH1206046NOIPB | Rev. 6 |
|--|--------|


| Qty | Part Number               | Rev | Description   |
|-----|---------------------------|-----|---|
| 1   | 5412ESSMCH1206046NO IPB-P | 0   | 5412ESSMCH 12" x 6" x 4" Body Part                    |
| 2   | STK-A-70469               | 6   | 5412 ESSMCH - Stainless Steel 316 Body Catch Assembly |
| 2   | STK-Q-08100               | 1   | M5 Nylon Insert Lock Nut                              |
| 5   | STK-Q-08500               | 4   | Stainless Steel Standoff M6 x 10mm                    |

Parts List


**5412ESSMCH1206046NOIPB 0**

This drawing is confidential and must not be reproduced or used without the consent of EXM


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



Tél: (450) 979-4373  
 Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement  
Max 5.0mm  
Projection


|  |                                   |
|--|-----------------------------------|
| Customer Client  | Date                              |
| Drawn By<br>Dessiné Par                                    | Date 13-Mar-23                    |
| Material<br>Matière  | 16 Ga Stainless Steel 316 (1.4mm) |
| Color<br>Couleur   | Unpainted<br>Finish<br>Fini       |
| Description  | Detail Rev.                       |
| 5412ESSMCH 12" x 6" Cover                                  |                                   |
| Part Number<br>Numéro Pièce                                | Rev. 7                            |
| SEE BILL OF MATERIAL ON LAST PAGE 5412ESSMCH1206046NOIPC 0 | 9                                 |

SEE BILL OF MATERIAL ON LAST PAGE 5412ESSMCH1206046NOIPC 0

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

| STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE |       |        |                             |
|---|-------|--------|-----------------------------|
| HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)       |       |        |                             |
| CUT-OUT   | XDIM  | YDIM   | DESCRIPTION                 |
| 1   | 1.145 | 1.125  | STANDOFF M6 x 10mm (Inside) |
| 2   | 2.750 | 10.000 | LABEL_EXM                   |
| 3   | 6.080 | 9.000  | LOCK 880 SCQ3MS @ 0.0°      |
| 4   | 6.080 | 3.000  | LOCK 880 SCQ3MS @ 0.0°      |




|  |                                 |        |
|--|---------------------------------|--------|
|  | Description                     | Status |
|  | 5412ESSMCH 12" x 6" Cover       | (NULL) |
|  | Part Number<br>Numéro Pièce     | Rev.   |
|  | <b>5412ESSMCH1206046NOIPC 0</b> | 8<br>9 |



This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |




 Tél: (450) 979-4373  
 Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness / Aplatissement: Max 5.0mm  
 Projection: 

|  |                 |
|--|-----------------|
| Customer Client                        | Date            |
| Drawn By / Dessiné Par: BoxCad: BoxCad | Date: 13-Mar-23 |

Material / Matière: 16 Ga Stainless Steel 316 (1.4mm)

|                            |                        |
|----------------------------|------------------------|
| Color / Couleur: Unpainted | Finish / Fini: Brushed |
|----------------------------|------------------------|

|  |             |
|--|-------------|
| Description: 5412ESSMCH 12" x 6" Cover | Detail Rev. |
|--|-------------|

|  |        |
|--|--------|
| Part Number / Numéro Pièce: 5412ESSMCH1206046NOIPC | Rev. 9 |
|--|--------|

| Qty        | Part Number               | Rev | Description  |
|------------|---------------------------|-----|--|
| 1          | 5412ESSMCH1206046NO IPG   | 0   | 5412ESSMCH 12" x 6" Gasket                                   |
| 1          | STK-S-00100               | 0   | 3.5" x 2" Silver Milar Flexcon Sticker                       |
| 1          | STK-Q-08500               | 4   | Stainless Steel Standoff M6 x 10mm                           |
| 1          | 5412ESSMCH1206046NO IPC-P | 0   | 5412ESSMCH 12" x 6" Cover Part                               |
| 2          | STK-A-33038               | 3   | 5412 ESSMCH - Stainless Steel Hinge                          |
| 2          | 880SCQ3S                  | 4   | 5412 ESSMCH - Stainless Steel External Lock Assy - Slot Lock |
| Parts List |                           |     |  |

**5412ESSMCH1206046NOIPC 0**