


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSMPCH161408\5412ESSMPCH161408.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT





FRONT



RIGHT



Isometric View



BOTTOM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 03-Dec-14

Material
Matière

16 Ga Stainless Steel 304 (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5412ESSMPCH 16" x 14" x 8" Assembly

Detail Rev.

Part Number
Numéro Pièce

5412ESSMPCH161408

Rev.

0

1

2

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSMPCH161408\5412ESSMPCH161408.idw


Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 4X Enclosure
2	C/W Standard ground standoffs on box and cover
3	W/O Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting standoffs
6	C/W 885 ESCHMF2 Mounting Feet (Welded)

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date
Drawn By Dessiné Par	BoxCad: BoxCad	Date 03-Dec-14
Material Matière	16 Ga Stainless Steel 304 (1.4mm)	
Color Couleur	Asa-61 Grey	Finish Fini Smooth

Part Number Numéro Pièce		Rev.	2
5412ESSMPCH161408		0	2


PACKING		
ITEM	QTY	DESCRIPTION
STK-E-04329	1	CARTON 5412 ESCH161408
Plastic bag	1	To protect cover surface and inside gasket
Packaging label	1	White label with product number
STK-S-01100	1	ESCH EXM SQUARE STICKER

1	5412ESSMPCH161408C	0	5412ESSMPCH 16" x 14" Cover
1	880 SP1614G	0	880 SP1614G - Inner Panel
1	STK-K-02910	3	5412 ESCH Accessory Kit
1	5412ESSMPCH161408B	0	5412ESSMPCH 16" x 14" x 8" Body
2	STK-Q-08100	1	M5 Nylon Insert Lock Nut
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


Tolérance $\pm 1/32"$ sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Description	Status	
5412ESSMPCH 16" x 14" x 8" Body	(NULL)	
Part Number Numéro Pièce 5412ESSMPCH161408B	Rev. 0	5 7


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSMPCH161408\5412ESSMPCH161408B6.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.875	0.875	IP STANDOFF M6 x 10mm (Inside)
2	0.875	15.125	IP STANDOFF M6 x 10mm (Inside)
3	13.125	15.125	IP STANDOFF M6 x 10mm (Inside)
4	13.125	0.875	IP STANDOFF M6 x 10mm (Inside)
-----	-----	-----	-----
5	13.000	0.000	FOOT 885 ESCHMF2
6	1.000	0.000	FOOT 885 ESCHMF2
7	13.000	16.000	FOOT 885 ESCHMF2
8	1.000	16.000	FOOT 885 ESCHMF2



	Description		Status	
	5412ESSMPCH 16" x 14" x 8" Body		(NULL)	
	Part Number Numéro Pièce 5412ESSMPCH161408B		Rev.	6
			0	7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSMPCH161408\5412ESSMPCH161408B.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions

Date

By/Par




Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

03-Dec-14

Material
Matière

16 Ga Stainless Steel 304 (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5412ESSMPCH 16" x 14" x 8" Body

Detail Rev.

Part Number
Numéro Pièce

5412ESSMPCH161408B

Rev.

0

7

7

4

STK-Q-71316

4

5412 ESSMCH Stainless Steel Mounting Foot

1

STK-P-02400S

0

Powder Paint (Asa-61 Grey / Smooth)

1

5412ESSMPCH161408B-P

0

5412ESSMPCH 16" x 14" x 8" Body Part

2

STK-A-70469

6

5412 ESSMCH - Stainless Steel 316 Body Catch Assembly

2

STK-Q-08100

1

M5 Nylon Insert Lock Nut

5

STK-Q-08500

4

Stainless Steel Standoff M6 x 10mm

Qty

Part Number

Rev

Description

Parts List

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSMPCH161408\5412ESSMPCH161408C.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Max 3.0mm

Projection



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM




This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSMPCH161408\5412ESSMPCH161408C.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.145	1.125	STANDOFF M6 x 10mm (Inside)
2	2.750	14.000	LABEL_EXM
3	14.080	13.000	LOCK 880 SCQ3MS @ 0.0°
4	14.080	3.000	LOCK 880 SCQ3MS @ 0.0°



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

	Description		Status	
	5412ESSMPCH 16" x 14" Cover		(NULL)	
	Part Number Numéro Pièce 5412ESSMPCH161408C		Rev. 0	2 3

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSMPCH161408\5412ESSMPCH161408C.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.

Revisions

Date

By/Par



Isometric View

Flatness
Aplatissement

Max 3.0mm

Projection

Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 03-Dec-14

Material
Matière

16 Ga Stainless Steel 304 (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5412ESSMPCH 16" x 14" Cover

Detail Rev.

Part Number
Numéro Pièce

5412ESSMPCH161408C

Rev. 0

3
3

1	5412ESSMPCH161408G	0	5412ESSMPCH 16" x 14" Gasket
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-Q-08500	4	Stainless Steel Standoff M6 x 10mm
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	5412ESSMPCH161408C-P	0	5412ESSMPCH 16" x 14" Cover Part
2	STK-A-33038	3	5412 ESSMCH - Stainless Steel Hinge
2	880SCQ3S	4	5412 ESSMCH - Stainless Steel External Lock Assy - Slot Lock
Qty	Part Number	Rev	Description
Parts List			


Technical drawing showing three views of a rectangular plate:

- TOP View:** Shows the top surface of the plate. The width is dimensioned as 12.880. The label "TOP" is centered below the view.
- FRONT View:** Shows the front surface of the plate. The height is dimensioned as 14.880. The label "FRONT" is centered below the view.
- RIGHT View:** Shows the right side of the plate. The width is dimensioned as 0.000. The label "RIGHT" is centered below the view.

Key features and dimensions:


- Corner Radius:** R0.125 (indicated at the top right corner).
- Bottom Right Corner:** A circular feature with a diameter of $\varnothing 0.320$ (4) is located at the bottom right corner. The distance from the bottom edge to the center of this feature is 0.315. The distance from the right edge to the center of this feature is 0.315.

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection 	Customer Client Date				
	Drawn By Dessiné Par BoxCad Date 23-Jan-07				
Material Matière 14 Ga Galvanized (1.7mm)					
Color Couleur Unpainted	Finish Fin Galvanized				
Description 880 SP1614G - Inner Panel	Detail Rev.				
Part Number Numéro Pièce 880 SP1614G	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Rev.</td> <td style="width: 40%; text-align: center;">1</td> </tr> <tr> <td style="text-align: center; font-size: 1.5em; font-weight: bold;">0</td> <td style="text-align: center;">2</td> </tr> </table>	Rev.	1	0	2
Rev.	1				
0	2				

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\880SP\880SP1614G.idw

Tolérance ±1/32" sauf spécification contraire

No.

Revisions

Date

By/Par

Isometric View

Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com

Flatness

Aplatissement

Max 3.0mm

Projection

Customer

Client

Date

Drawn By

Dessiné Par

BoxCad

Date

23-Jan-07

Material

Matière

14 Ga Galvanized (1.7mm)

Color

Couleur

Unpainted

Finish

Fini

Galvanized

Description

880 SP1614G - Inner Panel

Detail Rev.

1

880 SP1614G-P

0

880 SP1614G - Inner Panel Part

Qty

Part Number

Rev

Description

Parts List

Part Number

Numéro Pièce

880 SP1614G

Rev.

2

0

2

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM