


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP302408THNOIP\5412ESSP302408THNOIP.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 09-May-23	
Material Matière		16 Ga Stainless Steel 304 (1.4mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description			Detail Rev.
5412ESSP 30" x 24" x 8" Assembly			
Part Number Numéro Pièce		Rev.	1
SEE BILL OF MATERIAL ON LAST PAGE		0	16

5412ESSP302408THNOIP

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP302408THNOIP\5412ESSP302408THNOIP.idw

Tolérance ±1/32" sauf spécification contraire

NOTE

ITEM	DESCRIPTION
1	NEMA 4X Enclosure
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	W/O Inner panel
5	C/W Standard inner panel mounting studs
6	C/W 885 ESMF4_OPEN Sold separately (Installed)
7	C/W 885 ESMF4_CLOSE Sold separately (Installed)
8	C/W R5 Insulation (Installed by EXM)


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP302408THNOIP\5412ESSP302408THNOIP.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm


Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 09-May-23	
Material Matière		16 Ga Stainless Steel 304 (1.4mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5412ESSP 30" x 24" x 8" Body			Detail Rev.
Part Number Numéro Pièce			Rev. 3
SEE BILL OF MATERIAL ON LAST PAGE 5412ESSP302408THNOIPB			0
			16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Technical drawing of a rectangular plate. The plate is labeled with '1' on the left and '2' on the right. The top edge is labeled 'TOP' in the center. The left edge has a dimension of 0.000. The right edge has a dimension of 24.000. The bottom edge has a dimension of 8.000. The drawing includes a circular feature on the left edge and a vertical line on the right edge.




This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP302408THNOIP\5412ESSP302408THNOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	6.500	INSUL. STUD M6 x 18mm (Inside)
2	22.000	6.500	INSUL. STUD M6 x 18mm (Inside)



	Description		Status	
	5412ESSP 30" x 24" x 8" Body		(NULL)	
	Part Number Numéro Pièce 5412ESSP302408THNOIPB		Rev. 0	5 16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5412ESSP302408THNOIP\5412ESSP302408THNOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	28.125	IP STUD M8 x 35mm (Inside)
3	22.125	28.125	IP STUD M8 x 35mm (Inside)
4	22.125	1.875	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
5	23.250	0.000	FOOT 885 ESMF4_OPEN
6	0.750	0.000	FOOT 885 ESMF4_OPEN
7	23.250	30.000	FOOT 885 ESMF4_CLOSE
8	0.750	30.000	FOOT 885 ESMF4_CLOSE





	Description	Status	
	5412ESSP 30" x 24" x 8" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	
	5412ESSP302408THNOIPB	0	6 / 16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



		Flatness Aplatissement  Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		BoxCad: BoxCad Date 09-May-23	
Material Matière		16 Ga Stainless Steel 304 (1.4mm)	
Color Couleur	Asa-61 Grey	Finish Fini	Smooth
Description		Detail Rev.	
5412ESSP 30" x 24" x 8" Body			
Part Number Numéro Pièce		Rev.	7
5412ESSP302408THNOIPB		0	16

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP302408THNOIP\5412ESSP302408THNOIP.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




LEFT



FRONT




RIGHT




BOTTOM

No.	Revisions	Date	By/Par



Isometric View



		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 09-May-23	
Material Matière		16 Ga Stainless Steel 304 (1.4mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5412ESSP 30" x 24" Cover			Detail Rev.
Part Number Numéro Pièce		Rev. 0	8
SEE BILL OF MATERIAL ON LAST PAGE		5412ESSP302408THNOIPC	16


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5412ESSP302408THNOIP\5412ESSP302408THNOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.486	1.614	STUD M6 x 18mm (Inside)
2	1.486	28.189	STUD M6 x 18mm (Inside)
3	21.517	28.189	STUD M6 x 18mm (Inside)
4	21.517	1.614	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
5	22.494	25.553	880 SCQ4-SLSS6
6	22.494	4.250	880 SCQ4-SLSS6



	Description 5412ESSP 30" x 24" Cover	Status (NULL)	
	Part Number Numéro Pièce 5412ESSP302408THNOIPC	Rev. 0	9 16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

[illegible]


2	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
4	STK-Q-07250	2	M6 x 16mm Collar Nut
2	STK-Q-46020-30	5	5412 ES Vertical Door Stiffener 30"
1	5412ESSP302408THNOIP I-C	0	5412ESSP 30" x 24" Cover Insulation
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-Q-16070	1	Stud M6 x 18mm Stainless steel
1	5412ESSP302408THNOIP G	0	5412ESSP 30" x 24" Cover Gasket Part
1	5412ESSP302408THNOIP C-P	0	5412ESSP 30" x 24" Cover Part
2	880 SCQ4-SLSS6	7	5412 ESS 1/4 Turn Lock
2	STK-A-33016	0	5412 ESS Bended Hinge (Body Part)
QTY	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP302408THNOIP\5412ESSP302408THNOIP.idw

Tolérance ±1/32" sauf spécification contraire




TOP

0.000

22.394

28.394




FRONT


0.000

0.000


0.750



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client

Date

Drawn By Dessiné Par BoxCad: Patrick Deschenes

Date 23-Jan-07

Material Matière Polyisocyanurate

Color Couleur Aluminum

Finish Fini N/A

Description
5412ESSP 30" x 24" Back Insulation

Detail Rev.


Part Number
Numéro Pièce

Rev. 11

SEE BILL OF MATERIAL ON LAST PAGE 5412ESSP302408THNOIP-B 0

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com



Max 3.0mm

Projection



Material	Polyisocyanurate
Matière	Polyisocyanurate

Description	Detail Rev.
-------------	-------------


Part Number Numéro Pièce	Rev.	12
-----------------------------	------	----

Numero Piece	5412ESSP302408THNOIPI-LS	0	16
--------------	--------------------------	---	----

16)

SEE BILL OF MATERIAL ON LAST PAGE 5412ESSP302408THNOIPI-LS 0

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXIM




Isometric View



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Max 3.0mm

Projection



Material Matière	Polyisocyanurate
---------------------	------------------

Description	Detail Rev.
-------------	-------------

Part Number Numéro Pièce	Rev.	13
-----------------------------	------	----


5412ESSP302408THNOIPI-RS 0

16)

SEE BILL OF MATERIAL ON LAST PAGE 5

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

An isometric drawing of a rectangular plate. The plate is oriented diagonally. It features two circular holes, one near the top-left corner and one near the bottom-right corner. Additionally, there are two small rectangular features, one on the left edge and one on the right edge, both positioned towards the bottom of the plate.

		Flatness Aplatissement	
		Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection	
			
Customer Client		Date	
Drawn By Dessiné Par		BoxCad: Patrick Deschenes Date 23-Jan-07	
Material Matière Polyisocyanurate			
Color Couleur		Finish Fini	
Aluminum		N/A	
Description 5412ESSP 30" x 24" Top and Bottom Insulation		Detail Rev.	
Part Number Numéro Pièce		Rev.	14
5412ESSP302408THNOIPI-TP		0	16



SEE BILL OF MATERIAL ON LAST PAGE 5412ESSP302408THNOIPI-TP 0

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

An isometric drawing of a rectangular plate. The plate is oriented diagonally. It features two circular holes, one near the top-left corner and one near the bottom-right corner. Additionally, there are two small rectangular features, one on the left edge and one on the right edge, both positioned towards the bottom of the plate.



Max 3.0mm

Material	Polyisocyanurate
Matière	Polyisocyanurate

Couleur	Aluminum	Finis	N/A
---------	----------	-------	-----

STEELECO: 36" X 24" Top and Bottom Insulation		
Part Number	Part	QTY

5412ESSP302408THNOIPI-BT 0	16
----------------------------	----


SEE BILL OF MATERIAL ON LAST PAGE 5412ESSP302408THNOIPI-BT 0

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP302408THNOIP\5412ESSP302408THNOIP.idw

Tolérance ±1/32" sauf spécification contraire




TOP




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client

Date

Drawn By Dessiné Par BoxCad: Patrick Deschenes

Date 23-Jan-07

Material Matière Polyisocyanurate

Color Couleur Aluminum

Finish Fini N/A

Description
5412ESSP 30" x 24" Cover Insulation

Detail Rev.

Part Number
Numéro Pièce

Rev. 16

0

16

SEE BILL OF MATERIAL ON LAST PAGE 5412ESSP302408THNOIPI-C

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM