

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP4230086\5412ESSP4230086.idw

Tolérance ±1/32" sauf spécification contraire




TOP




BACK



BOTTOM




LEFT



FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 7/8/2022

Material
Matière

14 Ga Stainless Steel 316 (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5412ESSP 42" x 30" x 8" Assembly

Detail Rev.

Part Number
Numéro Pièce




5412ESSP4230086

Rev.

1
9

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP4230086\5412ESSP4230086.idw		Tolérance ±1/32" sauf spécification contraire																																																																				
NOTE <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 4X Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>C/W Standard door stiffener</td></tr><tr><td>4</td><td>C/W Standard inner panel (Included)</td></tr><tr><td>5</td><td>C/W Standard inner panel mounting studs</td></tr><tr><td>6</td><td>C/W Special locks sold separately (Installed)</td></tr></table>				ITEM	DESCRIPTION	1	NEMA 4X Enclosure	2	C/W Standard ground studs on box and cover	3	C/W Standard door stiffener	4	C/W Standard inner panel (Included)	5	C/W Standard inner panel mounting studs	6	C/W Special locks sold separately (Installed)	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>		No.	Revisions	Date	By/Par																																																	
ITEM	DESCRIPTION																																																																							
1	NEMA 4X Enclosure																																																																							
2	C/W Standard ground studs on box and cover																																																																							
3	C/W Standard door stiffener																																																																							
4	C/W Standard inner panel (Included)																																																																							
5	C/W Standard inner panel mounting studs																																																																							
6	C/W Special locks sold separately (Installed)																																																																							
No.	Revisions	Date	By/Par																																																																					
				 Isometric View																																																																				
																																																																								
				 Flatness Aplatissement Max 3.0mm  Projection																																																																				
				 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Customer Client Date																																																																				
PACKING <table><tr><th>ITEM</th><th>QTY</th><th>DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td>Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td>Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td>To protect cover surface and inside gasket</td></tr><tr><td>Cardboard corner</td><td>4</td><td>To reinforced for the plastic strap tightening</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td>To Squeeze the 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>3</td><td>White label with PN</td></tr><tr><td>Plastic strap- Green</td><td>2</td><td>To secure the enclosure to the wood pallet</td></tr><tr><td>Wood Pallet</td><td>1</td><td>2" deeper and 3" larger than enclosure size</td></tr></table>				ITEM	QTY	DESCRIPTION	Cardboard sleeve	2	Top and Bottom	Cardboard strip	2	Between back of enclosure and inner panel	Plastic bag	1	To protect cover surface and inside gasket	Cardboard corner	4	To reinforced for the plastic strap tightening	Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together	Packaging label	3	White label with PN	Plastic strap- Green	2	To secure the enclosure to the wood pallet	Wood Pallet	1	2" deeper and 3" larger than enclosure size	<table><tr><td>1</td><td>880 PP</td><td>6</td><td>Self Adhesive Print Pocket</td></tr><tr><td>1</td><td>STK-K-01800</td><td>5</td><td>5412 ES Accessory Kit</td></tr><tr><td>1</td><td>881 SP4230G</td><td>0</td><td>881 SP - Inner Panel</td></tr><tr><td>1</td><td>5412ESSP4230086C</td><td>0</td><td>5412ESSP 42" x 30" Cover</td></tr><tr><td>6</td><td>STK-Q-07310</td><td>2</td><td>Flange Lock Nut M8</td></tr><tr><td>6</td><td>STK-Q-07610</td><td>8</td><td>M8 Plastic Spacer 22.2mm</td></tr><tr><td>1</td><td>5412ESSP4230086B</td><td>0</td><td>5412ESSP 42" x 30" x 8" Body</td></tr><tr><td>3</td><td>STK-Q-04051-07</td><td>8</td><td>M6 x 7mm Stainless Steel Hexagon Socket Head Machine Screw with Nyseal</td></tr><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr><tr><td colspan="4">Parts List</td></tr></table>		1	880 PP	6	Self Adhesive Print Pocket	1	STK-K-01800	5	5412 ES Accessory Kit	1	881 SP4230G	0	881 SP - Inner Panel	1	5412ESSP4230086C	0	5412ESSP 42" x 30" Cover	6	STK-Q-07310	2	Flange Lock Nut M8	6	STK-Q-07610	8	M8 Plastic Spacer 22.2mm	1	5412ESSP4230086B	0	5412ESSP 42" x 30" x 8" Body	3	STK-Q-04051-07	8	M6 x 7mm Stainless Steel Hexagon Socket Head Machine Screw with Nyseal	Qty	Part Number	Rev	Description	Parts List			
ITEM	QTY	DESCRIPTION																																																																						
Cardboard sleeve	2	Top and Bottom																																																																						
Cardboard strip	2	Between back of enclosure and inner panel																																																																						
Plastic bag	1	To protect cover surface and inside gasket																																																																						
Cardboard corner	4	To reinforced for the plastic strap tightening																																																																						
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together																																																																						
Packaging label	3	White label with PN																																																																						
Plastic strap- Green	2	To secure the enclosure to the wood pallet																																																																						
Wood Pallet	1	2" deeper and 3" larger than enclosure size																																																																						
1	880 PP	6	Self Adhesive Print Pocket																																																																					
1	STK-K-01800	5	5412 ES Accessory Kit																																																																					
1	881 SP4230G	0	881 SP - Inner Panel																																																																					
1	5412ESSP4230086C	0	5412ESSP 42" x 30" Cover																																																																					
6	STK-Q-07310	2	Flange Lock Nut M8																																																																					
6	STK-Q-07610	8	M8 Plastic Spacer 22.2mm																																																																					
1	5412ESSP4230086B	0	5412ESSP 42" x 30" x 8" Body																																																																					
3	STK-Q-04051-07	8	M6 x 7mm Stainless Steel Hexagon Socket Head Machine Screw with Nyseal																																																																					
Qty	Part Number	Rev	Description																																																																					
Parts List																																																																								
				Drawn By Dessiné Par BoxCad: BoxCad Date 7/8/2022 Material Matière 14 Ga Stainless Steel 316 (1.7mm) Color Couleur Asa-61 Grey Finish Fini Smooth Description 5412ESSP 42" x 30" x 8" Assembly Detail Rev. Part Number Numéro Pièce 5412ESSP4230086 Rev. 0 2 9																																																																				

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP4230086\5412ESSP4230086.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK



LEFT




FRONT



RIGHT



BOTTOM



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 7/8/2022

Material
Matière

14 Ga Stainless Steel 316 (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

5412ESSP 42" x 30" x 8" Body

Detail Rev.

Part Number
Numéro Pièce

5412ESSP4230086B

Rev.

3
9

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP4230086\5412ESSP4230086.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	6.500	2.000	GND STUD M6 x 16mm (Inside)



	Description 5412ESSP 42" x 30" x 8" Body	Status (NULL)	
	Part Number Numéro Pièce 5412ESSP4230086B	Rev. 0	4 9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP4230086\5412ESSP4230086.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	40.125	IP STUD M8 x 35mm (Inside)
3	28.125	40.125	IP STUD M8 x 35mm (Inside)
4	28.125	1.875	IP STUD M8 x 35mm (Inside)
5	1.875	21.000	IP STUD M8 x 35mm (Inside)
6	28.125	21.000	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
7	29.250	0.750	RND Ø0.390
8	29.250	41.250	RND Ø0.390
9	0.750	41.250	RND Ø0.390
10	0.750	0.750	RND Ø0.390



	Description	Status	
	5412ESSP 42" x 30" x 8" Body	(NULL)	
	Part Number	Rev.	5
	Numéro Pièce 5412ESSP4230086B	0	9

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP4230086\5412ESSP4230086.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 7/8/2022
Material Matière 14 Ga Stainless Steel 316 (1.7mm)	
Color Couleur Asa-61 Grey	Finish Fini Smooth
Description 5412ESSP 42" x 30" x 8" Body	Detail Rev.
Part Number Numéro Pièce 5412ESSP4230086B	Rev. 0
	6 9

1	STK-Q-16085	0	Ground Stud M6 x 16mm Stainless Steel
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
6	STK-Q-16020	1	Stud M8 x 35mm Stainless Steel
1	5412ESSP4230086B-P	0	5412ESSP 42" x 30" x 8" Body Part
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP4230086\5412ESSP4230086.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM



LEFT



FRONT



RIGHT

No.	Revisions	Date	By/Par



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date	7/8/2022
Material Matière		14 Ga Stainless Steel 316 (1.7mm)	
Color Couleur	Asa-61 Grey	Finish Fin	Smooth
Description		Detail Rev.	
5412ESSP 42" x 30" Cover			
Part Number Numéro Pièce		Rev.	7
5412ESSP4230086C		0	9

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP4230086\5412ESSP4230086.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.486	1.709	STUD M6 x 18mm (Inside)
2	1.486	40.094	STUD M6 x 18mm (Inside)
3	27.517	40.094	STUD M6 x 18mm (Inside)
4	27.517	1.709	STUD M6 x 18mm (Inside)
5	1.486	20.902	STUD M6 x 18mm (Inside)
6	27.517	20.902	STUD M6 x 18mm (Inside)
7	2.690	2.350	STUD M6 x 18mm (Inside)
8	2.690	39.733	STUD M6 x 18mm (Inside)
9	26.313	39.733	STUD M6 x 18mm (Inside)
10	26.313	2.350	STUD M6 x 18mm (Inside)
11	14.959	1.435	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
12	3.750	38.053	LABEL_EXM (Inside)
13	28.494	37.553	LOCK 880 SCQ4-SLSS6 @ 0.0°
14	28.494	20.902	LOCK 880 SCQ4-SLSS6 @ 0.0°
15	28.494	4.250	LOCK 880 SCQ4-SLSS6 @ 0.0°



FRONT

	Description	Status	
	5412ESSP 42" x 30" Cover	(NULL)	
	Part Number	Rev.	8
	Numéro Pièce	0	9

5412ESSP4230086C

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSP4230086\5412ESSP4230086.idw

Tolérance ±1/32" sauf spécification contraire

No.


Revisions

Date

By/Par




Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement



Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

7/8/2022

Material
Matière

14 Ga Stainless Steel 316 (1.7mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

5412ESSP 42" x 30" Cover

Detail Rev.

Part Number
Numéro Pièce

5412ESSP4230086C

Rev.

0

9

9

1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-Q-46515	3	5412 ES Door Support with Brass Insert
2	STK-Q-46025-30-3	4	5412 ES Horizontal Door Stiffener 30" (3Pts)
2	STK-Q-46020-42	5	5412 ES Vertical Door Stiffener 42"
11	STK-Q-16070	1	Stud M6 x 18mm Stainless steel
1	5412ESSP4230086G	0	5412ESSP 42" x 30" Cover Gasket Part
1	5412ESSP4230086C-P	0	5412ESSP 42" x 30" Cover Part
3	STK-A-33016	0	5412 ESS Bended Hinge (Body Part)
3	880 SCQ4-SLSS6	7	5412 ESS 1/4 Turn Lock
10	STK-Q-07220	1	M6 Nylon Insert Lock Nut
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32"$ unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP4230G.idw



Tolérance $\pm 1/32"$ sauf spécification contraire



TOP



FRONT





RIGHT

No.	Revisions	Date	By/Par



Isometric View



		Flatness Aplatissement	
		 Max 3.0mm	
Tél: (505) 979-4373 Fax: (505) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 1/23/2007	
Material Matière		See Part List	
Color Couleur		Finish Fini	See Part List
Description		Detail Rev.	
881 SP - Inner Panel			
Part Number Numéro Pièce 881 SP4230G		Rev. 0	1 2

