


This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSPCH060605\5412ESSPCH060605.idw


Tolérance $\pm 1/32$ " sauf spécification contraire




TOP




BACK




LEFT




FRONT



RIGHT



BOTTOM



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 5/29/2013

Material
Matière

16 Ga Stainless Steel 304 (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

5412ESSPCH 6" x 6" x 5" Assembly

Detail Rev.

Part Number
Numéro Pièce

5412ESSPCH060605

Rev.

1

0

2

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSPCH060605\5412ESSPCH060605.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 4X Enclosure
2	C/W Standard ground standoffs on box and cover
3	W/O Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting standoffs
6	C/W 885 ESCHMF2 Mounting Feet (Welded)

No.	Revisions	Date	By/Par



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm
		Projection 
Customer Client		Date
Drawn By Dessiné Par BoxCad: BoxCad		Date 5/29/2013
Material Matière 16 Ga Stainless Steel 304 (1.4mm)		
Color Couleur Asa-61 Grey		Finish Fini Smooth
Description 5412ESSPCH 6" x 6" x 5" Assembly		Detail Rev.
Part Number Numéro Pièce 5412ESSPCH060605		Rev. 0
		2

PACKING		
ITEM	QTY	DESCRIPTION
STK-E-04304	1	CARTON 5412 ESCH060605
Plastic bag	1	To protect cover surface and inside gasket
Packaging label	1	White label with product number
STK-S-01100	1	ESCH EXM SQUARE STICKER

1	5412ESSPCH060605C	0	5412ESSPCH 6" x 6" Cover
1	880 SP0606G	0	880 SP0606G - Inner Panel
1	STK-K-02910	3	5412 ESCH Accessory Kit
1	5412ESSPCH060605B	0	5412ESSPCH 6" x 6" x 5" Body
2	STK-Q-08100	1	M5 Nylon Insert Lock Nut
Qty	Part Number	Rev	Description
Parts List			


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSPCH060605\5412ESSPCH060605B.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




LEFT




FRONT



RIGHT



BOTTOM



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 5/29/2013

Material
Matière

16 Ga Stainless Steel 304 (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

5412ESSPCH 6" x 6" x 5" Body

Detail Rev.

Part Number
Numéro Pièce

5412ESSPCH060605B

Rev.

1

0

7

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSPCH060605\5412ESSPCH060605B5.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	3.625	0.875	STANDOFF M6 x 10mm (Inside)



	Description		Status	
	5412ESSPCH 6" x 6" x 5" Body		(NULL)	
	Part Number Numéro Pièce		Rev.	5
5412ESSPCH060605B		0	7	

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSPCH060605\5412ESSPCH060605B6.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.875	0.875	IP STANDOFF M6 x 10mm (Inside)
2	0.875	5.125	IP STANDOFF M6 x 10mm (Inside)
3	5.125	5.125	IP STANDOFF M6 x 10mm (Inside)
4	5.125	0.875	IP STANDOFF M6 x 10mm (Inside)
-----	-----	-----	-----
5	5.000	0.000	FOOT 885 ESCHMF2
6	1.000	0.000	FOOT 885 ESCHMF2
7	5.000	6.000	FOOT 885 ESCHMF2
8	1.000	6.000	FOOT 885 ESCHMF2




	Description		Status	
	5412ESSPCH 6" x 6" x 5" Body		(NULL)	
	Part Number Numéro Pièce 5412ESSPCH060605B		Rev. 0	6 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm Projection 	
Customer Client			Date		
Drawn By Dessiné Par			BoxCad: BoxCad Date 5/29/2013		
Material Matière 16 Ga Stainless Steel 304 (1.4mm)					
Color Couleur		Asa-61 Grey		Finish Fini Smooth	
Description				Detail Rev.	
5412ESSPCH 6" x 6" x 5" Body					
Part Number Numéro Pièce 5412ESSPCH060605B				Rev. 0 7 7	


4	STK-Q-71316	4	5412 ESSMCH Stainless Steel Mounting Foot
1	STK-Q-08100	1	M5 Nylon Insert Lock Nut
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	5412ESSPCH060605B-P	0	5412ESSPCH 6" x 6" x 5" Body Part
1	STK-A-70469	6	5412 ESSMCH - Stainless Steel 316 Body Catch Assembly
5	STK-Q-08500	4	Stainless Steel Standoff M6 x 10mm
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSPCH060605\5412ESSPCH060605C.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date	
BoxCad: BoxCad		5/29/2013	
Material Matière		16 Ga Stainless Steel 304 (1.4mm)	
Color Couleur		Asa-61 Grey	Finish Finis Smooth
Description			Detail Rev.
5412ESSPCH 6" x 6" Cover			
Part Number Numéro Pièce		Rev.	1
5412ESSPCH060605C		0	3

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESSPCH060605\5412ESSPCH060605C.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	6.080	3.000	LOCK 880 SCQ3MS @ 0.0°
2	1.145	1.125	STANDOFF M6 x 10mm (Inside)
3	2.750	4.000	LABEL_EXM



FRONT

	Description		Status	
	5412ESSPCH 6" x 6" Cover		(NULL)	
	Part Number Numéro Pièce 5412ESSPCH060605C		Rev. 0	2 3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View

Flatness
Aplatissement

Max 3.0mm

Projection

The drawing shows a top view of a circular part with a flatness tolerance of 3.0mm. A projection view is shown to the right, indicating a tapered feature. The tolerance is indicated by a feature control frame with the symbol for flatness and the value 3.0mm.

Date	5/29/2013
------	-----------

16 Ga Stainless Steel 304 (1.4mm)

Smooth

Detail Rev.

3

5412ESSPCH060605C





1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	5412ESSPCH060605G	0	5412ESSPCH 6" x 6" Gasket
1	STK-Q-08500	4	Stainless Steel Standoff M6 x 10mm
1	880SCQ3S	4	5412 ESSMCH - Stainless Steel External Lock Assy - Slot Lock
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	5412ESSPCH060605C-P	0	5412ESSPCH 6" x 6" Cover Part
2	STK-A-33038	3	5412 ESSMCH - Stainless Steel Hinge
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\880SP\880SP0606G.idw

Tolérance ±1/32" sauf spécification contraire



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad		Date 23-Jan-07	
Material Matière		14 Ga Galvanized (1.7mm)	
Color Couleur Unpainted		Finish Fini Galvanized	
Description 880 SP0606G - Inner Panel			Detail Rev.
Part Number Numéro Pièce		Rev.	1 2
880 SP0606G		0	

SEE BILL OF MATERIAL ON LAST PAGE

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\880SP\880SP0606G.idw

Tolérance ±1/32" sauf spécification contraire

No.

Revisions

Date

By/Par

Isometric View

Flatness
Aplatissement

Max 3.0mm

Projection

Customer
Client

Date

Drawn By
Dessiné Par

BoxCad

Date

23-Jan-07

Material
Matière

14 Ga Galvanized (1.7mm)

Color
Couleur

Unpainted

Finish
Fini

Galvanized

Description

880 SP0606G - Inner Panel

Detail Rev.

Part Number
Numéro Pièce

880 SP0606G

Rev.

0

2

2

1

880 SP0606G-P

0

880 SP0606G - Inner Panel Part

Qty

Part Number

Rev

Description

Parts List

This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM