


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH161208NOIP\5412ESTH161208NOIP.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT




FRONT




RIGHT



BOTTOM



Isometric View



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 24-Mar-23

Material
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

5412ESTH 16" x 12" x 8" Assembly

Detail Rev.

Part Number
Numéro Pièce

5412ESTH161208NOIP

Rev.



1

0

16

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified		C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH161208NOIP\5412ESTH161208NOIP.idw		Tolérance ±1/32" sauf spécification contraire																																																			
NOTE <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 4/12 Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>C/W Standard door stiffener</td></tr><tr><td>4</td><td>W/O Inner panel</td></tr><tr><td>5</td><td>C/W Standard inner panel mounting studs</td></tr><tr><td>6</td><td>C/W 885 ESMF3_OPEN Sold separately (Installed)</td></tr><tr><td>7</td><td>C/W 885 ESMF3_CLOSE Sold separately (Installed)</td></tr><tr><td>8</td><td>C/W R5 Insulation (Installed by EXM)</td></tr></table>				ITEM	DESCRIPTION	1	NEMA 4/12 Enclosure	2	C/W Standard ground studs on box and cover	3	C/W Standard door stiffener	4	W/O Inner panel	5	C/W Standard inner panel mounting studs	6	C/W 885 ESMF3_OPEN Sold separately (Installed)	7	C/W 885 ESMF3_CLOSE Sold separately (Installed)	8	C/W R5 Insulation (Installed by EXM)	No. Revisions Date By/Par																																	
ITEM	DESCRIPTION																																																						
1	NEMA 4/12 Enclosure																																																						
2	C/W Standard ground studs on box and cover																																																						
3	C/W Standard door stiffener																																																						
4	W/O Inner panel																																																						
5	C/W Standard inner panel mounting studs																																																						
6	C/W 885 ESMF3_OPEN Sold separately (Installed)																																																						
7	C/W 885 ESMF3_CLOSE Sold separately (Installed)																																																						
8	C/W R5 Insulation (Installed by EXM)																																																						
				 Isometric View																																																			
				 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection 																																																			
				Customer Client Date																																																			
				Drawn By Dessiné Par BoxCad: BoxCad Date 24-Mar-23																																																			
				Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)																																																			
				Color Couleur Asa-61 Grey Finish Fini Smooth																																																			
				Description 5412ESTH 16" x 12" x 8" Assembly Detail Rev.																																																			
				Part Number Numéro Pièce 5412ESTH161208NOIP Rev. 0 2 16																																																			
				PACKING <table><tr><th>ITEM</th><th>QTY</th><th>DESCRIPTION</th></tr><tr><td>Cardboard sleeve</td><td>2</td><td>Top and Bottom</td></tr><tr><td>Cardboard strip</td><td>2</td><td>Between back of enclosure and inner panel</td></tr><tr><td>Plastic bag</td><td>1</td><td>To protect cover surface and inside gasket</td></tr><tr><td>Plastic strap - Black</td><td>2</td><td>To Squeeze the 2 cardboard sleeve together</td></tr><tr><td>Packaging label</td><td>1</td><td>White label with product number</td></tr></table>				ITEM	QTY	DESCRIPTION	Cardboard sleeve	2	Top and Bottom	Cardboard strip	2	Between back of enclosure and inner panel	Plastic bag	1	To protect cover surface and inside gasket	Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together	Packaging label	1	White label with product number	<table><tr><td>4</td><td>STK-Q-00600</td><td>2</td><td>M12 to M8 Adaptor</td></tr><tr><td>1</td><td>STK-K-01800</td><td>5</td><td>5412 ES Accessory Kit</td></tr><tr><td>1</td><td>5412ESTH161208NOIPC</td><td>0</td><td>5412ESTH 16" x 12" Cover</td></tr><tr><td>1</td><td>5412ESTH161208NOIPB</td><td>0</td><td>5412ESTH 16" x 12" x 8" Body</td></tr><tr><td>2</td><td>STK-Q-04050-08</td><td>0</td><td>M6 x 8mm Hexagon Socket Head Machine Screw</td></tr><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr><tr><td colspan="4">Parts List</td></tr></table>		4	STK-Q-00600	2	M12 to M8 Adaptor	1	STK-K-01800	5	5412 ES Accessory Kit	1	5412ESTH161208NOIPC	0	5412ESTH 16" x 12" Cover	1	5412ESTH161208NOIPB	0	5412ESTH 16" x 12" x 8" Body	2	STK-Q-04050-08	0	M6 x 8mm Hexagon Socket Head Machine Screw	Qty	Part Number	Rev	Description	Parts List			
				ITEM	QTY	DESCRIPTION																																																	
Cardboard sleeve	2	Top and Bottom																																																					
Cardboard strip	2	Between back of enclosure and inner panel																																																					
Plastic bag	1	To protect cover surface and inside gasket																																																					
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together																																																					
Packaging label	1	White label with product number																																																					
4	STK-Q-00600	2	M12 to M8 Adaptor																																																				
1	STK-K-01800	5	5412 ES Accessory Kit																																																				
1	5412ESTH161208NOIPC	0	5412ESTH 16" x 12" Cover																																																				
1	5412ESTH161208NOIPB	0	5412ESTH 16" x 12" x 8" Body																																																				
2	STK-Q-04050-08	0	M6 x 8mm Hexagon Socket Head Machine Screw																																																				
Qty	Part Number	Rev	Description																																																				
Parts List																																																							


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH161208NOIP\5412ESTH161208NOIP.idw


Tolérance $\pm 1/32$ " sauf spécification contraire




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 24-Mar-23

Material
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5412ESTH 16" x 12" x 8" Body

Detail Rev.

Part Number
Numéro Pièce

5412ESTH161208NOIPB

Rev.

3

0

16

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH161208NOIP\5412ESTH161208NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	6.500	INSUL. STUD M6 x 18mm (Inside)
2	10.000	6.500	INSUL. STUD M6 x 18mm (Inside)



	Description	Status	
	5412ESTH 16" x 12" x 8" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	4
	5412ESTH161208NOIPB	0	16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH161208NOIP\5412ESTH161208NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	6.500	INSUL. STUD M6 x 18mm (Inside)
2	10.000	6.500	INSUL. STUD M6 x 18mm (Inside)



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

	Description	Status	
	5412ESTH 16" x 12" x 8" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	5
	5412ESTH161208NOIPB	0	16

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH161208NOIP\5412ESTH161208NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	14.125	IP STUD M8 x 35mm (Inside)
3	10.125	14.125	IP STUD M8 x 35mm (Inside)
4	10.125	1.875	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
5	11.250	0.000	FOOT 885 ESMF3_OPEN
6	0.750	0.000	FOOT 885 ESMF3_OPEN
7	11.250	16.000	FOOT 885 ESMF3_CLOSE
8	0.750	16.000	FOOT 885 ESMF3_CLOSE



	Description		Status	
	5412ESTH 16" x 12" x 8" Body		(NULL)	
	Part Number Numéro Pièce 5412ESTH161208NOIPB		Rev. 0	6 16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH161208NOIP\5412ESTH161208NOIP.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

2	885ESMF3-FEET	0	885 ESMF3 Mounting Foot
4	RIVET_NUT_M10_FH_CE	0	Rivet Nut M10 (Low Profile Close End)
4	STK-Q-06660	2	M10 x 16mm Machine Screw
2	885ESMF3-FEET-A	0	885 ESMF3 Mounting Foot (Opened Slot)
1	STK-K-70554	3	5412 ESTH Accessory Kit
1	5412ESTH161208NOIPI-R S	0	5412ESTH 16" x 12" Right Insulation
1	5412ESTH161208NOIPI-L S	0	5412ESTH 16" x 12" Left Insulation
1	5412ESTH161208NOIPI-B T	0	5412ESTH 16" x 12" Top and Bottom Insulation
1	5412ESTH161208NOIPI-T P	0	5412ESTH 16" x 12" Top and Bottom Insulation
1	5412ESTH161208NOIPI-B	0	5412ESTH 16" x 12" Back Insulation
4	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	5412ESTH161208NOIPB- P	0	5412ESTH 16" x 12" x 8" Body Part
Qty	Part Number	Rev	Description

Parts List



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Customer Client
Drawn By Dessiné Par BoxCad: BoxCad
Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)
Color Couleur Asa-61 Grey
Description 5412ESTH 16" x 12" x 8" Body
Part Number Numéro Pièce 5412ESTH161208NOIPB

Flatness Aplatissement
Max 3.0mm
Projection
Date
Date 24-Mar-23
Detail Rev.
Rev. 0


7
16

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH161208NOIP\5412ESTH161208NOIP.idw


Tolérance $\pm 1/32$ " sauf spécification contraire




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT




Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par

--	--	--	--

		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 24-Mar-23	
Material Matière		16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5412ESTH 16" x 12" Cover			Detail Rev.
Part Number Numéro Pièce		Rev. 0	8
SEE BILL OF MATERIAL ON LAST PAGE		5412ESTH161208NOIPC	16


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH161208NOIP\5412ESTH161208NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.486	1.504	STUD M6 x 18mm (Inside)
2	1.486	14.299	STUD M6 x 18mm (Inside)
3	9.517	14.299	STUD M6 x 18mm (Inside)
4	9.517	1.504	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
5	10.494	7.902	880 SCQ4-SL



	Description	Status	
	5412ESTH 16" x 12" Cover	(NULL)	
	Part Number Numéro Pièce	Rev.	9
	5412ESTH161208NOIPC	0	16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified



C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH161208NOIP\5412ESTH161208NOIP.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 24-Mar-23	
Material Matière		BoxCad: BoxCad 16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5412ESTH 16" x 12" Cover			Detail Rev.
Part Number Numéro Pièce		Rev.	10
5412ESTH161208NOIPC		0	16

1	STK-K-12500	16	5412 ES 1/4 Turn Lock
2	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
4	STK-Q-07250	2	M6 x 16mm Collar Nut
2	STK-Q-46020-16	5	5412 ES Vertical Door Stiffener 16"
1	5412ESTH161208NOIPI-C	0	5412ESTH 16" x 12" Cover Insulation
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	5412ESTH161208NOIPG	0	5412ESTH 16" x 12" Cover Gasket Part
1	5412ESTH161208NOIPC-P	0	5412ESTH 16" x 12" Cover Part
2	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
QTY	Part Number	Rev	Description
Parts List			

Technical drawing of a rectangular plate with four circular holes, showing top and front views with dimensions.

Top View:

- Overall width: 10.394
- Overall height: 14.394
- Four circular holes are positioned at the corners.

Front View:


- Overall width: 10.394
- Overall height: 14.394
- Four circular holes are positioned at the corners.

Dimensions:

- Top view width: 10.394
- Top view height: 14.394
- Front view width: 10.394
- Front view height: 14.394



SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm
		Projection 
Customer Client		Date
Drawn By Dessiné Par		Date 23-Jan-07
Material Matière		
Polyisocyanurate		
Color Couleur	Aluminum	Finish Fini
		N/A
Description		Detail Rev.
5412ESTH 16" x 12" Back Insulation		
Part Number Numéro Pièce 5412ESTH161208NOIPI-B		Rev. 0 11 16

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH161208NOIP\5412ESTH161208NOIP.idw

Tolérance $\pm 1/32$ " sauf spécification contraire



TOP

0.000

7.894

14.394



0.000


FRONT

0.000


0.750



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: Patrick Deschenes

Date 23-Jan-07

Material
Matière

Polyisocyanurate

Color
Couleur

Aluminum

Finish
Fin

N/A

Description

5412ESTH 16" x 12" Left Insulation

Detail Rev.

Part Number
Numéro Pièce

5412ESTH161208NOIPI-LS

Rev.

12
16

0

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH161208NOIP\5412ESTH161208NOIP.idw

Tolérance $\pm 1/32$ " sauf spécification contraire




TOP

0.000

7.894

14.394



FRONT


0.000

0.000


0.750



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client

Date

Drawn By Dessiné Par BoxCad: Patrick Deschenes

Date 23-Jan-07

Material Matière Polyisocyanurate

Color Couleur Aluminum

Finish Fini N/A

Description
5412ESTH 16" x 12" Right Insulation

Detail Rev.

Part Number Numéro Pièce
5412ESTH161208NOIPI-RS

Rev.

13

0

16

SEE BILL OF MATERIAL ON LAST PAGE

Isometric View



Max 3.0mm

Drawn By Dessiné Par	BoxCad: Patrick Deschenes	Date 23-Jan-07
-------------------------	---------------------------	----------------

Color	Finish


Description	Detail Rev.
5412ESTH 16" x 12" Top and Bottom	

Part Number Numéro Pièce	Rev.	14
E 140789H 140699NCI BTR	0	


5412ESTH161208NOIPI-TP	0	16
------------------------	---	----

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM




No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement	
		Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: Patrick Deschenes		Date 23-Jan-07	
Material Matière Polyisocyanurate			
Color Couleur Aluminum		Finish Fini N/A	
Description 5412ESTH 16" x 12" Top and Bottom Insulation		Detail Rev.	
Part Number Numéro Pièce		Rev. 0	15 / 16


E 5412ESTH161208NOIPI-BT

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH161208NOIP\5412ESTH161208NOIP.idw


Tolérance ±1/32" sauf spécification contraire



TOP




FRONT



RIGHT

No.	Revisions	Date	By/Par

Isometric View

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 23-Jan-07	
Material Matière		Polyisocyanurate	
Color Couleur		Finish Fini	
Aluminum		N/A	
Description 5412ESTH 16" x 12" Cover Insulation			Detail Rev.
Part Number Numéro Pièce		Rev.	16
SEE BILL OF MATERIAL ON LAST PAGE		0	16
5412ESTH161208NOIPI-C			