


This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH241208NOIP\5412ESTH241208NOIP.idw

Tolérance $\pm 1/32$ " sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



No.	Revisions	Date	By/Par
			
Isometric View			
		Flatness Aplatissement Max 3.0mm Projection 	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com			
Customer Client		Date	
Drawn By Dessiné Par		Date 24-Mar-23	
Material Matière		16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur		Asa-61 Grey Finish Finis Smooth	
Description 5412ESTH 24" x 12" x 8" Assembly		Detail Rev.	
Part Number Numéro Pièce		Rev.	1
SEE BILL OF MATERIAL ON LAST PAGE		0	16
5412ESTH241208NOIP			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32"$ unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH241208NOIP\5412ESTH241208NOIP.idw


Tolérance $\pm 1/32"$ sauf spécification contraire



NOTE	
ITEM	DESCRIPTION
1	NEMA 4/12 Enclosure
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	W/O Inner panel
5	C/W Standard inner panel mounting studs
6	C/W 885 ESMF3_OPEN Sold separately (Installed)
7	C/W 885 ESMF3_CLOSE Sold separately (Installed)
8	C/W R5 Insulation (Installed by EXM)

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date	
Material Matière		BoxCad: BoxCad 24-Mar-23	
16 Ga Cold Rolled A1008 CS Type B (1.4mm)			
Color Couleur		Finish Fin	
Asa-61 Grey		Smooth	
Description		Detail Rev.	
5412ESTH 24" x 12" x 8" Assembly			
Part Number Numéro Pièce		Rev.	
5412ESTH241208NOIP		0	2
		16	

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together
Packaging label	1	White label with product number


4	STK-Q-00600	2	M12 to M8 Adaptor
1	STK-K-01800	5	5412 ES Accessory Kit
1	5412ESTH241208NOIPC	0	5412ESTH 24" x 12" Cover
1	5412ESTH241208NOIPB	0	5412ESTH 24" x 12" x 8" Body
2	STK-Q-04050-08	0	M6 x 8mm Hexagon Socket Head Machine Screw
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH241208NOIP\5412ESTH241208NOIP.idw


Tolérance $\pm 1/32$ " sauf spécification contraire




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 24-Mar-23

Material
Matière

16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

5412ESTH 24" x 12" x 8" Body

Detail Rev.

Part Number
Numéro Pièce

5412ESTH241208NOIPB

Rev.

3

0

16

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH241208NOIP\5412ESTH241208NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	6.500	INSUL. STUD M6 x 18mm (Inside)
2	10.000	6.500	INSUL. STUD M6 x 18mm (Inside)



	Description	Status	
	5412ESTH 24" x 12" x 8" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	4
	5412ESTH241208NOIPB	0	16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH241208NOIP\5412ESTH241208NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	6.500	INSUL. STUD M6 x 18mm (Inside)
2	10.000	6.500	INSUL. STUD M6 x 18mm (Inside)



	Description	Status	
	5412ESTH 24" x 12" x 8" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	5
	5412ESTH241208NOIPB	0	16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH241208NOIP\5412ESTH241208NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	22.125	IP STUD M8 x 35mm (Inside)
3	10.125	22.125	IP STUD M8 x 35mm (Inside)
4	10.125	1.875	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
5	11.250	0.000	FOOT 885 ESMF3_OPEN
6	0.750	0.000	FOOT 885 ESMF3_OPEN
7	11.250	24.000	FOOT 885 ESMF3_CLOSE
8	0.750	24.000	FOOT 885 ESMF3_CLOSE



	Description	Status	
	5412ESTH 24" x 12" x 8" Body	(NULL)	
	Part Number Numéro Pièce	Rev.	6
	5412ESTH241208NOIPB	0	16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

A technical line drawing of a cabinet with its door open. The drawing shows the internal structure, including a hinge on the left side of the door and a lock mechanism at the bottom. The cabinet is shown from a perspective view, highlighting its three-dimensional form.


2	885ESMF3-FEET	0	885 ESMF3 Mounting Foot
4	RIVET_NUT_M10_FH_CE	0	Rivet Nut M10 (Low Profile Close End)
4	STK-Q-06660	2	M10 x 16mm Machine Screw
2	885ESMF3-FEET-A	0	885 ESMF3 Mounting Foot (Opened Slot)
1	STK-K-70554	3	5412 ESTH Accessory Kit
1	5412ESTH241208NOIPI-R S	0	5412ESTH 24" x 12" Right Insulation
1	5412ESTH241208NOIPI-L S	0	5412ESTH 24" x 12" Left Insulation
1	5412ESTH241208NOIPI-B T	0	5412ESTH 24" x 12" Top and Bottom Insulation
1	5412ESTH241208NOIPI-T P	0	5412ESTH 24" x 12" Top and Bottom Insulation
1	5412ESTH241208NOIPI-B	0	5412ESTH 24" x 12" Back Insulation
4	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-Q-16005	1	Stud M8 x 35 (No Paint Cap Required)
1	5412ESTH241208NOIPB-P	0	5412ESTH 24" x 12" x 8" Body Part
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH241208NOIP\5412ESTH241208NOIP.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM



LEFT



FRONT



RIGHT

0.000
0.800


0.000

11.918

23.803

0.000

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 24-Mar-23	
Material Matière		16 Ga Cold Rolled A1008 CS Type B (1.4mm)	
Color Couleur		Asa-61 Grey	Finish Finis Smooth
Description			Detail Rev.
5412ESTH 24" x 12" Cover			
Part Number Numéro Pièce		Rev.	8
SEE BILL OF MATERIAL ON LAST PAGE		0	16
5412ESTH241208NOIPC			


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH241208NOIP\5412ESTH241208NOIP.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.486	1.567	STUD M6 x 18mm (Inside)
2	1.486	22.236	STUD M6 x 18mm (Inside)
3	9.517	22.236	STUD M6 x 18mm (Inside)
4	9.517	1.567	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
5	10.494	19.553	880 SCQ4-SL
6	10.494	4.250	880 SCQ4-SL



	Description	Status	
	5412ESTH 24" x 12" Cover	(NULL)	
	Part Number Numéro Pièce	Rev.	9
	5412ESTH241208NOIPC	0	16




Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH241208NOIP\5412ESTH241208NOIP.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
 Isometric View			
  Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement  Max 3.0mm Projection 			
Customer Client			Date
Drawn By Dessiné Par BoxCad: BoxCad			Date 24-Mar-23
Material Matière 16 Ga Cold Rolled A1008 CS Type B (1.4mm)			
Color Couleur Asa-61 Grey			Finish Finis Smooth
Description 5412ESTH 24" x 12" Cover			Detail Rev.
Part Number Numéro Pièce 5412ESTH241208NOIPC			Rev. 10 0 16

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


2	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
4	STK-Q-07250	2	M6 x 16mm Collar Nut
2	STK-Q-46020-24	5	5412 ES Vertical Door Stiffener 24"
1	5412ESTH241208NOIPI-C	0	5412ESTH 24" x 12" Cover Insulation
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	5412ESTH241208NOIPG	0	5412ESTH 24" x 12" Cover Gasket Part
1	5412ESTH241208NOIPC-P	0	5412ESTH 24" x 12" Cover Part
2	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
2	STK-K-12500	16	5412 ES 1/4 Turn Lock
QTY	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH241208NOIP\5412ESTH241208NOIP.idw

Tolérance $\pm 1/32$ " sauf spécification contraire




TOP

0.000

10.394

22.394



FRONT


0.000

0.000


0.750



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: Patrick Deschenes

Date 23-Jan-07

Material
Matière

Polyisocyanurate

Color
Couleur

Aluminum

Finish
Fini

N/A

Description

5412ESTH 24" x 12" Back Insulation

Detail Rev.

Part Number
Numéro Pièce

5412ESTH241208NOIP-B

Rev.

11

0

16

SEE BILL OF MATERIAL ON LAST PAGE




SEE BILL OF MATERIAL ON LAST PAGE **5412ESTH241208NOIPI-LS**




This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolérance $\pm 1/32"$ sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



SEE BILL OF MATERIAL ON LAST PAGE **5412ESTH241208NOIPI-RS**

No.	Revisions	Date	By/Par	
 Isometric View				
		Flatness Aplatissement  Max 3.0mm Projection 		
Customer Client		Date		
Drawn By Dessiné Par		Date 23-Jan-07		
Material Matière		Polyisocyanurate		
Color Couleur		Finish Fini		
Aluminum		N/A		
Description		Detail Rev.		
5412ESTH 24" x 12" Right Insulation				
Part Number Numéro Pièce		Rev.	13	
5412ESTH241208NOIPI-RS		0	16	

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH241208NOIP\5412ESTH241208NOIP.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Isometric View

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESTH241208NOIP\5412ESTH241208NOIP.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Isometric View

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

Technical drawing showing the front and top views of a mechanical part.

Front View: A rectangular part with a width of 21.875 and a height of 0.000. The part features four circular holes, one in each corner. The top edge has a semi-circular notch on the left side.

Top View: A rectangular part with a width of 9.875 and a height of 0.000. The part features a central slot and two small rectangular features on the sides.

SEE BILL OF MATERIAL ON LAST PAGE