

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 4X Enclosure
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting studs
6	C/W Eyebolts
7	C/W Mounting feet sold separately (Installed)
8	C/W Struts installed (Included)

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	5412SSDD6060126MF	0	885 MFHD 12" x 12" Mounting Feet
1	880INTI	2	880 INTI - Interlock Post Kit
1	880EB14SS	2	Stainless Steel Eye Bolt M14 (Pack of 2)
8	STK-Q-07320	0	Flange Lock Nut M10
1	885SP6060G	0	885 SP6060G Inner Panel
6	STK-Q-07620	0	M10 Plastic Spacer 0.875"
1	5412SSDD6060126FD	0	5412SSDD 60" x 60" Master Door
1	5412SSDD6060126LD	0	5412SSDD 60" x 60" Slave Door
1	5412SSDD6060126B	0	5412SSDD 60" x 60" x 12" Body
2	5412SSDD6060126GP	0	5412SSDD Gland Plate
8	STK-Q-04051-10	8	M6 Hexagon Socket Head Machine Screw with Nyseal
Qty	Part Number	Rev	Description
Parts List			

Customer Client		Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date 22-Oct-19	
Material Matière		12 Ga Stainless Steel 316 (2.5mm)	
Color Couleur	Unpainted	Finish Fini	Brushed
Description		Detail Rev.	
5412SSDD 60" x 60" x 12" Assembly			
Part Number Numéro Pièce		Rev.	2
5412SSDD6060126		0	2

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126B.idw

Tolérance $\pm 1/32$ " sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK



LEFT



FRONT




RIGHT





BOTTOM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 22-Oct-19	
Material Matière		12 Ga Stainless Steel 316 (2.5mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 5412SSDD 60" x 60" x 12" Body			Detail Rev.
Part Number Numéro Pièce		Rev.	1 2
SEE BILL OF MATERIAL ON LAST PAGE		5412SSDD6060126B	


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126B2.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	14.895	7.895	Struts CR400 21.500" (Inside)
2	44.895	7.895	Struts CR400 21.500" (Inside)
3	14.895	7.895	STUDS M6 x 10mm (Inside)
4	7.145	7.895	STUDS M6 x 10mm (Inside)
5	22.645	7.895	STUDS M6 x 10mm (Inside)
6	44.895	7.895	STUDS M6 x 10mm (Inside)
7	37.145	7.895	STUDS M6 x 10mm (Inside)
8	52.645	7.895	STUDS M6 x 10mm (Inside)



	Description		Status	
	5412SSDD 60" x 60" x 12" Body		Released	
	Part Number Numéro Pièce 5412SSDD6060126B		Rev. 0	2 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126B3.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - RIGHT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	10.395	3.270	GND STUD M6 x 16mm (Inside)



	Description		Status	
	5412SSDD 60" x 60" x 12" Body		Released	
	Part Number Numéro Pièce		Rev.	3
	5412SSDD6060126B		0	7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126B4.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	7.270	3.395	GP STUD M6 x 16mm (Inside)
2	16.520	3.395	GP STUD M6 x 16mm (Inside)
3	43.270	3.395	GP STUD M6 x 16mm (Inside)
4	52.520	3.395	GP STUD M6 x 16mm (Inside)
-----	-----	-----	-----
5	3.895	0.895	RND Ø0.500
6	0.895	5.895	RND Ø0.500
7	3.895	10.895	RND Ø0.500
8	55.895	0.895	RND Ø0.500
9	58.895	5.895	RND Ø0.500
10	55.895	10.895	RND Ø0.500



	Description		Status	
	5412SSDD 60" x 60" x 12" Body		Released	
	Part Number Numéro Pièce 5412SSDD6060126B		Rev. 0	4 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126B5.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	10.395	3.270	GND STUD M6 x 16mm (Inside)



	Description		Status	
	5412SSDD 60" x 60" x 12" Body		Released	
	Part Number Numéro Pièce		Rev.	5 / 7
5412SSDD6060126B		0		

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126B6.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.770	2.770	IP STUD M10 x 40mm (Inside)
2	57.020	2.770	IP STUD M10 x 40mm (Inside)
3	2.770	29.895	IP STUD M10 x 40mm (Inside)
4	57.020	29.895	IP STUD M10 x 40mm (Inside)
5	2.770	57.020	IP STUD M10 x 40mm (Inside)
6	57.020	57.020	IP STUD M10 x 40mm (Inside)
7	29.895	2.770	IP STUD M10 x 40mm (Inside)
8	29.895	57.020	IP STUD M10 x 40mm (Inside)



	Description		Status	
	5412SSDD 60" x 60" x 12" Body		Released	
	Part Number Numéro Pièce		Rev.	6 / 7
5412SSDD6060126B		0		

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126B7.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - CENTER VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.748	36.220	INTERLOCK STUD M6 x 16mm (Inside)
2	0.748	38.346	INTERLOCK STUD M6 x 16mm (Inside)
3	2.717	36.220	INTERLOCK STUD M6 x 16mm (Inside)
4	2.717	38.346	INTERLOCK STUD M6 x 16mm (Inside)




	Description		Status	
	5412SSDD 60" x 60" x 12" Body		Released	
	Part Number Numéro Pièce		Rev.	6
	5412SSDD6060126B		0	7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par



Isometric View




 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement
		 Max 3.0mm
Customer Client		Projection
Drawn By Dessiné Par BoxCad: BoxCad		 Date 22-Oct-19
Material Matière 12 Ga Stainless Steel 316 (2.5mm)		
Color Couleur Unpainted	Finish Fini Brushed	
Description		Detail Rev.
5412SSDD 60" x 60" x 12" Body		
Part Number Numéro Pièce	Rev.	2
5412SSDD6060126B	0	2


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126MF.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM



Isometric View





Isometric View


SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par

Isometric View




 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm
		Projection 
Customer Client		Date
Drawn By Dessiné Par		Date
Material Matière		BoxCad: BoxCad
12 Ga Stainless Steel 316 (2.5mm)		
Color Couleur		Unpainted
Finish Fini		Brushed
Description		Detail Rev.
885 MFHD 12" x 12" Mounting Feet		Rev.
Part Number Numéro Pièce		4
5412SSDD6060126MF		0
		4

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126LD.idw

Tolérance ±1/32" sauf spécification contraire



LEFT



FRONT

RIGHT

BACK

BOTTOM

SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 22-Oct-19	
Material Matière		12 Ga Stainless Steel 316 (2.5mm)	
Color Couleur		Unpainted Fini Brushed	
Description 5412SSDD 60" x 60" Slave Door			Detail Rev.
Part Number Numéro Pièce		Rev.	1 3
5412SSDD6060126LD		0	


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126LD.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	3.524	STUD M6 x 18mm (Inside)
2	1.875	29.203	STUD M6 x 18mm (Inside)
3	1.875	56.024	STUD M6 x 18mm (Inside)
4	1.875	4.636	STUD M6 x 18mm (Inside)
5	1.875	54.912	STUD M6 x 18mm (Inside)
6	25.282	3.524	STUD M6 x 18mm (Inside)
7	25.282	29.203	STUD M6 x 18mm (Inside)
8	25.282	56.024	STUD M6 x 18mm (Inside)
9	25.282	4.636	STUD M6 x 18mm (Inside)
10	25.282	54.912	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
11	26.750	48.430	LOCK 889 SCQ4-SLSS6 @ 0.0°
12	26.750	29.774	LOCK 889 SCQ4-SLSS6 @ 0.0°
13	26.750	11.118	LOCK 889 SCQ4-SLSS6 @ 0.0°
14	14.375	57.180	LOCK 889 SCQ4-SLSS6 @ 90.0°
15	14.375	2.368	LOCK 889 SCQ4-SLSS6 @ 270.0°
16	27.489	37.445	STUDS M6 x 18mm (Inside)
17	27.489	40.123	STUDS M6 x 18mm (Inside)




	Description		Status	
	5412SSDD 60" x 60" Slave Door		(NULL)	
	Part Number Numéro Pièce 5412SSDD6060126LD		Rev. 0	2 3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126LD.idw

No.	Revisions	Date	By/Par
-----	-----------	------	--------



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness	Aplatissement
----------	---------------

Max 3.0mm

Projection

Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

22-Oct-19

Material
Matière

12 Ga Stainless Steel 316 (2.5mm)

Color

Unpainted

Finish

Finish
Fin
Brushed

Description

5412SSDD 60" x 60" Slave Door

Detail Rev.

Part Number
Numéro Pièce

5412SSDD6060126LD

Rev.

3

0



3

1	5412SSDD6060126DG	0	5412SSDD 60" x 60" Door Gasket
1	5412SSDD6060126DS1	0	5412SSDD 60" x 60" Door Stiffener
12	STK-Q-16070	1	Stud M6 x 18mm Stainless Steel
1	5412SSDD6060126LD-P	0	5412SSDD 60" x 60" Slave Door Part
4	STK-K-09870	7	Cabinet Hinge with Captive Pins
5	889 SCQ4-SLSS6	0	9412 SS 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126FD.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Isometric View



5412SSDD6060126FD


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126FD.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	3.524	STUD M6 x 18mm (Inside)
2	1.875	29.203	STUD M6 x 18mm (Inside)
3	1.875	56.024	STUD M6 x 18mm (Inside)
4	1.875	4.636	STUD M6 x 18mm (Inside)
5	1.875	54.912	STUD M6 x 18mm (Inside)
6	25.282	3.524	STUD M6 x 18mm (Inside)
7	25.282	29.203	STUD M6 x 18mm (Inside)
8	25.282	56.024	STUD M6 x 18mm (Inside)
9	25.282	4.636	STUD M6 x 18mm (Inside)
10	25.282	54.912	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
11	26.750	11.118	LOCK 889 SCQ4-SLSS6 @ 180.0°
12	14.375	57.180	LOCK 889 SCQ4-SLSS6 @ 90.0°
13	14.375	2.368	LOCK 889 SCQ4-SLSS6 @ 270.0°
14	26.750	48.430	LOCK 889 SCQ4-SLSS6 @ 180.0°
15	26.750	29.774	LOCK 889 SCQ4-SLSS6 @ 180.0°
16	27.489	37.445	STUDS M6 x 18mm (Inside)
17	27.489	40.123	STUDS M6 x 18mm (Inside)



	Description		Status	
	5412SSDD 60" x 60" Master Door		(NULL)	
	Part Number Numéro Pièce		Rev.	2
	5412SSDD6060126FD		0	3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412SSDD6060126\5412SSDD6060126FD.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.

Revisions

Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626


www.exmweb.com

Flatness

Aplatissement

Max 3.0mm

Projection



Customer

Client

Date

Drawn By

Dessiné Par

BoxCad: BoxCad

Date

22-Oct-19

Material

Matière

12 Ga Stainless Steel 316 (2.5mm)

Color

Couleur

Unpainted

Finish

Fin

Brushed

Description

5412SSDD 60" x 60" Master Door

Detail Rev.

Part Number

Numéro Pièce

5412SSDD6060126FD

Rev.

3

0

3


1	5412SSDD6060126DG	0	5412SSDD 60" x 60" Door Gasket
1	5412SSDD6060126DS1	0	5412SSDD 60" x 60" Door Stiffener
12	STK-Q-16070	1	Stud M6 x 18mm Stainless Steel
1	5412SSDD6060126FD-P	0	5412SSDD 60" x 60" Master Door Part
4	STK-K-09870	7	Cabinet Hinge with Captive Pins
5	889 SCQ4-SLSS6	0	9412 SS 1/4 Turn Lock
Qty	Part Name	Rev	Description
Parts List			



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\885SP\885SP6060G.idw

Tolérance ±1/32" sauf spécification contraire




No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad		Date 04/11/2009	
Material Matière		12 Ga Galvanized (2.5mm)	
Color Couleur Unpainted		Finish Fin Unpainted	
Description 885 SP6060G Inner Panel			Detail Rev.
Part Number Numéro Pièce		Rev.	1 2
885SP6060G		0	

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement
		 Max 3.0mm
Projection		
Customer Client		Date
Drawn By Dessiné Par BoxCad		Date 04/11/2009
Material Matière 12 Ga Galvanized (2.5mm)		
Color Couleur Unpainted		Finish Fin Unpainted
Description 885 SP6060G Inner Panel		Detail Rev.
Part Number Numéro Pièce 885SP6060G		Rev. 0 2 2