

E	5500SSDD726012	0	2
---	----------------	---	---

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5500SSDD726012\5500SSDD726012.idw


Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 12/13 Enclosure
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting studs
6	C/W Mounting feet sold separately (Installed)
7	C/W Struts installed (Included)
8	C/W Eyebolts

No.	Revisions	Date	By/Par




Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection



Customer Client
Date

Drawn By
Dessiné Par
BoxCad: BoxCad
Date 10-Mar-16

Material
Matière
12 Ga Stainless Steel 304 (2.5mm)

Color
Couleur
Unpainted
Finish
Fini
Brushed

Description
5500SSDD 72" x 60" x 12" Assembly
Detail Rev.

Part Number
Numéro Pièce
5500SSDD726012
Rev. 0
2

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	5500SSDD726012MF	0	885 MFHD 12" x 12" Mounting Feet
1	880EB14SS	2	Stainless Steel Eye Bolt M14 (Pack of 2)
8	STK-Q-07320	0	Flange Lock Nut M10
1	885SP7260G	0	885 SP7260G Inner Panel
6	STK-Q-07620	0	M10 Plastic Spacer 0.875"
1	5500SSDD726012FD	0	5500SSDD 72" x 60" Flange Door
1	5500SSDD726012LD	0	5500SSDD 72" x 60" Lock Door
1	5500SSDD726012B	0	5500SSDD 72" x 60" x 12" Body
2	5500SSDD726012GP	0	5500SSDD Gland Plate
8	STK-Q-04051-10	8	M6 Hexagon Socket Head Machine Screw with Nyseal
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726012\5500SSDD726012B.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP



BACK




LEFT



FRONT




RIGHT





BOTTOM

No.	Revisions	Date	By/Par



Isometric View



		Flatness Aplatissement  Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 10-Mar-16	
Material Matière		12 Ga Stainless Steel 304 (2.5mm)	
Color Couleur Unpainted		Finish Fini Brushed	
Description 5500SSDD 72" x 60" x 12" Body		Detail Rev.	
Part Number Numéro Pièce 5500SSDD726012B		Rev. 0	1 2

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726012\5500SSDD726012B2.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	14.895	7.895	Struts CR400 21.500" (Inside)
2	44.895	7.895	Struts CR400 21.500" (Inside)
3	14.895	7.895	STUDS M6 x 10mm (Inside)
4	7.145	7.895	STUDS M6 x 10mm (Inside)
5	22.645	7.895	STUDS M6 x 10mm (Inside)
6	44.895	7.895	STUDS M6 x 10mm (Inside)
7	37.145	7.895	STUDS M6 x 10mm (Inside)
8	52.645	7.895	STUDS M6 x 10mm (Inside)



	Description		Status	
	5500SSDD 72" x 60" x 12" Body		Released	
	Part Number Numéro Pièce 5500SSDD726012B		Rev. 0	2 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726012\5500SSDD726012B3.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - RIGHT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	10.395	3.270	GND STUD M6 x 16mm (Inside)



	Description		Status	
	5500SSDD 72" x 60" x 12" Body		Released	
	Part Number Numéro Pièce 5500SSDD726012B		Rev. 0	3 / 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726012\5500SSDD726012B4.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	7.270	3.395	GP STUD M6 x 16mm (Inside)
2	16.520	3.395	GP STUD M6 x 16mm (Inside)
3	43.270	3.395	GP STUD M6 x 16mm (Inside)
4	52.520	3.395	GP STUD M6 x 16mm (Inside)
-----	-----	-----	-----
5	3.895	0.895	RND Ø0.500
6	0.895	5.895	RND Ø0.500
7	3.895	10.895	RND Ø0.500
8	55.895	0.895	RND Ø0.500
9	58.895	5.895	RND Ø0.500
10	55.895	10.895	RND Ø0.500



	Description	Status	
	5500SSDD 72" x 60" x 12" Body	Released	
	Part Number Numéro Pièce 5500SSDD726012B	Rev. 0	4 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726012\5500SSDD726012B5.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	10.395	3.270	GND STUD M6 x 16mm (Inside)



	Description		Status	
	5500SSDD 72" x 60" x 12" Body		Released	
	Part Number Numéro Pièce		Rev.	5
5500SSDD726012B		0	7	

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726012\5500SSDD726012B6.idw

Tolérance ±1/32" sauf spécification contraire



STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.770	2.770	IP STUD M10 x 40mm (Inside)
2	57.020	2.770	IP STUD M10 x 40mm (Inside)
3	2.770	35.895	IP STUD M10 x 40mm (Inside)
4	57.020	35.895	IP STUD M10 x 40mm (Inside)
5	2.770	69.020	IP STUD M10 x 40mm (Inside)
6	57.020	69.020	IP STUD M10 x 40mm (Inside)
7	29.895	2.770	IP STUD M10 x 40mm (Inside)
8	29.895	69.020	IP STUD M10 x 40mm (Inside)



	Description		Status	
	5500SSDD 72" x 60" x 12" Body		Released	
	Part Number Numéro Pièce		Rev.	6 / 7
5500SSDD726012B		0		



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



		Flatness Aplatissement	
		 Max 3.0mm	
Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		BoxCad: BoxCad Date 10-Mar-16	
Material Matière		12 Ga Stainless Steel 304 (2.5mm)	
Color Couleur	Unpainted	Finish Fini	Brushed
Description		Detail Rev.	
5500SSDD 72" x 60" x 12" Body			
Part Number Numéro Pièce		Rev.	2
5500SSDD726012B		0	2

6	STK-Q-16040	0	Stud M6 x 10mm Stainless Steel
2	STK-Q-16085	0	Ground Stud M6 x 16mm Stainless Steel
6	STK-Q-07220	1	M6 Nylon Insert Lock Nut
4	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
2	STK-Q-07320	0	Flange Lock Nut M10
2	STK-Q-07618	1	5500 Series Inner Panel Support Bracket
8	STK-Q-16120	0	Stud M10 x 40mm Stainless Steel
1	5500SSDD726012BT-P	0	5500SSDD 60" x 12" Bottom Part
1	5500SSDD726012T-P	0	5500SSDD 60" x 12" Top Part
1	5500SSDD726012RS-P	0	5500SSDD 72" x 60" Right Part
1	5500SSDD726012LS-P	0	5500SSDD 72" x 60" Left Part
1	5500SSDD726012B-P	0	5500SSDD 72" x 60" Back Part
2	CR400SS_21.5	0	Commercial Roll Stainless Steel (21.5in long)
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


Isometric View



Isometric View

SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par



Part Number Numéro Pièce 5500SSDD726012MF	Rev. 0	4 4
--	------------------	--------






6	RIVET_NUT_SS_M10_FH _CE	0	Stainless Steel Rivet Nut M10 (Low Profile Close End)
1	5500SSDD726012MFR-P	0	885 MFHD 12" x 12" Right Mounting Feet Part
1	5500SSDD726012MFL-P	0	885 MFHD 12" x 12" Left Mounting Feet Part
1	STK-K-11610	2	885 MFSS Accessory Kit
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726012\5500SSDD726012LD.idw

Tolérance ±1/32" sauf spécification contraire



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

10-Mar-16

Material
Matière

12 Ga Stainless Steel 304 (2.5mm)

Color
Couleur

Unpainted

Finish
Fini

Brushed

Description

5500SSDD 72" x 60" Lock Door

Detail Rev.

Part Number
Numéro Pièce

5500SSDD726012LD

Rev.

1

0

3

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726012\5500SSDD726012LD.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.983	2.028	STUD M6 x 18mm (Inside)
2	1.983	35.580	STUD M6 x 18mm (Inside)
3	1.983	69.521	STUD M6 x 18mm (Inside)
4	1.983	3.139	STUD M6 x 18mm (Inside)
5	1.983	68.409	STUD M6 x 18mm (Inside)
6	25.390	2.028	STUD M6 x 18mm (Inside)
7	25.390	35.580	STUD M6 x 18mm (Inside)
8	25.390	69.521	STUD M6 x 18mm (Inside)
9	25.390	3.139	STUD M6 x 18mm (Inside)
10	25.390	68.409	STUD M6 x 18mm (Inside)
11	27.311	6.118	STUD M6 x 18mm (Inside)
12	27.311	65.430	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
13	27.311	37.743	HANDLE 885 ESL2A-APHKSS @ 0.0°



FRONT

	Description		Status	
	5500SSDD 72" x 60" Lock Door		(NULL)	
	Part Number Numéro Pièce		Rev.	2
	5500SSDD726012LD		0	3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726012\5500SSDD726012LD.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection

Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 10-Mar-16

Material
Matière

12 Ga Stainless Steel 304 (2.5mm)

Color
Couleur

Unpainted

Finish
Fini

Brushed

Description

5500SSDD 72" x 60" Lock Door

Detail Rev.

Part Number
Numéro Pièce

5500SSDD726012LD

Rev. 0

3






Qty	Part Name	Rev	Description
1	STK-Q-47522	1	5500 DDS Lower Closing Bar 72"
1	STK-Q-47512	0	5500 DDS Upper Closing Bar 72"
1	STK-A-03986-36	2	Gearbox Counterclockwise Assembly (36.0mm)
1	885ESL2A-APHKSS	7	885 ESL2A-APHKSS - Stainless Steel L-Handle Padlockable Assy
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	5500SSDD726012LDG	0	5500SSDD 72" x 60" Lock Door Gasket
1	STK-K-10720	3	5500 DDS - Door Stiffener Assembly
2	STK-Q-16410	0	Guide Stud - Largel (No Paint Cap Required)
10	STK-Q-16070	1	Stud M6 x 18mm Stainless steel
1	5500SSDD726012LD-P	0	5500SSDD 72" x 60" Lock Door Part
4	STK-K-09870	7	Cabinet Hinge with Captive Pins
2	STK-A-90025	0	9500 - Cabinet Closing Bar End (Large)
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726012\5500SSDD726012FD.idw

Tolérance ±1/32" sauf spécification contraire



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 10-Mar-16

Material
Matière

12 Ga Stainless Steel 304 (2.5mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

5500SSDD 72" x 60" Flange Door

Detail Rev.

Part Number
Numéro Pièce

5500SSDD726012FD

Rev.

1

0

3

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726012\5500SSDD726012FD.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	2.028	STUD M6 x 18mm (Inside)
2	2.000	35.580	STUD M6 x 18mm (Inside)
3	2.000	69.521	STUD M6 x 18mm (Inside)
4	2.000	3.139	STUD M6 x 18mm (Inside)
5	2.000	68.409	STUD M6 x 18mm (Inside)
6	28.407	2.028	STUD M6 x 18mm (Inside)
7	28.407	35.580	STUD M6 x 18mm (Inside)
8	28.407	69.521	STUD M6 x 18mm (Inside)
9	28.407	3.139	STUD M6 x 18mm (Inside)
10	28.407	68.409	STUD M6 x 18mm (Inside)
11	30.061	4.774	CLOSING BAR GUIDE (Inside)
12	30.061	66.774	CLOSING BAR GUIDE (Inside)
13	30.061	35.774	STUD M10 x 20mm (Inside)




	Description		Status	
	5500SSDD 72" x 60" Flange Door		(NULL)	
	Part Number Numéro Pièce		Rev.	2
	5500SSDD726012FD		0	3


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par



Isometric View







 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement
		Max 3.0mm Projection 
Customer Client		Date
Drawn By Dessiné Par BoxCad: BoxCad		Date 10-Mar-16
Material Matière 12 Ga Stainless Steel 304 (2.5mm)		
Color Couleur Unpainted	Finish Fin Brushed	
Description 5500SSDD 72" x 60" Flange Door		Detail Rev.
Part Number Numéro Pièce 5500SSDD726012FD		Rev. 3 0

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified



C:\Vault Workspace\Inventor Dwg\Inv-8\885SP\885SP7260G.idw


Tolérance ±1/32" sauf spécification contraire



0.000

SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date	
		BoxCad	
Material Matière		12 Ga Galvanized (2.5mm)	
Color Couleur		Unpainted	
Finish Fin		Unpainted	
Description			Detail Rev.
885 SP7260G Inner Panel			
Part Number Numéro Pièce		Rev.	
885SP7260G		0	1 2







Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\885SP\885SP7260G.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm Projection 	Date
Customer Client		Date	
Drawn By Dessiné Par BoxCad		Date 04/11/2009	
Material Matière 12 Ga Galvanized (2.5mm)			
Color Couleur Unpainted		Finish Fini Unpainted	
Description 885 SP7260G Inner Panel			Detail Rev.
Part Number Numéro Pièce		Rev.	2
885SP7260G		0	2

1	885SP7260G-P	0	885 SP7260G Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			