


This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726016\5500SSDD726016.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK



LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par




Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

GRAIN DIRECTION:
TOP/BOTTOM: HORIZONTAL
LEFT/RIGHT/BACK/FRONT: VERTICAL

SEE BILL OF MATERIAL ON LAST PAGE

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 10-Mar-16	
Material Matière		12 Ga Stainless Steel 304 (2.5mm)	
Color Couleur		Unpainted	Finish Fini Brushed
Description 5500SSDD 72" x 60" x 16" Assembly			Detail Rev.
Part Number Numéro Pièce 5500SSDD726016			Rev. 1 2

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726016\5500SSDD726016.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 12/13 Enclosure
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting studs
6	C/W Eyebolts
7	C/W Mounting feet sold separately (Installed)
8	C/W Struts installed (Included)

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		BoxCad: BoxCad	Date 10-Mar-16
Material Matière		12 Ga Stainless Steel 304 (2.5mm)	
Color Couleur		Unpainted	Finish Fin Brushed
Description		Detail Rev.	
5500SSDD 72" x 60" x 16" Assembly			
Part Number Numéro Pièce		Rev.	2
5500SSDD726016		0	2

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	5500SSDD726016MF	0	885 MFHD 12" x 16" Mounting Feet
1	880EB14SS	2	Stainless Steel Eye Bolt M14 (Pack of 2)
8	STK-Q-07320	0	Flange Lock Nut M10
1	885SP7260G	0	885 SP7260G Inner Panel
6	STK-Q-07620	0	M10 Plastic Spacer 0.875"
1	5500SSDD726016FD	0	5500SSDD 72" x 60" Flange Door
1	5500SSDD726016LD	0	5500SSDD 72" x 60" Lock Door
1	5500SSDD726016B	0	5500SSDD 72" x 60" x 16" Body
2	5500SSDD726016GP	0	5500SSDD Gland Plate
8	STK-Q-04051-10	8	M6 Hexagon Socket Head Machine Screw with Nyseal
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726016\5500SSDD726016B.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM




No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement
		Max 3.0mm
		Projection 
Customer Client		Date
Drawn By Dessiné Par BoxCad: BoxCad		Date 10-Mar-16
Material Matière 12 Ga Stainless Steel 304 (2.5mm)		
Color Couleur Unpainted	Finish Fin Brushed	
Description 5500SSDD 72" x 60" x 16" Body		Detail Rev.
Part Number Numéro Pièce 5500SSDD726016B		Rev. 1 0 2


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726016\5500SSDD726016B2.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	14.895	11.895	Struts CR400 21.500" (Inside)
2	44.895	11.895	Struts CR400 21.500" (Inside)
3	14.895	11.895	STUDS M6 x 10mm (Inside)
4	7.145	11.895	STUDS M6 x 10mm (Inside)
5	22.645	11.895	STUDS M6 x 10mm (Inside)
6	44.895	11.895	STUDS M6 x 10mm (Inside)
7	37.145	11.895	STUDS M6 x 10mm (Inside)
8	52.645	11.895	STUDS M6 x 10mm (Inside)



	Description		Status	
	5500SSDD 72" x 60" x 16" Body		Released	
	Part Number Numéro Pièce 5500SSDD726016B		Rev. 0	2 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726016\5500SSDD726016B3.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - RIGHT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	14.395	3.270	GND STUD M6 x 16mm (Inside)



	Description		Status	
	5500SSDD 72" x 60" x 16" Body		Released	
	Part Number Numéro Pièce 5500SSDD726016B		Rev. 0	37

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726016\5500SSDD726016B4.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	7.270	3.395	GP STUD M6 x 16mm (Inside)
2	16.520	3.395	GP STUD M6 x 16mm (Inside)
3	43.270	3.395	GP STUD M6 x 16mm (Inside)
4	52.520	3.395	GP STUD M6 x 16mm (Inside)
-----	-----	-----	-----
5	3.895	0.895	RND Ø0.500
6	0.895	2.895	RND Ø0.500
7	0.895	12.895	RND Ø0.500
8	3.895	14.895	RND Ø0.500
9	55.895	0.895	RND Ø0.500
10	58.895	2.895	RND Ø0.500
11	58.895	12.895	RND Ø0.500
12	55.895	14.895	RND Ø0.500



	Description		Status	
	5500SSDD 72" x 60" x 16" Body		Released	
	Part Number Numéro Pièce 5500SSDD726016B		Rev. 0	4 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726016\5500SSDD726016B5.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	14.395	3.270	GND STUD M6 x 16mm (Inside)



	Description		Status	
	5500SSDD 72" x 60" x 16" Body		Released	
	Part Number Numéro Pièce 5500SSDD726016B		Rev. 0	5 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726016\5500SSDD726016B6.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.770	2.770	IP STUD M10 x 40mm (Inside)
2	57.020	2.770	IP STUD M10 x 40mm (Inside)
3	2.770	35.895	IP STUD M10 x 40mm (Inside)
4	57.020	35.895	IP STUD M10 x 40mm (Inside)
5	2.770	69.020	IP STUD M10 x 40mm (Inside)
6	57.020	69.020	IP STUD M10 x 40mm (Inside)
7	29.895	2.770	IP STUD M10 x 40mm (Inside)
8	29.895	69.020	IP STUD M10 x 40mm (Inside)




	Description		Status	
	5500SSDD 72" x 60" x 16" Body		Released	
	Part Number Numéro Pièce		Rev.	6 / 7
5500SSDD726016B		0		


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement
		 Max 3.0mm
Customer Client		Projection  
Drawn By Dessiné Par BoxCad: BoxCad		Date 10-Mar-16
Material Matière 12 Ga Stainless Steel 304 (2.5mm)		
Color Couleur Unpainted	Finish Fin Brushed	
Description 5500SSDD 72" x 60" x 16" Body		Detail Rev.
Part Number Numéro Pièce 5500SSDD726016B		Rev. 0 2 2


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726016\5500SSDD726016MF.idw


Tolérance ±1/32" sauf spécification contraire


No.	Revisions	Date	By/Par



Isometric View




 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com	Flatness Aplatissement Max 3.0mm	
	Projection 	
Customer Client	Date	
Drawn By Dessiné Par BoxCad: BoxCad	Date 10-Mar-16	
Material Matière 12 Ga Stainless Steel 304 (2.5mm)		
Color Couleur Unpainted	Finish Fini Brushed	
Description 885 MFHD 12" x 16" Mounting Feet	Detail Rev.	
Part Number Numéro Pièce 5500SSDD726016MF	Rev. 0	1 4




TOP




BACK



LEFT



FRONT



RIGHT




BOTTOM

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par



Isometric View








 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement
		 Max 3.0mm
Customer Client		Projection 
Drawn By Dessiné Par BoxCad: BoxCad		Date 10-Mar-16
Material Matière 12 Ga Stainless Steel 304 (2.5mm)		
Color Couleur Unpainted	Finish Fin Brushed	
Description 885 MFHD 12" x 16" Mounting Feet		Detail Rev.
Part Number Numéro Pièce 5500SSDD726016MF		Rev. 0 4 4

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726016\5500SSDD726016LD.idw

Tolérance ±1/32" sauf spécification contraire



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

10-Mar-16

Material
Matière

12 Ga Stainless Steel 304 (2.5mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

5500SSDD 72" x 60" Lock Door

Detail Rev.

Part Number
Numéro Pièce

5500SSDD726016LD

Rev.

1

0

3

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726016\5500SSDD726016LD.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.983	2.028	STUD M6 x 18mm (Inside)
2	1.983	35.580	STUD M6 x 18mm (Inside)
3	1.983	69.521	STUD M6 x 18mm (Inside)
4	1.983	3.139	STUD M6 x 18mm (Inside)
5	1.983	68.409	STUD M6 x 18mm (Inside)
6	25.390	2.028	STUD M6 x 18mm (Inside)
7	25.390	35.580	STUD M6 x 18mm (Inside)
8	25.390	69.521	STUD M6 x 18mm (Inside)
9	25.390	3.139	STUD M6 x 18mm (Inside)
10	25.390	68.409	STUD M6 x 18mm (Inside)
11	27.311	6.118	STUD M6 x 18mm (Inside)
12	27.311	65.430	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
13	27.311	37.743	HANDLE 885 ESL2A-APHKSS @ 0.0°




FRONT

	Description		Status	
	5500SSDD 72" x 60" Lock Door		(NULL)	
	Part Number Numéro Pièce		Rev.	2
	5500SSDD726016LD		0	3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par



Isometric View








 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection 		
Customer Client	Date	
Drawn By Dessiné Par BoxCad: BoxCad	Date 10-Mar-16	
Material Matière 12 Ga Stainless Steel 304 (2.5mm)		
Color Couleur Unpainted	Finish Fin Brushed	
Description	Detail Rev.	
5500SSDD 72" x 60" Lock Door		
Part Number Numéro Pièce 5500SSDD726016LD	Rev. 0 3 3	

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726016\5500SSDD726016FD.idw

Tolérance ±1/32" sauf spécification contraire



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 10-Mar-16

Material
Matière

12 Ga Stainless Steel 304 (2.5mm)

Color
Couleur

Unpainted

Finish
Fin

Brushed

Description

5500SSDD 72" x 60" Flange Door

Detail Rev.

Part Number
Numéro Pièce

5500SSDD726016FD

Rev.

1

0

3

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500SSDD726016\5500SSDD726016FD.idw

Tolérance ±1/32" sauf spécification contraire


STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.000	2.028	STUD M6 x 18mm (Inside)
2	2.000	35.580	STUD M6 x 18mm (Inside)
3	2.000	69.521	STUD M6 x 18mm (Inside)
4	2.000	3.139	STUD M6 x 18mm (Inside)
5	2.000	68.409	STUD M6 x 18mm (Inside)
6	28.407	2.028	STUD M6 x 18mm (Inside)
7	28.407	35.580	STUD M6 x 18mm (Inside)
8	28.407	69.521	STUD M6 x 18mm (Inside)
9	28.407	3.139	STUD M6 x 18mm (Inside)
10	28.407	68.409	STUD M6 x 18mm (Inside)
11	30.061	4.774	CLOSING BAR GUIDE (Inside)
12	30.061	66.774	CLOSING BAR GUIDE (Inside)
13	30.061	35.774	STUD M10 x 20mm (Inside)





	Description	Status	
	5500SSDD 72" x 60" Flange Door	(NULL)	
	Part Number Numéro Pièce	Rev.	2
5500SSDD726016FD		0	3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par




		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm Projection 	
Customer Client			Date		
Drawn By Dessiné Par			BoxCad: BoxCad		Date 10-Mar-16
Material Matière			12 Ga Stainless Steel 304 (2.5mm)		
Color Couleur		Unpainted		Finish Fini	Brushed
Description				Detail Rev.	
5500SSDD 72" x 60" Flange Door					
Part Number Numéro Pièce				Rev.	3
5500SSDD726016FD				0	3

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\885SP\885SP7260G.idw

Tolérance ±1/32" sauf spécification contraire



TOP




FRONT




RIGHT

0.000



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad

Date 04/11/2009

Material
Matière

12 Ga Galvanized (2.5mm)

Color
Couleur

Unpainted

Finish
Fin

Unpainted

Description

885 SP7260G Inner Panel

Detail Rev.

Part Number
Numéro Pièce

885SP7260G

Rev.

1

0

2

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par

Isometric View

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement	
Customer Client		Projection	
Drawn By Dessiné Par BoxCad		 Date 04/11/2009	
Material Matière 12 Ga Galvanized (2.5mm)			
Color Couleur Unpainted		Finish Fini Unpainted	
Description		Detail Rev.	
885 SP7260G Inner Panel			
Part Number Numéro Pièce		Rev. 0	2 / 2
885SP7260G			