


This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UCD604824\5500UCD604824.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par

Isometric View

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 11/3/2014	
Material Matière		12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Finis Smooth
Description 5500UCD 60" x 48" x 24" Assembly			Detail Rev.
Part Number Numéro Pièce		Rev.	1 2
SEE BILL OF MATERIAL ON LAST PAGE		5500UCD604824	

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UCD604824\5500UCD604824.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 12/13 Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting studs
6	C/W Special handle sold separately (Kit)
7	C/W Eyebolts
8	C/W Mounting feet sold separately (Installed)
9	C/W Struts installed (Included)

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 11/3/2014	
Material Matière		12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Fin Smooth
Description 5500UCD 60" x 48" x 24" Assembly			Detail Rev.
Part Number Numéro Pièce			Rev.
5500UCD604824			2
			0
			2


PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	5500UCD604824MF	0	885 MFHD 15" x 24" Mounting Feet
1	880INTI	2	880 INTI - Interlock Post Kit
1	880EB14	2	Eye Bolt M14 (Pack of 2)
8	STK-Q-07320	0	Flange Lock Nut M10
1	885SP6048G	0	885 SP6048G Inner Panel
6	STK-Q-07620	0	M10 Plastic Spacer 0.875"
1	5500UCD604824FD	0	5500UCD 60" x 48" Lock Door
1	5500UCD604824LD	0	5500UCD 60" x 48" Flange Door
1	5500UCD604824B	0	5500UCD 60" x 48" x 24" Body
2	5500UCD604824GP	0	5500UCD Gland Plate
8	STK-Q-04050-10	8	M6 x 10mm Hexagon Socket Head Machine Screw with Nyseal
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UCD604824\5500UCD604824B.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Isometric View



Max 3.0mm

Drawn By Dessiné Par	BoxCad: BoxCad	Date 11/3/2014
-------------------------	----------------	----------------

Color Couleur	Asa-61 Grey	Finish Finis	Smooth
------------------	-------------	-----------------	--------

5500UCD 60" x 48" x 24" Body	
------------------------------	--

SEE BILL OF MATERIAL ON LAST PAGE



Figure 1 shows a rectangular domain with a vertical axis on the left labeled 'LEFT'. The horizontal axis at the bottom is labeled '0.000' and the horizontal axis at the top is labeled '24.000'. The vertical axis on the right is labeled '0.000'.



60.000

0.000


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UCD604824\5500UCD604824B2.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	35.911	19.911	Struts CR400 17.500" (Inside)
2	11.911	19.911	Struts CR400 17.500" (Inside)
3	35.911	19.911	STUDS M6 x 10mm (Inside)
4	30.161	19.911	STUDS M6 x 10mm (Inside)
5	41.661	19.911	STUDS M6 x 10mm (Inside)
6	11.911	19.911	STUDS M6 x 10mm (Inside)
7	6.161	19.911	STUDS M6 x 10mm (Inside)
8	17.661	19.911	STUDS M6 x 10mm (Inside)



	Description		Status	
	5500UCD 60" x 48" x 24" Body		Released	
	Part Number Numéro Pièce		Rev.	2 / 7
5500UCD604824B		0		

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UCD604824\5500UCD604824B3.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - RIGHT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	22.411	3.286	GND STUD M6 x 16mm (Inside)



	Description	Status	
	5500UCD 60" x 48" x 24" Body	Released	
	Part Number Numéro Pièce	Rev.	3
	5500UCD604824B	0	7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Technical drawing of a rectangular structure, likely a cross-section of a building or container, showing dimensions and numbered points.

Dimensions:

- Overall width: 48.000
- Overall height: 24.000
- Top horizontal offset: 1.000
- Top horizontal offset: 3.000
- Top horizontal offset: 40.000
- Top horizontal offset: 1.000
- Top horizontal offset: 3.000
- Right vertical offset: 1.000
- Right vertical offset: 2.000
- Right vertical offset: 18.000
- Right vertical offset: 1.000
- Right vertical offset: 2.000
- Bottom horizontal offset: 1.000
- Bottom horizontal offset: 2.000


Numbered Points:

- 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

Labels:

- BOTTOM

BOTTOM



This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UCD604824\5500UCD604824B5.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	22.411	3.286	GND STUD M6 x 16mm (Inside)

--	--	--	--



	Description	Status	
	5500UCD 60" x 48" x 24" Body	Released	
	Part Number Numéro Pièce	Rev.	5
	5500UCD604824B	0	7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UCD604824\5500UCD604824B6.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.786	2.786	IP STUD M10 x 40mm (Inside)
2	45.036	2.786	IP STUD M10 x 40mm (Inside)
3	2.786	29.911	IP STUD M10 x 40mm (Inside)
4	45.036	29.911	IP STUD M10 x 40mm (Inside)
5	2.786	57.036	IP STUD M10 x 40mm (Inside)
6	45.036	57.036	IP STUD M10 x 40mm (Inside)
7	23.911	2.786	IP STUD M10 x 40mm (Inside)
8	23.911	57.036	IP STUD M10 x 40mm (Inside)



	Description		Status	
	5500UCD 60" x 48" x 24" Body		Released	
	Part Number Numéro Pièce		Rev.	6
	5500UCD604824B		0	7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UCD604824\5500UCD604824B7.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - CENTER VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.748	36.220	INTERLOCK STUD M6 x 16mm (Inside)
2	0.748	38.346	INTERLOCK STUD M6 x 16mm (Inside)
3	2.717	36.220	INTERLOCK STUD M6 x 16mm (Inside)
4	2.717	38.346	INTERLOCK STUD M6 x 16mm (Inside)



	Description		Status	
	5500UCD 60" x 48" x 24" Body		Released	
	Part Number Numéro Pièce 5500UCD604824B		Rev. 0	6 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UCD604824\5500UCD604824B.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

5500UCD604824MF


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UCD604824\5500UCD604824MF.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection

Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

11/3/2014

Material
Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

885 MFHD 15" x 24" Mounting Feet

Detail Rev.

Part Number
Numéro Pièce

5500UCD604824MF

Rev.

0

4

4


Qty	Part Name	Rev	Description
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
8	RIVET_NUT_M10_FH_CE	0	Rivet Nut M10 (Low Profile Close End)
1	5500UCD604824MFR-P	0	885 MFHD 15" x 24" Right Mounting Feet Part
1	5500UCD604824MFL-P	0	885 MFHD 15" x 24" Left Mounting Feet Part
1	STK-K-11600	2	885 MF Accessory Kit
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UCD604824\5500UCD604824LD.idw

Tolérance $\pm 1/32$ " sauf spécification contraire




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client Date

Drawn By Dessiné Par BoxCad: BoxCad Date 11/3/2014

Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color Couleur Asa-61 Grey Finish Fini Smooth

Description 5500UCD 60" x 48" Flange Door Detail Rev.

Part Number Numéro Pièce 5500UCD604824LD Rev. 0 1 3

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UCD604824\5500UCD604824LD.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	20.544	6.118	STUD M6 x 18mm (Inside)
2	20.544	53.430	STUD M6 x 18mm (Inside)
3	19.357	53.430	STUD M6 x 18mm (Inside)
4	20.544	49.886	STUD M6 x 18mm (Inside)
5	19.357	49.886	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
6	2.000	2.118	GND STUD M6 x 16mm (Inside)
7	20.544	31.743	HANDLE 885 ESL2A-APHD @ 0.0°
8	21.475	37.445	STUDS M6 x 18mm (Inside)
9	21.475	40.123	STUDS M6 x 18mm (Inside)



FRONT

	Description		Status	
	5500UCD 60" x 48" Lock Door		(NULL)	
	Part Number Numéro Pièce		Rev.	2
	5500UCD604824LD		0	3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5500UCD604824\5500UCD604824LD.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Isometric View

1	5500UCD604824DB_ESY	0	5500UCD 60" Disconnect Defeater Bar
1	5500UCD604824CB	0	5500UCD 60" Closing Bar
1	5500UCD604824CB_ESY	0	5500UCD 60" Disconnect Closing Bar
1	STK-K-03895-36	3	Gearbox Clockwise Assembly (Grip 36mm)
1	885ESL2A-APHD	0	885 ESL2A-APHD - Zinc Die Cast L-Handle Padlockable Assy - Slot Cylinder
1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-Q-07220	1	M6 Nylon Insert Lock Nut
1	5500UCD604824LDG	0	5500UCD 60" x 48" Lock Door Gasket
1	STK-Q-13060	1	M6 Flat Washer
1	STK-Q-46600	3	5500 ESY Disconnect Door Hook
1	5500UCD604824LD-P	0	5500UCD 60" x 48" Lock Door Part
4	STK-K-09860	7	Cabinet Hinge with Captive Pins
7	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
Qty	Part Name	Rev	Description
Parts List			



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 11/3/2014

Material
Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5500UCD 60" x 48" Flange Door

Detail Rev.

Part Number
Numéro Pièce

5500UCD604824LD

Rev. 0


3

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UCD604824\5500UCD604824FD.idw


Tolérance $\pm 1/32$ " sauf spécification contraire



0.000
0.835
LEFT

22.625
0.000
FRONT

59.549
0.000
RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

11/3/2014

Material
Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

5500UCD 60" x 48" Lock Door

Detail Rev.

Part Number
Numéro Pièce

5500UCD604824FD

Rev.

0

1

3

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UCD604824\5500UCD604824FD.idw

Tolérance ±1/32" sauf spécification contraire



STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	20.544	6.118	CLOSING BAR GUIDE (Inside)
2	20.544	53.430	CLOSING BAR GUIDE (Inside)
-----	-----	-----	-----
3	2.000	2.118	GND STUD M6 x 16mm (Inside)
4	20.544	31.743	HANDLE 885 ESL2A-APHD @ 0.0°
5	21.475	37.445	STUDS M6 x 18mm (Inside)
6	21.475	40.123	STUDS M6 x 18mm (Inside)



	Description	Status	
	5500UCD 60" x 48" Lock Door	(NULL)	
	Part Number	Rev.	2
	Numéro Pièce	0	3
5500UCD604824FD			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection 		Customer Client Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 11/3/2014	
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)			
Color Couleur Asa-61 Grey		Finish Fin Smooth	
Description 5500UCD 60" x 48" Lock Door			Detail Rev.
Part Number Numéro Pièce 5500UCD604824FD		Rev. 0	3 3

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\Inv-8\885SP\885SP6048.idw


Tolérance ±1/32" sauf spécification contraire



TOP




FRONT




RIGHT

SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection





Customer Client		Date	
Drawn By Dessiné Par		Date	
Material Matière		04/11/2009	
Color Couleur		12 Ga H.R.P. & O. (2.5mm)	
Finish Fini		White RAL9003	
Description		Smooth	
Part Number Numéro Pièce		Detail Rev.	
885 SP6048 Inner Panel		Rev. 1	
885SP6048		0	
		2	

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\Inv-8\885SP\885SP6048.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection 			
Customer Client			Date
Drawn By Dessiné Par BoxCad			Date 04/11/2009
Material Matière 12 Ga H.R.P. & O. (2.5mm)			
Color Couleur White RAL9003			Finish Fini Smooth
Description 885 SP6048 Inner Panel			Detail Rev.
Part Number Numéro Pièce 885SP6048			Rev. 0
			2
			2

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

1	STK-P-02401S	0	Powder Paint (White / Smooth)
1	885SP6048-P	0	885 SP6048 Inner Panel Part
Qty	Part Number	Rev	Description
Parts List			