

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFD726112\5500UFD726112.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 12/13 Enclosure
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting studs
6	C/W Eyebolts
7	C/W Mounting feet sold separately (Installed)
8	C/W Struts installed (Included)
9	C/W Special handle sold separately (Kit)

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		BoxCad: BoxCad Date 3/18/2016	
Material Matière		12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5500UFD 72" x 61" x 12" Assembly			Detail Rev.
Part Number Numéro Pièce			Rev. 2
5500UFD726112			0

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	5500UFD726112MF	0	885 MFHD 15" x 12" Mounting Feet
1	880INTI	2	880 INTI - Interlock Post Kit
1	5500UFD726112GP	0	5500UFD Gland Plate
1	880EB14	2	Eye Bolt M14 (Pack of 2)
8	STK-Q-07320	0	Flange Lock Nut M10
1	885SP7260G	0	885 SP7260G Inner Panel
6	STK-Q-07620	0	M10 Plastic Spacer 0.875"
1	5500UFD726112FD	0	5500UFD 72" x 61" Lock Door
1	5500UFD726112LD	0	5500UFD 72" x 61" Lock Door
1	5500UFD726112B	0	5500UFD 72" x 61" x 12" Body
8	STK-Q-04050-10	8	M6 x 10mm Hexagon Socket Head Machine Screw with Nyseal
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFD726112\5500UFD726112B.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT





BOTTOM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 3/18/2016	
Material Matière		12 Ga Cold Rolled A1008 CS Type B (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 5500UFD 72" x 61" x 12" Body			Detail Rev.
Part Number Numéro Pièce		Rev.	1 2
SEE BILL OF MATERIAL ON LAST PAGE		5500UFD726112B	


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFD726112\5500UFD726112B2.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	45.911	7.911	Struts CR400 21.500" (Inside)
2	14.911	7.911	Struts CR400 21.500" (Inside)
3	45.911	7.911	STUDS M6 x 10mm (Inside)
4	38.161	7.911	STUDS M6 x 10mm (Inside)
5	53.661	7.911	STUDS M6 x 10mm (Inside)
6	14.911	7.911	STUDS M6 x 10mm (Inside)
7	7.161	7.911	STUDS M6 x 10mm (Inside)
8	22.661	7.911	STUDS M6 x 10mm (Inside)



	Description		Status	
	5500UFD 72" x 61" x 12" Body		Released	
	Part Number Numéro Pièce		Rev.	2 7
5500UFD726112B		0		

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFD726112\5500UFD726112B4.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	25.786	3.411	GP STUD M6 x 16mm (Inside)
2	35.036	3.411	GP STUD M6 x 16mm (Inside)
-----	-----	-----	-----
3	3.911	0.911	RND Ø0.500
4	0.911	5.911	RND Ø0.500
5	3.911	10.911	RND Ø0.500
6	56.911	0.911	RND Ø0.500
7	59.911	5.911	RND Ø0.500
8	56.911	10.911	RND Ø0.500



BOTTOM

	Description	Status	
	5500UFD 72" x 61" x 12" Body	Released	
	Part Number Numéro Pièce 5500UFD726112B	Rev. 0	4 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFD726112\5500UFD726112B5.idw


Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	10.411	3.286	GND STUD M6 x 16mm (Inside)



	Description	Status	
	5500UFD 72" x 61" x 12" Body	Released	
	Part Number Numéro Pièce	Rev.	5
	5500UFD726112B	0	7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFD726112\5500UFD726112B7.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - CENTER VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.748	42.220	INTERLOCK STUD M6 x 16mm (Inside)
2	0.748	44.346	INTERLOCK STUD M6 x 16mm (Inside)
3	2.717	42.220	INTERLOCK STUD M6 x 16mm (Inside)
4	2.717	44.346	INTERLOCK STUD M6 x 16mm (Inside)
5	1.732	3.648	GND STUD M6 x 16mm (Inside)



	Description	Status	
	5500UFD 72" x 61" x 12" Body	Released	
	Part Number	Rev.	6
	Numéro Pièce	0	7
5500UFD726112B			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance $\pm 1/32"$ unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFD726112\5500UFD726112B.idw

Tolérance $\pm 1/32''$ sauf spécification contraire



No.	Revisions	Date	By/Par



Isometric View





6	STK-Q-16030	0	STK M6 x 10mm
6	STK-Q-07220	1	M6 Nylon Insert Lock Nut
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	STK-A-75454	3	Center Post - Sealing Block with Latch Assembly (Large)
1	5500UFD726112CP-P	0	5500UFD 72" Center Post Part
2	STK-Q-07320	0	Flange Lock Nut M10
2	STK-Q-07618	1	5500 Series Inner Panel Support Bracket
8	STK-Q-16100	0	Stud M10 x 40mm
1	5500UFD726112BT-P	0	5500UFD 61" x 12" Bottom Part
1	5500UFD726112T-P	0	5500UFD 61" x 12" Top Part
1	5500UFD726112RS-P	0	5500UFD 72" x 61" Right Part
1	5500UFD726112LS-P	0	5500UFD 72" x 61" Left Part
1	5500UFD726112B-P	0	5500UFD 72" x 61" Back Part
2	CR400MS_21.5	0	Commercial Roll Mild Steel (21.5in long)
4	STK-Q-16080	0	Ground Stud M6 x 16mm
Qty	Part Number	Rev	Description
Parts List			

		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm					
Customer Client				Projection 					
Drawn By Dessiné Par		BoxCad: BoxCad		Date 3/18/2016					
Material Matière 12 Ga Cold Rolled A1008 CS Type B (2.5mm)									
Color Couleur		Asa-61 Grey		Finish Fini Smooth					
Description 5500UFD 72" x 61" x 12" Body				Detail Rev.					
Part Number Numéro Pièce 5500UFD726112B				<table border="1"> <tr> <td>Rev.</td> <td>2</td> </tr> <tr> <td>0</td> <td>2</td> </tr> </table>		Rev.	2	0	2
Rev.	2								
0	2								

SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness	Aplatissement
----------	---------------

Max 3.0mm

Projection	
------------	--



Customer Client	
--------------------	--

Date	
------	--

Drawn By
Dessiné E

BoxCad: BoxCad

Date	
------	--

3/18/2016

Dessin
Material
Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color	
Couleur	

Asa-61 Grey

Finish
Fin

Smooth

Description

885 MFHD 15" x 12" Mounting Feet

Detail Rev.

[illegible]

5500UFD726112MF

Rev.	
------	--

4

0

4

1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
6	RIVET_NUT_M10_FH_CE	0	Rivet Nut M10 (Low Profile Close End)
1	5500UFD726112MFR-P	0	885 MFHD 15" x 12" Right Mounting Feet Part
1	5500UFD726112MFL-P	0	885 MFHD 15" x 12" Left Mounting Feet Part
1	STK-K-11600	2	885 MF Accessory Kit
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFD726112\5500UFD726112LD.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

3/18/2016

Material
Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color
Couleur

Asa-61 Grey

Finish
Fin

Smooth

Description

5500UFD 72" x 61" Lock Door

Detail Rev.

Part Number
Numéro Pièce

5500UFD726112LD

Rev.

1

0

3

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFD726112\5500UFD726112LD.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.375	2.028	STUD M6 x 18mm (Inside)
2	2.375	35.580	STUD M6 x 18mm (Inside)
3	2.375	69.521	STUD M6 x 18mm (Inside)
4	2.375	3.139	STUD M6 x 18mm (Inside)
5	2.375	68.409	STUD M6 x 18mm (Inside)
6	23.544	2.028	STUD M6 x 18mm (Inside)
7	23.544	35.580	STUD M6 x 18mm (Inside)
8	23.544	69.521	STUD M6 x 18mm (Inside)
9	23.544	3.139	STUD M6 x 18mm (Inside)
10	23.544	68.409	STUD M6 x 18mm (Inside)
11	26.544	6.118	STUD M6 x 18mm (Inside)
12	26.544	65.430	STUD M6 x 18mm (Inside)
13	25.357	65.430	STUD M6 x 18mm (Inside)
14	26.544	56.525	STUD M6 x 18mm (Inside)
15	25.357	56.525	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
16	26.544	37.743	HANDLE 885 ESL2A-APHD @ 0.0°
17	1.625	43.445	STUDS M6 x 18mm (Inside)
18	1.625	46.123	STUDS M6 x 18mm (Inside)



	Description		Status	
	5500UFD 72" x 61" Lock Door		(NULL)	
	Part Number Numéro Pièce 5500UFD726112LD		Rev. 0	2 3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5500UFD726112\5500UFD726112LD.idw

Tolérance ±1/32" sauf spécification contraire

No.

Revisions

Date

By/Par

Isometric View

1

5500UFD726112DB_ESY

0

5500UFD 72" Disconnect Defeater Bar

1

5500UFD726112CB

0

5500UFD 72" Closing Bar

1

5500UFD726112CB_ESY

0

5500UFD 72" Disconnect Closing Bar

1

STK-K-03895-36

3

Gearbox Clockwise Assembly (Grip 36mm)

1

885ESL2A-APHD

0

885 ESL2A-APHD - Zinc Die Cast L-Handle Padlockable Assy - Slot Cylinder

1

STK-P-02400S

0

Powder Paint (Asa-61 Grey / Smooth)

1

STK-S-00100

0

3.5" x 2" Silver Milar Flexcon Sticker

1

STK-Q-07220

1

M6 Nylon Insert Lock Nut

1

STK-Q-13060

1

M6 Flat Washer

1

5500UFD726112LDG

0

5500UFD 72" x 61" Lock Door Gasket

1

STK-Q-46600

3

5500 ESY Disconnect Door Hook

1

5500UFD726112DS1

0

5500UFD 72" x 61" Door Stiffener

1

5500UFD726112LD-P

0

5500UFD 72" x 61" Lock Door Part

4

STK-K-09860

7

Cabinet Hinge with Captive Pins

17

STK-Q-16055

1

M6 x 18mm Stud (No Paint Cap Required)

Qty

Part Name

Rev

Description

Parts List

exm

Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com

Customer

Client

Drawn By

Dessiné Par

BoxCad: BoxCad

Material

Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color

Couleur

Asa-61 Grey

Finish

Fin

Smooth

Description

5500UFD 72" x 61" Lock Door

Part Number

Numéro Pièce

5500UFD726112LD

Flatness

Aplatissement

Max 3.0mm

Projection

Date

3/18/2016

Detail Rev.

Rev.

3

3





Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFD726112\5500UFD726112FD.idw

Tolérance ±1/32" sauf spécification contraire



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

3/18/2016

Material
Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5500UFD 72" x 61" Lock Door

Detail Rev.

Part Number
Numéro Pièce

5500UFD726112FD

Rev.

1

0

3

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFD726112\5500UFD726112FD.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.375	2.028	STUD M6 x 18mm (Inside)
2	2.375	35.581	STUD M6 x 18mm (Inside)
3	2.375	69.521	STUD M6 x 18mm (Inside)
4	2.375	3.139	STUD M6 x 18mm (Inside)
5	2.375	68.409	STUD M6 x 18mm (Inside)
6	23.544	2.028	STUD M6 x 18mm (Inside)
7	23.544	35.581	STUD M6 x 18mm (Inside)
8	23.544	69.521	STUD M6 x 18mm (Inside)
9	23.544	3.139	STUD M6 x 18mm (Inside)
10	23.544	68.409	STUD M6 x 18mm (Inside)
11	26.419	6.118	CLOSING BAR GUIDE (Inside)
12	26.419	65.430	CLOSING BAR GUIDE (Inside)
-----	-----	-----	-----
13	26.419	37.743	HANDLE 885 ESL2A-APHD @ 0.0°
14	27.347	43.445	STUDS M6 x 18mm (Inside)
15	27.347	46.123	STUDS M6 x 18mm (Inside)



	Description		Status	
	5500UFD 72" x 61" Lock Door		(NULL)	
	Part Number Numéro Pièce 5500UFD726112FD		Rev. 0	2 3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5500UFD726112\5500UFD726112FD.idw


Tolérance ±1/32" sauf spécification contraire

No.

Revisions

Date

By/Par



Isometric View






Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com


Flatness

Aplatissement



Max 3.0mm

Projection



Customer

Client

Date

Drawn By

Dessiné Par

BoxCad: BoxCad

Date

3/18/2016

Material

Matière

12 Ga Cold Rolled A1008 CS Type B (2.5mm)

Color

Couleur

Asa-61 Grey

Finish

Fin

Smooth

Description

5500UFD 72" x 61" Lock Door

Detail Rev.

Part Number

Numéro Pièce

5500UFD726112FD

Rev.

0

3

3





1	5500UFD726112CB	0	5500UFD 72" Closing Bar
1	5500UFD726112CB2ESY	0	5500UFD 72" Disconnect Closing Bar
1	STK-A-03880-36	12	Gearbox Clockwise Assembly (Grip 36mm)
1	885ESL2A-APHD	0	885 ESL2A-APHD - Zinc Die Cast L-Handle Padlockable Assy - Slot Cylinder
1	5500UFD726112FDG	0	5500UFD 72" x 61" Flange Door Gasket
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	5500UFD726112DS1	0	5500UFD 72" x 61" Door Stiffener
1	5500UFD726112FD-P	0	5500UFD 72" x 61" Lock Door Part
4	STK-K-09860	7	Cabinet Hinge with Captive Pins
14	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified





C:\Vault Workspace\Inventor Dwg\Inv-8\885SP\885SP7260G.idw

Tolérance ±1/32" sauf spécification contraire




0.000



SEE BILL OF MATERIAL ON LAST PAGE

No.	Revisions	Date	By/Par
 Isometric View			
			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad		Date 04/11/2009	
Material Matière		12 Ga Galvanized (2.5mm)	
Color Couleur Unpainted		Finish Fin Unpainted	
Description 885 SP7260G Inner Panel		Detail Rev.	
Part Number Numéro Pièce		Rev.	
885SP7260G		0	1 2

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



	Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com	Flatness Aplatissement  Max 3.0mm Projection 
Customer Client	Date	
Drawn By Dessiné Par BoxCad	Date 04/11/2009	
Material Matière 12 Ga Galvanized (2.5mm)		
Color Couleur Unpainted	Finish Fini Unpainted	
Description 885 SP7260G Inner Panel	Detail Rev.	

Part Number Numéro Pièce	Rev.	2
885SP7260G	0	2