

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFDSS606118\5500UFDSS606118.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 12/13 Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting studs
6	C/W Mounting feet sold separately (Installed)
7	C/W Struts installed (Included)
8	C/W Eyebolts
9	C/W Special handle sold separately (Kit)

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 25-Mar-16	
Material Matière 12 Ga Stainless Steel 304 (2.5mm)			
Color Couleur Asa-61 Grey		Finish Fini Smooth	
Description 5500UFDSS 60" x 61" x 18" Assembly			Detail Rev.
Part Number Numéro Pièce 5500UFDSS606118		Rev. 0	2 / 2

1	5500UFDSS606118MF	0	885 MFHD 15" x 18" Mounting Feet
1	880INTI	2	880 INTI - Interlock Post Kit
1	5500UFDSS606118GP	0	5500UFDSS Gland Plate
1	880EB14SS	2	Stainless Steel Eye Bolt M14 (Pack of 2)
8	STK-Q-07320	0	Flange Lock Nut M10
1	885SP6060G	0	885 SP6060G Inner Panel
6	STK-Q-07620	0	M10 Plastic Spacer 0.875"
1	5500UFDSS606118FD	0	5500UFDSS 60" x 61" Lock Door
1	5500UFDSS606118LD	0	5500UFDSS 60" x 61" Lock Door
1	5500UFDSS606118B	0	5500UFDSS 60" x 61" x 18" Body
8	STK-Q-04051-10	8	M6 Hexagon Socket Head Machine Screw with Nyseal
Qty	Part Number	Rev	Description
Parts List			

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFDSS606118\5500UFDSS606118B.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Isometric View

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFDSS606118\5500UFDSS606118B2.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	45.895	13.895	Struts CR400 21.500" (Inside)
2	14.895	13.895	Struts CR400 21.500" (Inside)
3	45.895	13.895	STUDS M6 x 10mm (Inside)
4	38.145	13.895	STUDS M6 x 10mm (Inside)
5	53.645	13.895	STUDS M6 x 10mm (Inside)
6	14.895	13.895	STUDS M6 x 10mm (Inside)
7	7.145	13.895	STUDS M6 x 10mm (Inside)
8	22.645	13.895	STUDS M6 x 10mm (Inside)



	Description		Status	
	5500UFDSS 60" x 61" x 18" Body		Released	
	Part Number Numéro Pièce 5500UFDSS606118B		Rev. 0	2 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFDSS606118\5500UFDSS606118B4.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	25.770	3.395	GP STUD M6 x 16mm (Inside)
2	35.020	3.395	GP STUD M6 x 16mm (Inside)
-----	-----	-----	-----
3	3.895	0.895	RND Ø0.500
4	0.895	2.895	RND Ø0.500
5	0.895	14.895	RND Ø0.500
6	3.895	16.895	RND Ø0.500
7	56.895	0.895	RND Ø0.500
8	59.895	2.895	RND Ø0.500
9	59.895	14.895	RND Ø0.500
10	56.895	16.895	RND Ø0.500



BOTTOM

	Description		Status	
	5500UFDSS 60" x 61" x 18" Body		Released	
	Part Number Numéro Pièce 5500UFDSS606118B		Rev. 0	4 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFDSS606118\5500UFDSS606118B5.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	16.395	3.270	GND STUD M6 x 16mm (Inside)



	Description		Status	
	5500UFDSS 60" x 61" x 18" Body		Released	
	Part Number Numéro Pièce 5500UFDSS606118B		Rev. 0	5 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFDSS606118\5500UFDSS606118B6.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.730	3.000	STUDS M6 x 18mm (Inside)
2	1.730	12.000	STUDS M6 x 18mm (Inside)
3	1.730	21.000	STUDS M6 x 18mm (Inside)
4	1.730	30.000	STUDS M6 x 18mm (Inside)
5	1.730	39.000	STUDS M6 x 18mm (Inside)
6	1.730	48.000	STUDS M6 x 18mm (Inside)
7	1.730	57.000	STUDS M6 x 18mm (Inside)
8	4.770	3.000	STUDS M6 x 18mm (Inside)
9	4.770	12.000	STUDS M6 x 18mm (Inside)
10	4.770	21.000	STUDS M6 x 18mm (Inside)
11	4.770	30.000	STUDS M6 x 18mm (Inside)
12	4.770	39.000	STUDS M6 x 18mm (Inside)
13	4.770	48.000	STUDS M6 x 18mm (Inside)
14	4.770	57.000	STUDS M6 x 18mm (Inside)
15	28.855	3.000	STUDS M6 x 18mm (Inside)
16	28.855	12.000	STUDS M6 x 18mm (Inside)
17	28.855	21.000	STUDS M6 x 18mm (Inside)
18	28.855	30.000	STUDS M6 x 18mm (Inside)
19	28.855	39.000	STUDS M6 x 18mm (Inside)
20	28.855	48.000	STUDS M6 x 18mm (Inside)
21	28.855	57.000	STUDS M6 x 18mm (Inside)
22	31.895	3.000	STUDS M6 x 18mm (Inside)
23	31.895	12.000	STUDS M6 x 18mm (Inside)
24	31.895	21.000	STUDS M6 x 18mm (Inside)
25	31.895	30.000	STUDS M6 x 18mm (Inside)
26	31.895	39.000	STUDS M6 x 18mm (Inside)
27	31.895	48.000	STUDS M6 x 18mm (Inside)
28	31.895	57.000	STUDS M6 x 18mm (Inside)
29	55.980	3.000	STUDS M6 x 18mm (Inside)
30	55.980	12.000	STUDS M6 x 18mm (Inside)
31	55.980	21.000	STUDS M6 x 18mm (Inside)
32	55.980	30.000	STUDS M6 x 18mm (Inside)
33	55.980	39.000	STUDS M6 x 18mm (Inside)
34	55.980	48.000	STUDS M6 x 18mm (Inside)
35	55.980	57.000	STUDS M6 x 18mm (Inside)
36	59.020	3.000	STUDS M6 x 18mm (Inside)
37	59.020	12.000	STUDS M6 x 18mm (Inside)
38	59.020	21.000	STUDS M6 x 18mm (Inside)
39	59.020	30.000	STUDS M6 x 18mm (Inside)
40	59.020	39.000	STUDS M6 x 18mm (Inside)
41	59.020	48.000	STUDS M6 x 18mm (Inside)
42	59.020	57.000	STUDS M6 x 18mm (Inside)



	Description		Status	
	5500UFDSS 60" x 61" x 18" Body		Released	
	Part Number Numéro Pièce 5500UFDSS606118B		Rev. 0	6 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFDSS606118\5500UFDSS606118B7.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - CENTER VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.748	36.220	INTERLOCK STUD M6 x 16mm (Inside)
2	0.748	38.346	INTERLOCK STUD M6 x 16mm (Inside)
3	2.717	36.220	INTERLOCK STUD M6 x 16mm (Inside)
4	2.717	38.346	INTERLOCK STUD M6 x 16mm (Inside)
5	1.732	3.648	GND STUD M6 x 16mm (Inside)



	Description	Status	
	5500UFDSS 60" x 61" x 18" Body	Released	
	Part Number	Rev.	6
	Numéro Pièce	0	7
5500UFDSS606118B			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFDSS606118\5500UFDSS606118B8.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - CENTER VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.895	2.262	IP STUD M10 x 40mm (Outside)
2	1.895	29.387	IP STUD M10 x 40mm (Outside)
3	1.895	56.512	IP STUD M10 x 40mm (Outside)




SECTION A-A

	Description	Status	
	5500UFDSS 60" x 61" x 18" Body	Released	
	Part Number Numéro Pièce 5500UFDSS606118B	Rev. 0	6 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



6	STK-Q-16040	0	Stud M6 x 10mm Stainless Steel
1	STK-Q-16085	0	Ground Stud M6 x 16mm Stainless Steel
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
3	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
46	STK-Q-16070	1	Stud M6 x 18mm Stainless Steel
1	STK-A-75456	2	Center Post - Stainless Steel Sealing Block with Latch Assembly (Large)
1	5500UFDSS606118CP-P	0	5500UFDSS 60" Center Post Part
8	STK-Q-16120	0	Stud M10 x 40mm Stainless Steel
2	STK-Q-07320	0	Flange Lock Nut M10
2	STK-Q-07618	1	5500 Series Inner Panel Support Bracket
3	5500UFDSS606118POST-P	0	5500UFDSS 60" IP Post Part
1	5500UFDSS606118BT-P	0	5500UFDSS 61" x 18" Bottom Part
1	5500UFDSS606118T-P	0	5500UFDSS 61" x 18" Top Part
1	5500UFDSS606118RS-P	0	5500UFDSS 60" x 61" Right Part
1	5500UFDSS606118LS-P	0	5500UFDSS 60" x 61" Left Part
1	5500UFDSS606118BR-P	0	5500UFDSS 60" x 61" Back Right Part
1	5500UFDSS606118BL-P	0	5500UFDSS 60" x 61" Back Left Part
2	CR400SS_21.5	0	Commercial Roll Stainless Steel (21.5in long)
48	STK-Q-07220	1	M6 Nylon Insert Lock Nut
Qty	Part Number	Rev	Description
Parts List			

Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness Aplatissement  Max 3.0mm	Projection 
--	---

Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 25-Mar-16

Material	12 Ga Stainless Steel 304 (2.5mm)
Matière	12 Ga Stainless Steel 304 (2.5mm)

Color	Asa-61 Grey	Finish	Smooth
Couleur		Fini	

Description	Detail Rev.
5500UFDSS 60" x 61" x 18" Body	

Part Number Numéro Pièce 5500UFDSS606118B	Rev. 0	2 2
--	------------------	--------

Category	Number of people
Went to the cinema	12
Did not go to the cinema	18

A diagram of a rectangular frame structure. It consists of four vertical posts connected by horizontal rails at the top and bottom. There are four circular fasteners, one at each corner where a post meets a rail, securing the frame together.



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Max 3.0mm

Projection

Date

BoxCad: BoxCad

Date 25-Mar-16

12 Ga Stainless Steel 304 (2.5mm)

Asa-61 Grey

Smooth

Detail Rev.

885 MFHD 15" x 18" Mounting Feet

Rev.

1



5500UFDSS606118MF

0

4

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM


No.	Revisions	Date	By/Par
 Isometric View 			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 25-Mar-16	
Material Matière		12 Ga Stainless Steel 304 (2.5mm)	
Color Couleur		Asa-61 Grey	
		Finish Fini	
		Smooth	
Description		Detail Rev.	
885 MFHD 15" x 18" Mounting Feet			
Part Number Numéro Pièce		Rev.	
5500UFDSS606118MF		0	
		4	
		4	

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFDSS606118\5500UFDSS606118LD.idw

Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Tél: (450) 979-4373

Fax: (450) 979-4626


www.exmweb.com

Flatness

Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date	
Material Matière		Date	
Color Couleur		Date	
Description		Detail Rev.	
Part Number Numéro Pièce		Rev.	

BoxCad: BoxCad		25-Mar-16	
12 Ga Stainless Steel 304 (2.5mm)			
Asa-61 Grey		Smooth	
5500UFDSS 60" x 61" Lock Door			
5500UFDSS606118LD		0	1

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFDSS606118\5500UFDSS606118LD.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	26.544	6.118	STUD M6 x 18mm (Inside)
2	26.544	53.430	STUD M6 x 18mm (Inside)
3	25.357	53.430	STUD M6 x 18mm (Inside)
4	26.544	49.886	STUD M6 x 18mm (Inside)
5	25.357	49.886	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
6	2.000	2.118	GND STUD M6 x 16mm (Inside)
7	26.544	31.743	HANDLE 885 ESL2A-APHDSS @ 0.0°
8	1.625	37.445	STUDS M6 x 18mm (Inside)
9	1.625	40.123	STUDS M6 x 18mm (Inside)



	Description		Status	
	5500UFDSS 60" x 61" Lock Door		(NULL)	
	Part Number Numéro Pièce		Rev.	2
	5500UFDSS606118LD		0	3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFDSS606118\5500UFDSS606118LD.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM




No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection 	
Customer Client	Date
Drawn By Dessiné Par	Date 25-Mar-16
BoxCad: BoxCad	
Material Matière 12 Ga Stainless Steel 304 (2.5mm)	
Color Couleur Asa-61 Grey	Finish Fin Smooth
Description 5500UFDSS 60" x 61" Lock Door	
Detail Rev.	
Part Number Numéro Pièce 5500UFDSS606118FD	Rev. 0
1 3	


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFDSS606118\5500UFDSS606118FD.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	26.419	6.118	CLOSING BAR GUIDE (Inside)
2	26.419	53.430	CLOSING BAR GUIDE (Inside)
-----	-----	-----	-----
3	2.000	2.118	GND STUD M6 x 16mm (Inside)
4	26.419	31.743	HANDLE 885 ESL2A-APHDSS @ 0.0°
5	27.347	37.445	STUDS M6 x 18mm (Inside)
6	27.347	40.123	STUDS M6 x 18mm (Inside)



FRONT

	Description		Status	
	5500UFDSS 60" x 61" Lock Door		(NULL)	
	Part Number Numéro Pièce		Rev.	2
	5500UFDSS606118FD		0	3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5500UFDSS606118\5500UFDSS606118FD.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions

Date

By/Par




Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 25-Mar-16

Material
Matière

12 Ga Stainless Steel 304 (2.5mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

5500UFDSS 60" x 61" Lock Door

Detail Rev.

Part Number
Numéro Pièce

5500UFDSS606118FD

Rev. 0

3

3


1	5500UFDSS606118CB	0	5500UFDSS 60" Closing Bar
1	5500UFDSS606118CB2E SY	0	5500UFDSS 60" Disconnect Closing Bar
1	STK-A-03880-36	12	Gearbox Clockwise Assembly (Grip 36mm)
1	885ESL-APHDSS	1	885 ESL2A-APHDSS - Stainless Steel L-Handle Padlockable Assy - Slot Cylinder
1	5500UFDSS606118FDG	0	5500UFDSS 60" x 61" Flange Door Gasket
1	STK-Q-16085	0	Ground Stud M6 x 16mm Stainless Steel
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	STK-Q-16070	1	Stud M6 x 18mm Stainless Steel
1	5500UFDSS606118FD-P	0	5500UFDSS 60" x 61" Lock Door Part
4	STK-K-09870	7	Cabinet Hinge with Captive Pins
Qty	Part Name	Rev	Description
Parts List			



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\885SP\885SP6060G.idw

Tolérance ±1/32" sauf spécification contraire



No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com			Flatness Aplatissement Max 3.0mm Projection 
Customer Client			Date
Drawn By Dessiné Par BoxCad			Date 04/11/2009
Material Matière 12 Ga Galvanized (2.5mm)			
Color Couleur Unpainted		Finish Fin Unpainted	
Description 885 SP6060G Inner Panel			Detail Rev.
Part Number Numéro Pièce 885SP6060G			Rev. 1 0 2

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par

Isometric View

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement
		Max 3.0mm
		Projection
Customer Client		Date
Drawn By / Dessiné Par BoxCad		Date 04/11/2009
Material Matière 12 Ga Galvanized (2.5mm)		
Color Couleur Unpainted	Finish Fini Unpainted	
Description		Detail Rev.
885 SP6060G Inner Panel		
Part Number Numéro Pièce		Rev.
885SP6060G		0
		2 / 2