


This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5600ESPLQ202408\5600ESPLQ202408.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK




LEFT



FRONT




RIGHT




BOTTOM

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer  
Client

Date

Drawn By  
Dessiné Par

BoxCad: BoxCad

Date 23-Mar-21

Material  
Matière

Polybutylene Terephthalate

Color  
Couleur

Light Grey RAL7035

Finish  
Fin

MT-11020

Description

5600ESPLQ 20" x 24" x 8" Assembly

Detail Rev.

Part Number  
Numéro Pièce

5600ESPLQ202408

Rev.

1

0

6

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5600ESPLQ202408\5600ESPLQ202408.idw

Tolérance ±1/32" sauf spécification contraire

| NOTE |                                         |
|------|-----------------------------------------|
| ITEM | DESCRIPTION                             |
| 1    | NEMA 6P Enclosure (IP68)                |
| 2    | C/W Standard inner panel (Included)     |
| 3    | C/W Standard inner panel mounting Screw |

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



|                         |  |                            |  |
|-------------------------|--|----------------------------|--|
| Customer<br>Client      |  | Date                       |  |
| Drawn By<br>Dessiné Par |  | Date 23-Mar-21             |  |
| Material<br>Matière     |  | Polybutylene Terephthalate |  |

|                  |                    |               |          |
|------------------|--------------------|---------------|----------|
| Color<br>Couleur | Light Grey RAL7035 | Finish<br>Fin | MT-11020 |
|------------------|--------------------|---------------|----------|

|                                   |             |  |  |
|-----------------------------------|-------------|--|--|
| Description                       | Detail Rev. |  |  |
| 5600ESPLQ 20" x 24" x 8" Assembly |             |  |  |

|                             |      |   |
|-----------------------------|------|---|
| Part Number<br>Numéro Pièce | Rev. | 2 |
| 5600ESPLQ202408             | 0    | 6 |

| PACKING          |     |                                            |
|------------------|-----|--------------------------------------------|
| ITEM             | QTY | DESCRIPTION                                |
| Cardboard sleeve | 2   | Top and Bottom                             |
| Cardboard strip  | 2   | Between back of enclosure and inner panel  |
| Plastic bag      | 1   | To protect cover surface and inside gasket |
| Packaging label  | 1   | White label with product number            |

|            |                  |     |                                  |
|------------|------------------|-----|----------------------------------|
| 1          | STK-K-03301      | 0   | 5600 Mounting Feet Accessory Kit |
| 1          | STK-K-01330      | 0   | 5600 Inner Panel Accessory Kit   |
| 1          | 881 SP2420G      | 0   | 881 SP - Inner Panel             |
| 1          | 5600ESPLQ202408C | 0   | 5600ESPLQ 20" x 24" Cover        |
| 1          | 5600ESPLQ202408B | 0   | 5600ESPLQ 20" x 24" x 8" Body    |
| Qty        | Part Number      | Rev | Description                      |
| Parts List |                  |     |                                  |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5600ESPLQ202408\5600ESPLQ202408.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View




Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement

Max 3.0mm

Projection



Customer  
Client

Date

Drawn By  
Dessiné Par

BoxCad: BoxCad

Date 23-Mar-21

Material  
Matière

Polybutylene Terephthalate

Color  
Couleur

Light Grey RAL7035

Finish  
Fini

MT-11020

Description

5600ESPLQ 20" x 24" x 8" Body

Detail Rev.

Part Number  
Numéro Pièce

5600ESPLQ202408B

Rev.

3  
0  
6

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance  $\pm 1/32$ " unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5600ESPLQ202408\5600ESPLQ202408.idw

Tolérance  $\pm 1/32$ " sauf spécification contraire

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |





Isometric View





Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement  
  
Max 3.0mm  
Projection  


|                                                                   |  |                                            |                  |
|-------------------------------------------------------------------|--|--------------------------------------------|------------------|
| Customer<br>Client                                                |  | Date                                       |                  |
| Drawn By<br>Dessiné Par    BoxCad: BoxCad                         |  | Date    23-Mar-21                          |                  |
| Material<br>Matière                    Polybutylene Terephthalate |  |                                            |                  |
| Color<br>Couleur            Light Grey RAL7035                    |  | Finish<br>Fini                    MT-11020 |                  |
| Description<br><br>5600ESPLQ 20" x 24" x 8" Body                  |  |                                            | Detail Rev.      |
| Part Number<br>Numéro Pièce<br><b>5600ESPLQ202408B</b>            |  |                                            | Rev.<br><b>0</b> |
|                                                                   |  |                                            | 4<br>6           |


|            |                    |     |                                                           |
|------------|--------------------|-----|-----------------------------------------------------------|
| 4          | STK-Q-05125        | 0   | M8 x 1.25mm Thread Stainless Steel 316 Hex-Shaped Inserts |
| 4          | STK-Q-17210        | 0   | M8 x 1.25mm Threaded Stud                                 |
| 3          | STK-Q-33920        | 3   | 5600 ESPL Cover Hinge Bracket                             |
| 5          | STK-A-880ESPL-QR   | 5   | 5600 ESPL Toggle Latch                                    |
| 1          | 5600ESPLQ202408B-P | 0   | 5600ESPLQ 20" x 24" x 8" Body Part                        |
| Qty        | Part Number        | Rev | Description                                               |
| Parts List |                    |     |                                                           |

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance  $\pm 1/32$ " unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5600ESPLQ202408\5600ESPLQ202408.idw


Tolérance  $\pm 1/32$ " sauf spécification contraire




TOP




BACK



LEFT



FRONT




RIGHT





BOTTOM

| No. | Revisions | Date | By/Par |
|-----|-----------|------|--------|
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |
|     |           |      |        |



Isometric View



|                                                                                       |  |                                                                                                  |  |                                                                                                                                 |  |
|---------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------------|--|
|  |  | Tél: (450) 979-4373<br>Fax: (450) 979-4626<br><a href="http://www.exmweb.com">www.exmweb.com</a> |  | Flatness<br>Aplatissement<br><br>Max 3.0mm |  |
|                                                                                       |  |                                                                                                  |  | Projection<br>                             |  |
| Customer<br>Client                                                                    |  |                                                                                                  |  | Date                                                                                                                            |  |
| Drawn By<br>Dessiné Par      BoxCad: BoxCad                                           |  |                                                                                                  |  | Date    23-Mar-21                                                                                                               |  |
| Material<br>Matière                                                                   |  |                                                                                                  |  |                                                                                                                                 |  |

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5600ESPLQ202408\5600ESPLQ202408.idw


Tolérance ±1/32" sauf spécification contraire

No.


Revisions

Date

By/Par




Isometric View






Tél: (450) 979-4373  
Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

Flatness  
Aplatissement



Max 3.0mm

Projection



Customer  
Client

Date

Drawn By  
Dessiné Par

BoxCad: BoxCad

Date 23-Mar-21

Material  
Matière

Polybutylene Terephthalate

Color  
Couleur

Light Grey RAL7035

Finish  
Fini

MT-11020

Description

5600ESPLQ 20" x 24" Cover

Detail Rev.

Part Number  
Numéro Pièce

5600ESPLQ202408C

Rev.

0

6

6

|            |                    |     |                                     |
|------------|--------------------|-----|-------------------------------------|
| 1          | 5600ESPLQ202408G   | 8   | 5600 ESPL Cover Gasket              |
| 6          | STK-5600ESPLH-CG   | 7   | 5600 ESPL Cover Guide               |
| 1          | 5600ESPLQ202408C-P | 0   | 5600ESPLQ 20" x 24" x 8" Cover Part |
| QTY        | Part Number        | Rev | Description                         |
| Parts List |                    |     |                                     |







**This drawing is confidential and must not be reproduced or used without the consent of EXM**

Tolerance  $\pm 1/32"$  unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP2420G.idw

Tolérance  $\pm 1/32"$  sauf spécification contraire



## Isometric View


 Tél: (450) 979-4373  
 Fax: (450) 979-4626  
[www.exmweb.com](http://www.exmweb.com)

|                             |                           |
|-----------------------------|---------------------------|
| Customer Client             | Date                      |
| Drawn By Dessiné Par BoxCad | Date 23-Jan-07            |
| Material Matière            | See Part List             |
| Color Couleur See Part List | Finish Fini See Part List |

|                      |             |
|----------------------|-------------|
| Description          | Detail Rev. |
| 881 SP - Inner Panel |             |

|                             |          |        |
|-----------------------------|----------|--------|
| Part Number<br>Numéro Pièce | Rev.     | 1<br>2 |
| <b>881 SP2420G</b>          | <b>0</b> |        |

|            |               |     |                           |                  |           |            |
|------------|---------------|-----|---------------------------|------------------|-----------|------------|
| 1          | 881 SP2420G-P | 0   | 881 SP - Inner Panel Part | 12 Ga Galvanized | Unpainted | Galvanized |
| Qty        | Part Number   | Rev | Description               | Material         | Color     | Finish     |
| Parts List |               |     |                           |                  |           |            |

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

